

The Asian Waterbird Census 2008-2015: Results of coordinated counts in Asia and Australasia

Taej Mundkur, Tom Langendoen and Doug Watkins



© Wetlands International 2017

Pages from this publication may be reproduced freely for educational, journalistic, and other non-commercial purposes. Prior permission must be given for all other forms of reproduction. Full credit must always be given to the copyright holder.

Taej Mundkur¹, Tom Langendoen² and Doug Watkins³

¹ International Waterbird Census Coordinator, Wetlands International

² International Waterbird Census Data Manager, Wetlands International

³ Chair, EAAFP Monitoring Taskforce; Chair, Australasian Wader Studies Group (a special interest group of BirdLife Australia); Associate Expert, Wetlands International

This publication should be cited as follows:

Mundkur, T., Langendoen, T. and Watkins, D. (eds.) 2017. *The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia*. Wetlands International, Ede.

Cover photo: Black-tailed Godwit, © Sudheera Bandara

The designations of geographical entities in this publication, and the presentation of material, do not imply the expression of any opinion whatsoever on the part of Wetlands International concerning the legal status of any country, territory, or area or its authorities, or concerning the delimitation of its frontiers or boundaries.

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

The Asian Waterbird Census is supported by a network of volunteers and coordinated by the following organisations and agencies that work closely with Wetlands International.

See www.wetlands.org/our-network/iwc-coordinators for full details



Contents

Acknowledgements.....	4
Introduction.....	6
Methods.....	7
Count period	7
Sites and species coverage.....	7
Red List Status.....	8
Overview of Results	9
Number of visits	9
Overview of counts	12
Important sites	13
EAAFP Flyway Network Sites.....	14
Annual site coverage	15
Species diversity	15
Selected Species Overview.....	17
Grebes	17
Pelicans	17
Cormorants.....	18
Heros, egrets,.....	19
Storks.....	19
Ibis & Spoonbills.....	20
Flamingos	21
Swans, Geese and Ducks (Anatidae)	22
Cranes.....	24
Jacanas	25
Rails, Gallinules and Coot	26
Shorebirds	27
Gulls, Terns and Skimmer.....	32
Synthesis and Next Steps.....	34
References	35
Annexes.....	37

Acknowledgements

Firstly, we would like to thank the thousands of volunteers that give their time and expertise to counting waterbirds. Without their active support and participation in the census, collecting and submitting the count data over these last years, it would not have been possible to collate this wealth of information and produce this report. The list of participants is held by the coordinators. In addition, we acknowledge counts provided by Igor Fefelov in Russia, Glenn McKinlay in Palau and the China Coastal Waterbird Census team in coordination with Vivian Fu.

An important element of the Asian Waterbird Census is that it works in partnership with many existing national waterbird census programmes. The synthesis of the count data at the flyway and regional level provides added value back to the national count programmes as it gives the larger geographic overview of the status of populations and species. We thank and greatly appreciate efforts of all country and sub-country AWC Coordinators (**current** and past) for all their hard work and effort in coordinating and promoting the counts, including:

Dan Weller and Golo Mauer (BirdLife Australia), **Enam Ul Haque** (Bangladesh Bird Club), **Sherub Sherub** (Ugyen Wangchuck Institute for Conservation & Environment, Bhutan), **Shirley Hee** (Panaga Natural History Society, Brunei Darussalam), **Hong Chamnan** (Wildlife Conservation Society, Cambodia), **Lu Yong** (Wetlands International – China), **Yu Yat Tung** (Hong Kong Bird Watching Society), **Woei-horng Fang** (Chinese Wild Bird Federation, Taiwan), **Da-Li Lin** (Taiwan New Year Bird Count), **Raju Kasambe** and Asad Rahmani (Bombay Natural History Society, India), **Yus Rusila Noor** (Wetlands International Indonesia Programme), **Kaori Tsujita** and Makiko Yanagiya, Naoki AMAKO (Ministry of the Environment, Japan), **Jin Han Kim** and Hwa-Jung Kim (National Institute of Biological Resources, Republic of Korea), Yeap Chin Aik (Malaysian Nature Society), **Gombobaatar Sundev** (Mongolian Ornithological Society), **Thet Zaw Naing** & Thein Aung (Myanmar Bird and Nature Society), **Hem Sagar Baral** (Himalayan Nature, Nepal), **David Melville** (Ornithological Society of New Zealand), **Umeed Khalid** (Ministry of Climate Change, Pakistan), **Anson Tagtag** and Carlo Custodio (DENR, the Philippines), **Lim Kim Keang** (Nature Society, Singapore), **Udaya Sirivardana** and Deepal Warakagoda (Ceylon Bird Club, Sri Lanka), **Krairat Eiamampai** and Budsabong Kanchanasaka (National Parks, Wildlife and Plant Conservation Department, Thailand), **Thattaya Bidayabha**, Philip Round, Ingkayut Saar and Wicha Narungsri (Bird Conservation Society of Thailand), and **Le Trong Trai** (Viet Nature Conservation Centre).

In India, we are grateful to the following network of sub-national/state coordinators (**current** and past): **Humayun Taher** and M. Shafaat Ulla, Birdwatcher Society of Andhra Pradesh; **Prasanta Saikia** and P. C. Bhattacharya, Gauhati University, Assam; **Arvind Mishra**, Mandar Nature Club, Bihar; **A.K. Bharos**, Chhattisgarh Wildlife Society; **Tarun K. Roy**, Delhi; **B. M. Parasharya**, Bird Conservation Society, Gujarat; **Pronoy Baidya** and Heinz Lainer, Goa Bird Conservation Network; Suresh C. Sharma, Haryana; **Pankaj Chandan**, World Wide Fund for Nature – India, Jammu & Kashmir; **Satya Prakash**, Neo Human Foundation, Jharkhand; **S. Subramanya**, Karnataka; **P. O. Nameer**, Kerala Agricultural University; **Anil B. Pimplapur**, Vidharba Nature and Human Society, Maharashtra; **Monalisa Bhujabal** and U.N. Dev, Odisha; Rakesh Vyas, Rajasthan; **Neeraj Srivastava**, Uttar Pradesh; **Kumaran Sathasivam** and **KV Sudhakar**, Madras Naturalist Society, and Lalitha Vijayan, Tamil Nadu; and **Kushal Mookherjee**, Prakriti Samsad, West Bengal and **Anwaruddin Chowdhury**.

The Japan data was kindly provided by Toshifumi Moriya of the Japan Bird Research Association on behalf of the Ministry of the Environment of Japan. Adrian Reigen has managed the database in New Zealand. We greatly appreciate useful feedback to the report from coordinators and experts including Richard Hearn, Chair of the EAAFP Baer's Pochard Task Force.

We also appreciate the efforts of our colleagues in our South Asia office, Akojam Yaiphaba Meetei, Kamal Dalakoti and Bharat Jethva who have led on collation of the India data under the supervision of Ritesh Kumar, database assistance by Ragil Satriyo Gumilang in our Indonesia office, guidance of Chen Kelin in our China office and support from Arne Jensen in the Philippines and Ward Hagemeijer in our Head Office.

Finally, we thank the Ministry of the Environment of Japan and the Board of Association of Wetlands International for providing the generous financial resources for regional coordination of the AWC over the last years and to enable us to compile this report.

Introduction

The Asian region is home to a high diversity of waterbirds, including an increasing number of threatened species, many at risk of extinction (Wetlands International 2012). Conservation of these species and their habitats needs to be based on quality and current information on their distribution and trends. To address this need, the Asian Waterbird Census (AWC) has been collating and disseminating information since 1987 to inform governments, conventions and the public. The AWC runs in parallel with other waterbird censuses carried out in Africa, Europe, Central and West Asia, the Caribbean, Central and South America under the umbrella of the International Waterbird Census (IWC). The IWC is coordinated internationally by Wetlands International (with the exception of the Caribbean and Central America). The IWC is considered one of the largest and longest-running internationally coordinated citizen science biodiversity monitoring programmes in the world.

The AWC currently covers 25 countries and regions of Asia and Australasia and takes place annually during the second and third weeks of January with additional counts being provided from some countries between late November to February. The census is carried out by volunteers, and in some cases government staff, interested in collecting information on waterbirds and wetlands as a basis for contributing to their conservation.

The data collected by the AWC contributes to a range of local, national and flyway-scale conservation activities including:

species and site conservation and research programmes and campaigns to raise awareness of the importance of wetlands in many countries;

the development of national wetland and waterbird conservation Action Plans and Strategies (NBSAPs);

the Ramsar Convention on Wetlands, by identifying and monitoring Wetlands of International Importance and other wetlands;

the Convention on Migratory Species (CMS), by monitoring the status of migratory waterbirds and their habitats;

the Convention on Biological Diversity's goal of conservation and sustainable use of biodiversity;

the East Asian – Australasian Flyway Partnership (EAAFP) and its Flyway Site Network and other important sites;

the CMS's West/Central Asian Site Network for the Siberian Crane and other waterbirds;

BirdLife International's Important Bird and Biodiversity Area (IBA) programme; and Key Biodiversity Areas (KBAs);

IUCN/BirdLife International's globally threatened birds programme;

Wetlands International's Waterbird Population Estimates (WPE) programme; and

the studies of wild bird movements and relationships to avian disease (especially highly pathogenic avian influenza) transmission that affect wild birds, poultry and humans and in planning response measures.

In addition to the wide range of applications outlined above, the IWC has been extremely successful in achieving its primary objectives of:

- providing the basis for estimates of waterbird populations (e.g. Bamford et al, 2006; Hansen et al, in prep.)
- monitoring changes in waterbird numbers and distribution by regular, standardised counts of representative wetlands;
- improving knowledge of little-known waterbird species and wetland sites;
- increasing awareness of the importance of waterbirds and their wetland habitats at local, national and international levels.

The EAAFP in its Implementation Strategy 2012 – 2016 Outcome 6 call for "*Scientifically sound information is available on the flyway-wide status and trends of waterbird populations and their habitats*". It recognises that the AWC, an ongoing regional waterbird monitoring programme "*can continue to provide good information, the extent of their coverage is in need of enhancement and related capacity building can improve the quality of the information*".

As a result of their increased awareness, local people and governments are now working to conserve important sites in most of the countries covered by the census. However, coverage and conservation efforts vary considerably, and the increasing pressure on wetlands and their biodiversity highlights the need to strengthen the programme to address ever-growing challenges. These include global climate change and its far-reaching impacts on changes in distribution and types of wetlands, as well as seasonal variations linked to probable changes in the carrying capacities of the wetlands used by the waterbirds for feeding, nesting and roosting.

The AWC has also built and strengthened national networks of enthusiastic and dedicated volunteers and facilitated their training as an integral part of achieving its objectives.

The information shared with Wetlands International has been collated into a variety of regional summaries and overviews (van der Ven 1987, 1988; Scott and Rose 1989; Perennou *et al.* 1990; Perennou and Mundkur 1991, 1992; Mundkur and Taylor 1993, Perennou *et al.* 1994, Lopez and Mundkur 1997, Li and Mundkur 2004 and Lopez and Mundkur 2007). The most comprehensive report covers the AWC between 1987- 2007 (Li *et al.* 2009). Readers are advised to refer to this publication for additional detailed information on the value and rationale for monitoring waterbirds, organisation of the IWC, methods, data collection and management, counting and reporting methods, interpretation of waterbird counts and related information.

Several of the countries and regions covered by this report regularly produce their own national reports or summaries and provide a wealth of knowledge on local and national situations of waterbirds and their conservation issues.

This report collates information shared with Wetlands International to cover the northern hemisphere winter seasons between 2008 and 2015.

Methods

The geographic coverage of the AWC includes the following four main regions: South Asia (Bangladesh, Bhutan, India, the Maldives, Nepal, Pakistan and Sri Lanka), Southeast Asia (Brunei Darussalam, Cambodia, Timor-Leste, Indonesia, Lao PDR, Malaysia, Myanmar, the Philippines, Singapore, Thailand and Viet Nam), East Asia (mainland China, Hong Kong Special Administrative Region (SAR), Taiwan, Macau, Japan, Democratic People's Republic of Korea (North Korea), Republic of Korea (South Korea), Mongolia and eastern Russia) and Australasia (Australia, New Zealand and Papua New Guinea). In mainland China, Hong Kong SAR and Taiwan, the AWC has been coordinated separately, therefore information has been presented separately for these regions in this report (in keeping with previous reports). In addition, since 2015, information has been received from Palau, which hosts several migratory shorebird and other waterbird species covered by the East Asian - Australasian Flyway Partnership and is included within the SE Asia region in this report.

Count Period

The AWC takes place once a year, during the second and third weeks of January. However, logistical difficulties in some countries or limited volunteer capacity mean that counts made at any time during January are accepted for the AWC database. In some countries, counts made during the northern (boreal) winter period from late November to February are accepted if no January data are available and it is evident that the populations of birds are stable in this area during this period.

Sites and Species Coverage

The AWC covers all types of sites used by waterbirds, including natural and man-made wetlands, rivers, lakes, reservoirs, ponds, freshwater swamps, mangroves and tidal mudflats, coral reefs, rice fields, grasslands, sewage farms, etc. that are covered by the Ramsar Convention.

All waterbird groups encountered in the region, as recognised by the Ramsar Convention, are covered by the census. These include grebes, cormorants, pelicans, herons, egrets, storks, ibises,

spoonbills, flamingos, ducks, geese & swans (Anatidae), cranes, rails, jacanas, shorebirds, gulls and terns. Reporting tends to cover all groups of waterbirds from most parts of Asia, whereas Japan mainly submits counts of two main groups, Anatidae and shorebirds with additional information on selected crane and other species in some years. Counts from Australia and New Zealand are consistently submitted only for shorebirds, that form the main migratory group of waterbirds in this region.

In addition, counts of other wetland-dependent species (including seabirds, raptors, kingfishers, wagtails and pipits) that are regularly encountered in wetlands have been submitted by some countries, as several of these species depend largely on the food resources provided by these habitats. This gives a better indication of the wider importance of these sites, even though it is expected that the diversity and abundance of such species are not yet adequately recorded by participants across the region. Although this information is stored in the International Waterbird Census database, these birds are not included in the current report.

The sequence and nomenclature of waterbird species used in this report follows "The BirdLife checklist of the birds of the world: Version 9 (2016)". This checklist is increasingly being adopted by the biodiversity related conventions. Subspecies information has been included where possible. Reporting of subspecies differs between countries, so these entries should be interpreted with some caution. For more information please contact us or the relevant National Coordinators.

Species that are difficult to identify with certainty in the non-breeding plumage may be reported incorrectly, such as pond herons. For this reason, besides species totals, the report also provides totals of unidentified species of a group (for e.g. unidentified terns, gulls, herons, ducks, geese, ibises, storks) as well as unidentified waterbirds. The total number of waterbirds being reported at a site provide a valuable indication of its importance. Hence while it may not always be possible to identify every species, recording the total number of waterbirds to group level is important.

The taxonomy of 'large white-headed gulls' in the region remains an ongoing process of evolution. Differences in the way that this group is treated in the various field guides mean that a species may be identified and reported differently by different observers. It is recommended that the numbers reported of these species is treated with caution.

Wetlands International relies on its network of coordinators to review all species identification and unusual counts, although it is impossible to verify all the observations submitted.

Red List Status

BirdLife International leads on the update of the status of the world's threatened birds. It is the official Red Listing Authority on birds, and supplies this information for the IUCN (World Conservation Union) Red List of Threatened Species. This report follows Red List (2016) based on the standard IUCN Red List Categories (IUCN 2001) as follows: Extinct (EX), Extinct in the Wild (EW), Critically Endangered (CR), Endangered (EN), Vulnerable (VU), and Near Threatened (NT). Other categories are Least Concern (LC), Data Deficient (DD) and Not Evaluated (NE). The abbreviation NR in the report refers to unidentified species and species groups.

Overview of Results

Number of Visits

This report collates information submitted to Wetlands International to cover the northern hemisphere winter seasons between 2008 and 2015. Information has been received for a minimum of 1,146 sites in 2009 and a maximum of 1,433 in 2015 (details in Table 1).

During this period, counts were received from all the countries/regions in the region, with the exception of Laos, the Maldives, Democratic People's Republic of Korea and Papua New Guinea. In 2015, information has also been received from Palau, which hosts migratory shorebird and other waterbird species and is included within SE Asia in this report.


Table 1: Total of sites reported during the AWC 2008-2015 (as at 20 Nov 2016)

Country/ region	2008	2009	2010	2011	2012	2013	2014	2015
Australasia								
Australia	74	60	55	50	38	41	32	30
New Zealand	173	228	193	210	220	211	200	190
East Asia								
China (mainland)	8	11	11	11	11	10	6	12
Hong Kong SAR	3	2	2	2	2	2	2	2
Taiwan			30	23		34	34	
Japan	131	145	142	144	152	150	160	157
Mongolia		1		1		1	2	
Russia	2	2	2	2	1	1		
South Korea	139	135	137	132	137	188	193	199
South Asia								
Bangladesh	37	38	15	26	16	22	73	58
Bhutan							11	14
India	168	151	224	313	290	185	401	313
Nepal	33	39	49	41	37	47	54	42
Pakistan	10		63	57	69	9	9	9
Sri Lanka	30	29	43	41	41	41	40	44
Southeast Asia								
Brunei	15	6	8	11	10	12	17	15
Cambodia	4	10	8	13	13	11	6	7
Indonesia	37	11	30	11	9	5	16	7
Malaysia	23	41	16	14	6	1	5	18
Myanmar		17	15			12	6	9
Palau								1
Philippines	159	167	194	187	164	193	140	157
Singapore	9	8	9	9	8	7	8	8
Thailand	122	44	53	69	81	87	18	
Timor-Leste			1					
Viet Nam				2	1	3	3	2
Total	1,177	1,146	1,301	1,368	1,308	1,273	1,433	1,293

Note: The figures represent the number of sites actually recorded in the AWC database and may differ from the number presented in earlier reports or those appearing in national reports and

overviews. Some sites may have been combined into larger sites for standardisation purposes. A small number of site with doubtful counts or with very few bird records have been removed.

Fig 1: Overview of sites per region reported during the AWC 2008-2015







Fig 2: Mean number of sites reported per country/region during the AWC 2008-2015)




Overview of Counts

During this period, counts were received from all the countries/regions, with the exception of Laos, the Maldives, North Korea and Papua New Guinea. The total number of waterbirds reported varied between nearly 5.5 and 7.5 million across the region (Table 2). India and South Korea reported the largest average number of waterbirds annually. In South Korea this is a reflection of the high level of coverage of sites whereas in India it is largely dependent on the selection of sites being covered in that year.

Table 2. Total number of waterbirds reported during the Asian Waterbird Census 2008-2015

Country/region	2008	2009	2010	2011	2012	2013	2014	2015
Australia	917,584	582,042	383,094	430,134	384,860	577,695	473,048	445,873
Bangladesh	318,237	281,016	53,705	88,789	32,632	217,415	133,812	87,555
Bhutan							1,114	1,516
Brunei	14,003	6,021	3,209	4,156	8,454	3,674	3,983	1,130
Cambodia	57,062	68,359	55,305	22,263	110,507	27,449	94,403	63,919
China								
-China (mainland)	97,480	87,006	87,267	84,818	62,329	71,576	23,040	126,248
-Taiwan			48,962	53,379		65,564	89,638	89,750
-Hong Kong SAR	90,810	71,513	77,390	68,839	49,716	56,587	43,348	45,966
India	915,821	771,356	2,298,561	1,780,923	1,953,414	1,740,110	2,416,904	2,357,056
Indonesia	24,214	16,173	22,205	19,274	9,626	133	8,481	12,241
Japan	599,649	655,807	699,728	656,664	640,214	638,433	620,953	685,057
Malaysia	31,947	35,370	11,357	28,663	5,525	987	4,669	35,177
Mongolia		1,308		543		269	1,288	
Myanmar		99,230	5,041			33,862	7,036	18,089
Nepal	36,573	30,336	29,334	29,898	30,192	41,061	53,326	48,718
New Zealand	253,675	227,612	145,287	122,178	150,721	143,226	136,058	122,254
Pakistan	92,068		528,020	780,468	815,176	42,653	72,446	94,609
Philippines	292,439	272,073	303,116	248,313	356,938	405,800	306,119	301,641
Republic of Korea	1,400,874	1,855,935	1,338,239	1,105,817	949,218	990,983	1,127,123	1,117,483
Russia	13,594	11,492	13,789	10,805	8,702	8,976		
Singapore	2,570	3,631	3,632	1,530	3,179	2,586	2,668	2,452
Sri Lanka	20,642	36,405	1,356,319	142,997	99,650	161,211	171,890	378,157
Thailand	261,143	111,253	92,324	165,446	149,861	139,414	77,477	
Timor-Leste		123						
Vietnam			5,607	6,231	5,637	2,826		10,368
Total	5,440,385	5,224,061	7,561,491	5,852,128	5,826,551	5,372,490	5,868,824	6,045,259

Fig 3: Overview of waterbirds reported during the AWC 2008-2015 (as at 20 Nov 2016)




Important Sites

The report covers information from a range of sites, with Chilika Lake in India reporting the maximum number (over 800,000 waterbirds). A large number of sites meet the Ramsar Convention and East Asian – Australasian Flyway Partnership criterion of “international importance” and, in that they regularly support over 20,000 waterbirds, based on counts during the northern hemisphere winter.

The map below provides an overview of the average numbers of waterbirds reported during the 2008-2015 census periods. Sites with large numbers of waterbirds are reported from across the region, particularly, in Australia, Bangladesh, Cambodia, India, Japan, New Zealand, Pakistan, Philippines, Sri Lanka, Thailand and South Korea. In some regions, sites are often reported as smaller count units, rather than at administrative or management units such as protected areas, Ramsar sites, or Flyway Network Sites (see next).

Many other sites qualify as important during the migration or breeding periods and need to be assessed through other monitoring programmes.

Fig 4: Overview of average number of waterbirds per site reported during the AWC 2008-2015 (as at 20 Nov 2016)



EAAFP Flyway Network Sites

The EAAFP has developed an international network of wetlands of international importance for migratory waterbirds, currently spanning 125 sites in 17 countries from arctic Russia and Alaska to Australia and New Zealand. A majority of these sites (56%) are being covered during the AWC (see Table 3), with the exception of sites in northern Russia, Alaska and Mongolia that are frozen during January. A full list of sites covered is included in Annex 1.

Table 3. Coverage of EAAFP Network Sites during the AWC 2008-2015

Country/region	Number of EAAFP Network Sites	Reported in AWC - 2008-2015	Percentage of EAAFP Network sites covered in AWC
Australia	21	12	57
Bangladesh	5	5	100
China	19	4	21
Indonesia	2		0
Japan	33	27	82
Malaysia	2	2	100
Mongolia	6		0
Myanmar	3	2	67
New Zealand	2	2	100
DPR Korea	2		0
Papua New Guinea	1		0
Philippines	3	2	67
Russia	10		0
Singapore	1	1	100
Republic of Korea	11	10	91
Thailand	3	3	100
USA (Alaska)	1		0
Total	125	70	56


(Note: Table 3 includes Flyway Network Sites in DPR Korea and Papua New Guinea. These sites were nominated during the period of the Asia Pacific Migratory Waterbird Conservation Strategy and have yet to be formally reconfirmed by the National Governments as part of the EAAFP Flyway Site Network.)

Annual Site Coverage

The value of monitoring of waterbirds is enhanced when a representative set of sites is covered regularly. Reporting during the last eight years has varied considerably between countries and sites. Within the EAAF, reporting has been most consistent (7 or 8 seasons) in Brunei, Japan, South Korea, Singapore, the Philippines and parts of the coast of mainland China, Hong Kong SAR, Australia, Malaysia, Thailand and Russia (Fig. 5). Reporting has been comparatively more patchy elsewhere (Bangladesh, Cambodia and Mongolia), with the first reports being submitted from Timor-Leste and Palau.

Within the Central Asian Flyway, reporting has been most consistent in parts of Nepal, Sri Lanka and several states in India, with comparatively more patchy coverage in many states of India, with the first reports being submitted from Bhutan after several years. Coverage of sites in southern Russia and Mongolia are dependent on ice conditions.

Fig 5: Overview of number of years reports were received for sites during the AWC 2008-2015




Species Diversity

The sites with average highest species diversity were recorded from India and South Korea, followed by sites in Sri Lanka and Hong Kong SAR (Fig. 6).


A summary of the numbers of waterbirds reported per country/region in each year is provided in Annex 2 with details per country/region in Annex 3.

Fig 6: Overview of average number of waterbird species per site reported during the AWC 2008-2015



The main groups of waterbirds were shorebirds, Anatidae (ducks, geese & swans), Gulls, Terns and Skimmer and Herons, Egrets & Bitterns (Fig 7). In Australia, shorebirds were reported each year. Other waterbird families were only reported in 2008.

Fig 7: Overview of average number of species per waterbird group reported during the AWC 2008-2015




Selected Species Overview

This section provides short summaries for selected species to cover the spectrum of waterbird families (grebes, cormorants, pelicans, herons, egrets, storks, ibises, spoonbills, flamingos, ducks, geese & swans (Anatidae), cranes, rails, jacanas, shorebirds, gulls and terns) submitted in the annual counts with information and maps for one or more species. The maps indicate sites where the species was reported. Sites visited but where the species was not reported are indicated with a grey dot. Species identified as [key species](#) by the EAAFP are included. These are primarily threatened, some of which are covered by Single Species Action Plans of the EAAFP and CMS. These include: Black-faced Spoonbill, Spoonbilled Sandpiper, Eurasian Spoonbill, Far Eastern Curlew and Great Knot, with the exception of the Siberian Crane as the main counts have not been received during this period. The population estimate for the species follows Waterbird Population Estimates 5th edition (WPE) (Wetlands International 2012).


Grebes

The Little Grebe *Tachybaptus ruficollis* LC is the most widespread of the group, being reported in E (from lake Baikal southwards), S and SE Asia in inland and coastal wetlands, with between 8,800-33,000 reported annually (WPE 200,000-2,000,000).




Pelicans

Four pelican species are reported during the counts, including Dalmatian Pelican *Pelecanus crispus*, VU between 7,200-17,800 reported annually (WPE 30,000). The Spot-billed Pelican *Pelecanus philippensis* NT between 4,800-17,400 reported annually (WPE 13,000-17,000) from across South Asia and the more localised Southeast Asia population.




Cormorants

For this report, four species in Asia and Australasia are depicted. Great Cormorant *Phalacrocorax carbo* between 23,000-76,300 reported annually (WPE 100,000-260,000), Indian Cormorant *Phalacrocorax fuscicollis* between 7,200-17,800 reported annually (WPE 30,000), Little Cormorant *Phalacrocorax niger* between 23,210-70,800 reported annually (WPE 275,000-350,000), Little Black Cormorant *Phalacrocorax sulcirostris* between 4-1,400 reported annually (WPE 25,000-1,000,000).




Herons, egrets,

Great White Egret *Ardea alba* LC between 13,400-31,000 reported annually (WPE 60,000-300,000)




The Chinese Egret *Egretta eulophotes* VU between 100-500 reported annually (WPE 3,000 - 4,100).



Storks


The region is home to 11 stork species, including five threatened species; Greater Adjutant, Milky Stork, Oriental Stork and Storm's Stork that are listed as EN, Lesser Adjutant and Asian Woollyneck listed as VU, as well as the Painted Stork and Black-necked Stork listed as nt. The rare forest Storm's Stork of SE Asia is not reported during this period.

Of the two species featured here, Milky Stork *Mycteria cinerea* EN between 1-200 (WPE 30-5,040) was reported in its strongholds of Cambodia, Indonesia and Malaysia. The Painted Stork was reported across S and parts of SE Asia, although numbers have declined in recent years; between 5,800-21,700 were reported annually (WPE 25,000-35,000).




Ibises & Spoonbills

The region has eight native ibis species and one introduced species. Of these, the White-shouldered Ibis and Giant Ibis are CR and were reported only in their stronghold of Cambodia. Of the four species featured here, the Black-headed Ibis NT is reported across most of its S & SE Asian range. The Australian Ibis and Straw-necked Ibis were reported only in one year in Australia while reporting has been too limited in eastern Indonesia and PNG where they also occur. The introduced African Sacred Ibis is now reported across Taiwan. The EN Crested Ibis is not reported during the census.




The Spoonbill family in the region covers four species, including two species of special interest. The Black-faced Spoonbill *Platalea minor* EN in E Asia covered under a BirdLife International and CMS conservation plan. It has been widely reported across its range and is a success story with the population increasing with a maximum of 2,511 reported in 2015 (WPE 1,830 - 2,700) as a result of local and regional conservation action. The Eurasian Spoonbill LC was reported in S, SE and E Asia with between 2,000 and 8,000 annually (WPE pop 33,000) and is covered by a global conservation plan by CMS and AEWA (Triplet et al 2008).



Flamingos


Both, the Greater Flamingo *Phoenicopterus roseus* LC and Lesser Flamingo *Phoeniconaias minor* NT were reported widely across their inland and coastal ranges in S Asia. For the Greater Flamingo depicted here, between 15,000 and 94,000 were reported annually (WPE 240,000).




Swans, Geese and Ducks (Anatidae)

This is a large and diverse group of waterbirds, including many threatened species. The group is well covered by the AWC, especially those that use open coastal and inland wetlands. Forest species like the White-winged Wood Duck, the riverine Scaly-sided Merganser CR and seaducks (Scooter and Eiders) were not widely reported.

Of the four swan species, none are listed as threatened. Depicted here is the Bewick's Swan *Cygnus columbianus bewickii* LC of E Asia (non-breeding), which was most widely distributed and between 18,000-25,000 reported annually (WPE 93,000-120,000).




Eleven geese species occur in the Asian region, including two VU species, Swan Goose and Lesser White-fronted Goose. While the subspecies of Bean Goose are complex, they are reported as Taiga Bean Goose *Anser fabalis middendorffii* and Tundra Bean Goose *Anser fabalis serrirostris*, particularly in E Asia. Depicted here are the Greater White-fronted Goose *Anser albifrons* widespread in E Asia and Barheaded Goose widespread in S Asia. Between 680-89,100 Barheaded Goose *Anser indicus* reported annually (WPE 52,000-60,000) Greater White-fronted Goose 198,000-304,000 reported annually (WPE 263,000-328,000).




The Baikal Teal *Sibirionetta formosa*, the most numerous duck reported in the census is restricted to E Asia and numbers have fluctuated widely during this period between 316,000-1,065,000 (WPE 500,000-1,000,000).


Of the diving ducks *Aythya*, the CR Baer's Pochard *Aythya baeri* of E, S and SE Asia is depicted here. Between 1-422 were reported annually (WPE 250 - 1,000), although the species is difficult to identify and may be overlooked or misidentified..



Of the widespread dabbling duck *Anas* species, the Northern Pintail (depicted here) was widely reported in E, SE and S Asia with between 79,000-521,000 reported annually (WPE 1,200,000-1,300,000)




Depicted here are Common Shelduck *Tadorna tadorna* and Ruddy Shelduck *Tadorna ferruginea* of the six Tadorna family in the region. Both are widely reported in E, SE and S Asia. Between 25,000-39,000 Common Shelduck (WPE 125,000-250,000) were reported annually, while between 12,000 and 40,000 Ruddy Shelduck reported (WPE 100,000-150,000).




Cranes

Of the nine cranes species, the Siberian Crane *Leucogeranus leucogeranus* CR, Red-crowned Crane *Grus japonensis* EN, White-naped Crane *Antigone vipio*, Hooded Crane *Grus monacha*, Black-necked Crane *Grus nigricollis* and Sarus Crane *Antigone antigone* are VU and Demoiselle Crane *Anthropoides virgo*, Common Crane *Grus grus* and Sandhill Crane *Antigone canadensis* are LC. Of the two depicted species, Sarus Crane between 100-800 reported annually in S Asia (WPE 8,000-10,000).




Of the two E Asian VU crane species most widely reported in the census, White-naped Crane (depicted here) between 1,400-4,200 (WPE 5,500-6,500) and Hooded Crane 300-11,300 (WPE 11,550-11,650).




Jacanas

Three Jacana species occur in the region, two in Asia and one in Australasia to eastern Indonesia. Depicted here are the Pheasant-tailed Jacana *Hydrophasianus chirurgus* in E, S and SE Asia, between 2,900-10,900 reported annually (WPE 100,000-150,000) and Bronze-winged Jacana *Metopidius indicus* in S and SE Asia, between 1,200-6,600 reported annually (WPE 50,000-100,000).




Rails, Gallinules and Coot

Common Coot *Fulica atra* LC widespread in E, S and SE Asia, between 224,100-365,900 reported annually (WPE 1,600,000-2,500,000).




Purple Swamphen *Porphyrio porphyrio* LC in E, S and SE Asia and Australia, between 10,500-52,200 reported annually (WPE, no estimate).



Shorebirds


Spotted Greenshank *Tringa guttifer* EN in E, S and SE Asia, between 9-142 reported annually (WPE 400–600).




Whimbrel *Numenius phaeopus* LC in E, S and SE Asia and Australia, between 2,400-5,200 reported annually (WPE 80,000-155,000).




Eurasian Curlew *Numenius arquata* NT in E, S and SE Asia and Australasia, between 9,800-20,700 reported annually (WPE 110,000-200,000). Far Eastern Curlew *Numenius madagascariensis* EN in E, SE Asia and Australia, between 55-617 reported annually (WPE 32,000).




Wood Sandpiper *Tringa glareola* LC in E, S and SE Asia and Australia, between 3,300-18,200 reported annually (WPE 200,000-300,000).




Grey-headed Lapwing *Vanellus cinereus* LC in E, S and SE Asia, between 800-3,300 reported annually (WPE 25,000 - 100,000).




Pacific Golden Plover *Pluvialis fulva* LC in E, S and SE Asia and Australia, between 10,400-22,600 reported annually (WPE 150,000-200,000).




Pied Avocet *Recurvirostra avosetta* LC between in E, S and SE Asia, 14,900-38,400 reported annually (WPE 110,000-200,000). Red-necked Avocet *Recurvirostra novaehollandiae* LC in Australia, between 1,300-11,000 reported annually (WPE 107,000 - 107,000).




Great Knot *Calidris tenuirostris* EN between 17,495-175,166 reported annually (WPE 290,000-295,000). Red Knot *Calidris canutus* NT between 18,900-45,500 reported annually (WPE 116,000-139,000).



Lesser Sandplover *Charadrius mongolus* LC between 29,000-79,000 reported annually (WPE 188,500-218,500). Greater Sandplover *Charadrius leschenaultii* LC between 12,000-76,000 reported annually (WPE 104,000-179,000).




Two godwit species both NT occurring in E, S and SE Asia and Australasia, Bar-tailed Godwit *Limosa lapponica* between 81,000-112,000 reported annually (WPE 289,000) and Black-tailed Godwit *Limosa limosa* between 24,000 -139,000 reported annually (WPE 379,000-429,000).




Gulls, Terns and Skimmer


Saunders's Gull LC in E Asia, between 32-153 reported annually (WPE 7,100-9,600).




Black-headed Gull *Larus ridibundus* LC in E, S and SE Asia, between 35,400-85,800 reported annually (WPE 125,000-2,000,000).



Lesser Crested Tern *Thalasseus bengalensis* LC in S and SE Asia and Australia, between 1,000-121,600 reported annually (WPE 175,000-280,000).



Caspian Tern *Hydroprogne caspia* LC in E, S and SE Asia and Australia, between 300-13,900 reported annually (WPE 70,000-225,000).



Synthesis and Next Steps

This regional summary report for 2008-2015 provides valuable overview of the current status of information being generated and shared at the flyway level (covering the Central Asian and East Asian – Australasian flyways) rough the annual Asian Waterbird Census. However, as highlighted in the Fifth Edition of Waterbird Population Estimates - WPE5 (Wetlands International 2012), the proportion of species for which no population size estimate exists is highest in Asia and Oceania (also in the Neotropics). Furthermore, Asia has the highest proportion (50%) of known declining populations in the world. There is an urgent need for ongoing comprehensive assessment of the status and trends of species to provide a basis for prioritisation and effective conservation action for waterbirds and their habitats across the region.

At the species level, the report collates new information on species that are significantly different to those published in WPE5 in 2012 and re-emphasises the need for such population assessments as data increases and the size of the populations change. For example, between 680-89,100 Barheaded Goose were reported annually to the AWC between 2008-2015. This upper limit is considerably higher than the overall WPE5 estimate for the species of 52,000-60,000. Numbers summarised in this report do not take into consideration an additional 67,000 Bar-headed Geese counted in south-central Tibet during January 2014 (Dongping et al 2017). A similar situation of changes in population sizes exists for other Anatidae species in East Asia as demonstrated by Jia et al. (2016).

The value of AWC information for such analyses has already been demonstrated for many waterbird species and populations recently: Eurasian Coot in East Asia (Hashimoto et al 2013), shorebirds in the East Asian - Australasian Flyway (Hansen et al in prep) Bar-headed Goose (Dongping et al 2017), ducks and Black-faced Spoonbill in East Asia (Li et al. 2009).

The report also highlights the variation in the numbers of sites being reported annually. In many countries this reflects an increase of coverage, but is also a result of inconsistency in annual coverage of sites. For meaningful status assessments for most waterbird populations, the consistency in which sites are covered and reported needs to be improved. Although there has been an improvement in the local capacity and skills of the volunteer network in some countries, in others there is a need to enhance this through targeted training and skill development.

It is noted that a number of national and regional datasets are not currently incorporated into the AWC. It is possible that the importance of regular flyway scale status assessments and the need to pooled data in order to generate them is not as widely understood as it should be among certain stakeholders in the region. More effort is needed working with AWC coordinators and others on an ongoing basis to secure this information to address geographic and species gaps.

This long-term information base provides is an important resource for Governments to report on achievements against agreed regional and global targets and priorities, including Aichi Targets on Biodiversity (including Targets #11 and #12) and Sustainable Development Goals (SDG) including goals #14, #15 and #17. Efforts are needed to ensure that up-to-date monitoring and conservation outcomes for waterbirds and wetlands are being included in national reporting by all governments to the Convention on Migratory Species COP12 in 2017, Ramsar Convention COP13 and Convention of Biological Diversity COP14 in 2018, and EAAFP MOP10 in 2019.

This will require working closely with the East Asian - Australasian Flyway Partnership, the Ramsar Convention, the Convention on Migratory Species, the Association of South East Asian Nations (ASEAN) and South Asia Cooperative Environment Programme (SACEP) and other regional frameworks to enhance the effectiveness and application of this information.

References

- Bamford, M., Watkins, D., Bancroft, W., Tischler, G. and Wahl, J. 2006. Migratory Shorebirds of the East Asian – Australasian Flyway; Population Estimates and Internationally Important Sites. Wetlands International – Oceania, Canberra, Australia.
- BirdLife International. 2015. The BirdLife checklist of the birds of the world: Version 8. http://www.birdlife.org/datazone/userfiles/file/Species/Taxonomy/BirdLife_Checklist_Version_80.zip [.xls zipped 1 MB].
- IUCN 2001. IUCN Red List Categories. Version 3.1. IUCN Species Survival Commission. IUCN, Gland, Switzerland and Cambridge, UK.
- IUCN 2016. The IUCN Red List of Threatened Species. Version 2016-3. www.iucnredlist.org. Downloaded on 7 December 2016.
- Dongping Liu, Guogang Zhang, Fengshan Li, Tian Ma, Jun Lu and Fawen Qian. (2017) A revised species population estimate for the Bar-headed Goose (*Anser indicus*). Avian Res 8:7.
- Hansen B.D., Fuller, R.A., Watkins, D., Rogers, D., Clemens, R.S., Newman, M., Woehler, E.J. and Weller, D.R. in prep. Revision of the East Asian - Australasian Flyway Population Estimates for 37 listed Migratory Shorebird Species. BirdLife Australia.
- Hashimoto, H. and Sugawa, H. 2013. Population trends of wintering Eurasian Coot *Fulica atra* in East Asia. Ornithol. Sci. 12: 91–105.
- Jia, Q., K. Koyama, C.-Y. Choi, H.-J. Kim, L. Cao, D. Gao, G. Liu, and A.D. Fox. 2016. Population estimates and geographical distributions of swans and geese in East Asia based on counts during the non-breeding season. Bird Conservation International 26: 397–417.
- Li, Z.W.D. and Mundkur, T. 2004. Numbers and distribution of waterbirds and wetlands in the Asia-Pacific region. Results of the Asian Waterbird Census: 1997–2001. Wetlands International, Kuala Lumpur, Malaysia.
- Li, Z.W.D. and Mundkur, T. 2006. Monitoring of waterbirds in the Asia-Pacific region. In: Boere,
- Li, Z.W.D. and Mundkur, T. 2007. Numbers and distribution of waterbirds and wetlands in the Asia-Pacific region. Results of the Asian Waterbird Census: 2002-2004. Wetlands International, Kuala Lumpur, Malaysia.
- Li, Z.W.D., Bloem, A., Delany S., Martakis G. and Quintero J. O. 2009. Status of Waterbirds in Asia - Results of the Asian Waterbird Census: 1987-2007. Wetlands International, Kuala Lumpur, Malaysia
- Lopez, A. and Mundkur, T. (eds.) 1997. The Asian Waterfowl Census 1994–1996. Results of the Coordinated Waterbird Census and an Overview of the Status of Wetlands in Asia. Wetlands International, Kuala Lumpur, Malaysia.
- Lopez, A. and Mundkur, T. (eds.) 1997. The Asian Waterfowl Census 1994–1996. Results of the Coordinated Waterbird Census and an Overview of the Status of Wetlands in Asia. Wetlands International, Kuala Lumpur, Malaysia.
- Perennou, C. and Mundkur, T. 1991. Asian Waterfowl Census 1991. International Waterfowl and Wetlands Research Bureau, Slimbridge, UK.
- Perennou, C. and Mundkur, T. 1992. Asian Waterfowl Census 1992. International Waterfowl and Wetlands Research Bureau, Slimbridge, UK.

Perennou, C., Rose, P. and Poole, C. 1990. Asian Waterfowl Census 1990. International Waterfowl and Wetlands Research Bureau, Slimbridge, UK.

Perennou, C., Mundkur, T., Scott, D.A., Follestad, A. and Kvenild, L. 1994. The Asian Waterfowl Census 1987–91: Distribution and Status of Asian Waterfowl. AWB Publication No. 86. Asian Wetland Bureau, Kuala Lumpur, Malaysia.

Triplet, P., Overdijk, O., Smart, M., Nagy, S., Schneider-Jacoby, M., Karauz, E.S., Pigniczki, Cs., Baha El Din, S., Kralj, J., Sandor, A., Navedo, J.G. (Compilers). 2008. International Single Species Action Plan for the Conservation of the Eurasian Spoonbill *Platalea leucorodia*. AEWA Technical Series No. 35. Bonn, Germany.

van der Ven, J. 1987. Asian Waterfowl 1987. Midwinter bird observations in some Asian countries. International Waterfowl Research Bureau, Slimbridge, UK.

van der Ven, J. 1988. Asian Waterfowl 1988. Midwinter bird observations in most Asian countries. International Waterfowl Research Bureau, Slimbridge, UK.

Wetlands International. 2016. "*Waterbird Population Estimates*". Retrieved from <http://wpe.wetlands.org> on 17 July 2016

Annexes

Contents

Annex 1. East Asian - Australasian Flyway Network Sites reported to the AWC 2008-2015	39
Annex 2. Total numbers of waterbird species reported to the AWC 2008-2015.....	42
Annex 3. Waterbird species totals reported to the AWC 2008-2015 – Country/regions	56
EAST ASIA.....	56
China	56
Japan.....	69
Republic of Korea.....	74
Mongolia.....	79
Eastern Russia.....	79
SOUTH EAST ASIA	80
Brunei Darussalam.....	80
Cambodia.....	83
Indonesia	86
Malaysia.....	89
Myanmar	91
Palau	97
The Philippines	98
Singapore.....	101
Thailand	104
Timor Leste	110
AUSTRALASIA.....	111
Australia (shorebirds)	111
Australia (other waterbirds)	113
New Zealand	116
SOUTH ASIA	118
Bangladesh	118
Bhutan	122
India	124
Nepal.....	132
Pakistan	136
Sri Lanka.....	141

Annex 1. East Asian - Australasian Flyway Network Sites reported to the AWC 2008-2015

Country/region and Network Site Name (official number and year of joining)	AWC 2008-2015
China	
EAAF002 Chongming Dongtan Nature Reserve 1996	
EAAF003 Mai Po - Inner Deep Bay 1996	Y
EAAF004 Shuangtai Hekou National Nature Reserve 1996	
EAAF005 Yancheng National Nature Reserve 1996	
EAAF006 Yellow River Delta National Nature Reserve 1996	Y
EAAF025 Poyang Hu Nature Reserve 1997	
EAAF026 Xingkai Hu Nature Reserve 1997	
EAAF042 Sanjiang National Nature Reserve 1999	
EAAF043 YaluJiang National Nature Reserve 1999	Y
EAAF064 Dalai Hu National Nature Reserve 2001	
EAAF067 Cao Hai National Nature Reserve 2002	
EAAF068 Shengjin Hu National Nature Reserve 2002	
EAAF069 Xiang Hai National Nature Reserve 2002	
EAAF070 Zhalong National Nature Reserve 2002	
EAAF082 Anqing Yangtze Riverine Wetland Nature Reserve 2005	
EAAF083 Dashanbao Black-necked Crane National Nature Reserve 2005	
EAAF085 Hengshui Lake National Nature Reserve 2006	
EAAF086 Nandagang Wetland Nature Reserve 2006	Y
EAAF087 Nanjishan Wetland Nature Reserve 2006	
North Korea	
EAAF044 Kumya Wetland Reserve 1999	
EAAF045 Mundok Wetland Reserve 1999	
South Korea	
EAAF027 Cheolwon Basin 1997	Y
EAAF028 Han River Estuary 1997	Y
EAAF046 Cheonsu Bay 1999	Y
EAAF078 Gumi Haepyeung wetland 2004	Y
EAAF079 Suncheon Bay 2004	Y
EAAF095 Junam Reservoir 2008	Y
EAAF096 Upo Wetland 2008	Y
EAAF097 Nakdong Estuary 2009	Y
EAAF100 Geum River Estuary 2010	Y
EAAF101 Yubu-do Tidal Flat 2011	Y
EAAF107 Chilbaldo Islet 2011	
Japan	
EAAF029 Akkeshi-ko & Bekambeushi-shitsugen 1997	Y
EAAF030 Izumi Takaono 1997	Y
EAAF031 Kiritappu Marsh 1997	Y
EAAF032 Kushiro-shitsugen 1997	
EAAF033 Yashiro 1997	
EAAF047 Biwa-ko 1999	Y

Country/region and Network Site Name (official number and year of joining)	AWC 2008-2015
EAAF048 Biwase-wan 1999	Y
EAAF049 Fukushima-gawa 1999	
EAAF050 Hyouko-suikin-koen 1999	Y
EAAF051 Kabukuri-numa 1999	Y
EAAF052 Katano Kamoike 1999	Y
EAAF053 Kutcharo-ko 1999	Y
EAAF054 Manko Tidal Flats 1999	Y
EAAF055 Miyajima-numa 1999	Y
EAAF056 Otomo-numa 1999	Y
EAAF057 Sakata 1999	Y
EAAF058 Shiroishi-gawa 1999	
EAAF059 Yatsu Tidal Flats 1999	Y
EAAF060 Yonago-Mizudori-koen 1999	
EAAF061 Yoshino Estuary 1999	Y
EAAF063 Tokyo Port Wild Bird Park 2000	Y
EAAF071 Kashima Shingomori 2002	Y
EAAF072 Utonai-ko 2002	Y
EAAF076 Osaka Nankou Bird Sanctuary 2003	Y
EAAF080 Fujimae-Higata 2004	Y
EAAF081 Kumagawa Estuary 2004	Y
EAAF088 Hachirogata-Kantakuchi 2006	Y
EAAF098 Kejo-numa 2010	Y
EAAF099 Furen-ko and Shunkuni-tai 2010	Y
EAAF113 Arao-higata 2013	Y?
EAAF115 Izu-numa and Uchi-numa 2014	Y
EAAF116 Notsuke-hanto and Notsuke-wan 2014	Y
EAAF124 Higashiyoka-higata 2016	
Myanmar	
EAAF117 Gulf of Mottama 2014	
EAAF118 Indawgyi Wildlife Sanctuary 2014	Y
EAAF119 Moeyungyi Wetland Wildlife Sanctuary 2014	Y
Bangladesh	
EAAF102 Nijhum Dweep National Park 2011	Y
EAAF103 Sonadia 2011	Y
EAAF104 Hakaluki Haor 2011	Y
EAAF105 Tanguar Haor 2011	Y
EAAF106 Hail Haor 2011	Y
The Philippines	
EAAF007 Olango Island Wildlife Sanctuary 1996	Y
EAAF062 Naujan Lake National Park 1999	Y
EAAF123 Tubbataha Reefs Natural Park 2015	
Thailand	
EAAF084 Krabi Estuary and Bay 2005	Y
EAAF121 Pak Thale - Laem Phak Bia 2014	Y
EAAF122 Khok Kham 2014	Y
Malaysia	

Country/region and Network Site Name (official number and year of joining)	AWC 2008-2015
EAAF077 Kapar Power Station Ash Ponds 2003	Y
EAAF112 Bako Buntal Bay 2013	Y
Singapore	
EAAF073 Sungei Buloh Wetland Reserve 2002	Y
Indonesia	
EAAF008 Wasur National Park 1996	
EAAF108 Sembilang National Park 2012	
Papua New Guinea	
EAAF034 Tonda Wildlife Reserve 1998	
Australia	
EAAF009 Corner Inlet 1996	Y
EAAF010 Hunter Estuary Ramsar Site 1996	Y
EAAF011 Kakadu National Park 1996	Y
EAAF012 Logan Lagoon 1996	
EAAF013 Moreton Bay 1996	Y
EAAF014 Orielton Lagoon 1996	
EAAF015 Parry Lagoons 1996	
EAAF016 The Coorong, Lake Alexandrina & Lake Albert 1996	Y
EAAF017 Thomsons Lake 1996	
EAAF065 Port Phillip Bay (Western Shoreline) and Bellarine Peninsula 2001	Y
EAAF066 Western Port 2001	Y
EAAF089 Bowling Green Bay 2006	
EAAF090 Currawinya National Park 2006	
EAAF091 Discovery Bay Coastal Park 200	Y
EAAF092 Great Sandy Strait 2006	Y
EAAF093 Shallow Inlet Marine and Coastal Park 2006	Y
EAAF094 Shoalwater Bay 2006	
EAAF110 Eighty-Mile Beach 2013	Y
EAAF111 Roebuck Bay 2013	Y
EAAF120 South-East Gulf of Carpentaria: Karumba-Smithburne (Delta Downs) 2014	
EAAF125 South-East Gulf of Carpentaria Nijinda Durlga (Tarrant) 2016	
New Zealand	
EAAF018 Farewell Spit 1996	Y
EAAF019 Firth of Thames 1996	Y

Annex 2. Total numbers of waterbird species reported to the AWC 2008-2015

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
Anatidae										
<i>Dendrocygna guttata</i>	Spotted Whistling-duck	LC				24				20
<i>Dendrocygna bicolor</i>	Fulvous Whistling-duck	LC	30,547	13,663	5,431	11,317	3,538	6,902	5,485	11,397
<i>Dendrocygna eytoni</i>	Plumed Whistling-duck	LC		12						
<i>Dendrocygna arcuata</i>	Wandering Whistling-duck	LC	4,503	4,232	6,043	747	6,277	5,347	4,788	3,759
<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	169,030	107,640	44,552	101,364	197,452	139,821	148,157	128,744
<i>Oxyura australis</i>	Blue-billed Duck	NT		584						
<i>Oxyura leucocephala</i>	White-headed Duck	EN						1		8
<i>Biziura lobata</i>	Musk Duck	LC		338						
<i>Malacorhynchus membranaceus</i>	Pink-eared Duck	LC		206						
<i>Cereopsis novaehollandiae</i>	Cape Barren Goose	LC		22						
<i>Cygnus atratus</i>	Black Swan	LC		18,118						
<i>Cygnus olor</i>	Mute Swan	LC	93	53	53	134	232	456	45	103
<i>Cygnus cygnus</i>	Whooper Swan	LC	18,160	23,235	18,836	21,900	16,259	16,894	18,511	18,180
<i>Cygnus columbianus columbianus</i>	Tundra Swan	LC (SS)	3	15	11	15	14	16	27	11
<i>Cygnus columbianus bewickii</i>	Bewick's Swan	LC (SS)	19,283	21,308	21,038	20,448	19,496	25,527	20,986	17,388
<i>Cygnus spp.</i>	Unidentified Swans	NR	81	173	2,453	1,073	3,491	716	1,486	1,825
<i>Branta bernicla</i>	Brent Goose	LC	3,617	2,312	1,087	1,863	1,910	1,644	1,531	1,476
<i>Branta hutchinsii</i>	Cackling Goose	LC			1				28	284
<i>Branta hutchinsii leucopareia</i>	Cackling Goose (leucopareia)	LC (SS)	1	55	51	66	282	190	697	1,021
<i>Anser caerulescens</i>	Snow Goose	LC	2	3	38	78	81	207	309	247
<i>Anser indicus</i>	Bar-headed Goose	LC	678	1,825	3,770	12,097	6,742	15,031	53,687	89,077
<i>Anser anser</i>	Greylag Goose	LC	14,432	2,782	2,982	4,242	16,887	9,129	4,220	29,031
<i>Anser cygnoid</i>	Swan Goose	VU	890	400	424	393	709	420	341	360
<i>Anser fabalis</i>	Bean Goose	LC	56,084	75,323	52,932	58,712	57,242	59,538	78,025	89,671

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Anser fabalis fabalis</i>	Taiga Bean Goose	LC (SS)				2		2		
<i>Anser fabalis middendorffii</i>	Taiga Bean Goose (middendorffii)	LC (SS)	11,387	10,077	7,651	9,132	13,834	12,483	17,331	15,462
<i>Anser fabalis serrirostris</i>	Tundra Bean Goose (serrirostris)	LC (SS)	2,844	1,860	1,316	537	2,450	3,386	686	640
<i>Anser albifrons</i>	Greater White-fronted Goose	LC	259,271	219,515	222,250	231,270	258,287	264,895	251,075	287,877
<i>Anser erythropus</i>	Lesser White-fronted Goose	VU	4	17	3	3	5	8	4	2
<i>Anser spp.</i>	Unidentified Anser Goose	NR		13,000			311	1,711		35
<i>Anser / Branta spp.</i>	Unidentified Goose	NR	1,049	8,434	2,190	265	3,930	20,220	14,160	7,032
<i>Clangula hyemalis</i>	Long-tailed Duck	VU	180	187	207	185	21	9	16	2
<i>Somateria spectabilis</i>	King Eider	LC		2						
<i>Melanitta fusca</i>	Velvet Scoter	VU	1,010		2	40	102	4	17	56
<i>Melanitta deglandi</i>	White-winged Scoter	LC	377	1,089	1,072	1,478	380	724	674	417
<i>Melanitta americana</i>	Black Scoter	NT	1,421	281	311	868	1,232	1,821	717	2,296
<i>Bucephala albeola</i>	Bufflehead	LC			1		1	2	2	1
<i>Bucephala clangula</i>	Common Goldeneye	LC	22,141	20,357	25,430	19,267	16,215	14,831	5,628	4,050
<i>Mergellus albellus</i>	Smew	LC	4,279	3,166	4,799	2,837	4,957	3,784	2,349	3,393
<i>Mergus merganser</i>	Goosander	LC	17,414	18,338	16,229	17,570	18,879	13,414	13,588	15,704
<i>Mergus squamatus</i>	Scaly-sided Merganser	EN	13	14	16	61	30	33	55	57
<i>Mergus serrator</i>	Red-breasted Merganser	LC	6,869	8,498	8,409	5,833	11,288	5,368	3,499	3,235
<i>Histrionicus histrionicus</i>	Harlequin Duck	LC	228	320	212	112	198	315	137	202
<i>Radjah radjah</i>	Radjah Shelduck	LC	180							
<i>Tadorna tadorna</i>	Common Shelduck	LC	35,929	32,464	38,852	42,869	35,420	30,011	26,525	34,354
<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	16,319	12,153	17,970	21,303	20,269	30,966	25,642	39,872
<i>Tadorna tadornoides</i>	Australian Shelduck	LC	35,996							
<i>Sarkidiornis melanotos</i>	Knob-billed Duck	LC	4,521	9,510	1,953	3,262	2,774	3,247	2,868	8,491
<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	12,283	4,295	13,401	9,646	24,063	12,291	15,558	13,635
<i>Nettapus pulchellus</i>	Green Pygmy-goose	LC	56			4				
<i>Aix galericulata</i>	Mandarin Duck	LC	1,070	2,555	2,960	4,676	988	2,201	2,406	3,801
<i>Chenonetta jubata</i>	Maned Duck	LC	518							
<i>Marmaronetta angustirostris</i>	Marbled Teal	VU	864		47	34	94		1	
<i>Asarcornis scutulata</i>	White-winged Duck	EN		14	29		2			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Netta rufina</i>	Red-crested Pochard	LC	6,510	13,813	7,960	17,302	7,403	11,429	14,798	26,432
<i>Aythya ferina</i>	Common Pochard	VU	92,179	83,863	93,387	75,825	137,330	54,717	72,343	80,197
<i>Aythya australis</i>	Hardhead	LC	14							
<i>Aythya baeri</i>	Baer's Pochard	CR	31	16	1	11	422	5	51	24
<i>Aythya nyroca</i>	Ferruginous Duck	NT	13,617	7,683	1,601	11,162	2,232	10,089	5,267	2,905
<i>Aythya fuligula</i>	Tufted Duck	LC	85,545	75,072	106,238	80,807	101,923	107,752	71,242	94,889
<i>Aythya marila</i>	Greater Scaup	LC	76,113	105,964	123,576	108,777	62,345	32,695	43,065	50,307
<i>Aythya valisineria</i>	Canvasback	LC	2				1	1		
<i>Aythya spp.</i>	Unidentified Aythya Ducks	NR	34			210		1,330		
<i>Spatula querquedula</i>	Garganey	LC	22,005	22,656	84,508	66,152	42,316	65,435	51,453	30,922
<i>Spatula rhynchotis</i>	Australian Shoveler	LC	1,240							
<i>Spatula clypeata</i>	Northern Shoveler	LC	72,758	48,497	189,403	147,398	124,991	120,788	113,391	118,497
<i>Spatula cyanoptera</i>	Cinnamon Teal	LC	110							
<i>Sibirionetta formosa</i>	Baikal Teal	LC	635,733	1,066,883	644,699	445,031	323,944	353,426	370,742	318,072
<i>Mareca falcata</i>	Falcated Duck	NT	14,642	10,538	14,748	9,697	12,803	7,566	7,487	8,133
<i>Mareca strepera</i>	Gadwall	LC	44,446	66,811	182,677	198,267	241,288	143,017	157,515	121,558
<i>Mareca penelope</i>	Eurasian Wigeon	LC	65,896	81,540	203,027	196,862	202,622	237,248	212,906	241,448
<i>Mareca americana</i>	American Wigeon	LC	21	17	22	11	8	17	9	11
<i>Anas superciliosa</i>	Pacific Black Duck	LC	5,084	150	250	39	74			6
<i>Anas luzonica</i>	Philippine Duck	VU	15,275	12,977	21,362	20,337	17,491	24,585	26,726	26,432
<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC	96,907	89,687	89,013	74,373	68,247	74,191	85,557	116,658
<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	3,499	7,751	10,622	11,844	11,045	16,467	9,220	11,803
<i>Anas platyrhynchos</i>	Mallard	LC	237,116	220,416	234,720	215,433	190,303	199,189	226,860	277,571
<i>Anas gibberifrons</i>	Sunda Teal	NT	50	66	128	546	14	6		12
<i>Anas gracilis</i>	Grey Teal	LC	23,948							
<i>Anas castanea</i>	Chestnut Teal	LC	3,504							
<i>Anas acuta</i>	Northern Pintail	LC	156,272	104,766	348,529	277,407	523,025	176,031	282,846	278,801
<i>Anas crecca</i>	Common Teal	LC	118,672	70,038	226,936	115,046	158,059	112,819	106,799	96,590
<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	NR	72,391	47,463	86,844	53,586	51,498	38,035	47,433	98,923
<i>Anas spp.</i>	Unidentified Anas Duck	NR	80,301	65,481	41,770	81,266	69,744	65,722	344,445	148,016

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
Anhingidae										
<i>Anhinga melanogaster</i>	Oriental Darter	NT	4,993	5,300	5,263	784	4,666	1,063	3,507	4,318
<i>Anhinga novaehollandiae</i>	Australasian Darter	LC	152							
Anseranatidae										
<i>Anseranas semipalmata</i>	Magpie Goose	LC	1,226							
Ardeidae										
<i>Botaurus stellaris</i>	Eurasian Bittern	LC	95	25	51	15	22	10	6	24
<i>Ixobrychus minutus</i>	Common Little Bittern	LC	2						10	65
<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	989	1,632	2,293	1,833	1,707	1,388	1,660	585
<i>Ixobrychus eurhythmus</i>	Schrenck's Bittern	LC	10	13	2	7	92	121	55	44
<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	1,163	1,213	1,887	1,116	1,263	622	1,032	996
<i>Ixobrychus flavicollis</i>	Black Bittern	LC	738	837	55	162	424	331	236	236
<i>Ixobrychus spp.</i>	Unidentified Bittern	NR	258	1		25	3	350	15	
<i>Gorsachius goisagi</i>	Japanese Night-heron	EN				5				
<i>Gorsachius melanolophus</i>	Malay Night-heron	LC	22	27		2	17	32	8	80
<i>Gorsachius spp.</i>	Unidentified Gorsachius Night-heron	NR		410						
<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	6,222	4,765	11,451	15,424	14,327	7,709	4,631	4,081
<i>Nycticorax caledonicus</i>	Rufous Night-heron	LC	155	112	736	2,514	939	314	180	994
<i>Butorides striata</i>	Green-backed Heron	LC	756	540	536	538	663	733	674	688
<i>Ardeola grayii</i>	Indian Pond-heron	LC	7,202	9,121	27,474	23,641	25,754	15,261	24,475	17,720
<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	9,862	4,062	3,313	3,632	2,403	6,201	1,791	3,222
<i>Ardeola speciosa</i>	Javan Pond-heron	LC	1,077	1,102	223	1,645	934	5,228	2,080	5,311
<i>Ardeola spp.</i>	Unidentified Pond-heron	NR	1,124	1,678	966	8,851	3,286	1,141	78	37
<i>Bubulcus ibis</i>	Cattle Egret	LC	78,074	63,896	118,941	80,659	71,987	78,312	63,059	57,690
<i>Ardea cinerea</i>	Grey Heron	LC	9,497	8,564	17,426	13,126	13,321	10,147	13,266	14,244
<i>Ardea pacifica</i>	White-necked Heron	LC	34							
<i>Ardea insignis</i>	White-bellied Heron	CR			9	3			2	3
<i>Ardea sumatrana</i>	Great-billed Heron	LC	1	3	12	2	5	1	9	3
<i>Ardea goliath</i>	Goliath Heron	LC				6	4	19	6	
<i>Ardea purpurea</i>	Purple Heron	LC	3,374	2,849	4,084	2,706	3,724	3,076	4,502	4,653

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Ardea alba</i>	Great White Egret	LC	13,736	22,730	29,908	31,236	27,743	29,243	22,234	20,757
<i>Ardea intermedia</i>	Intermediate Egret	LC	20,060	34,033	31,447	26,654	38,003	40,634	32,240	39,086
<i>Egretta picata</i>	Pied Heron	LC	10							
<i>Egretta novaehollandiae</i>	White-faced Heron	LC	1,004							
<i>Egretta garzetta</i>	Little Egret	LC	85,540	77,445	105,703	80,823	106,610	86,186	70,636	88,731
<i>Egretta gularis</i>	Western Reef-egret	LC	692	833	1,339	2,417	1,194	431	1,160	1,403
<i>Egretta sacra</i>	Pacific Reef-egret	LC	173	76	193	97	89	95	115	413
<i>Egretta euphotes</i>	Chinese Egret	VU	269	307	107	191	142	157	55	500
<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	NR			15					25
<i>Ardeidae spp.</i>	Unidentified Heron or Egret	NR	20,100	27,867	26,584	23,243	24,363	23,267	44,650	18,656
Burhinidae										
<i>Burhinus oedicnemus</i>	Eurasian Thick-knee	LC			74	4	2	2		6
<i>Burhinus indicus</i>	Indian Thick-knee	LC	5	5	14	11	11	19	9	21
<i>Burhinus grallarius</i>	Bush Thick-knee	LC	19	4	1	2	2	1	9	
<i>Esacus recurvirostris</i>	Great Thick-knee	NT	42	171	602	93	214	68	198	170
<i>Esacus magnirostris</i>	Beach Thick-knee	NT	39	13	7	9	15	15	19	9
Charadriidae										
<i>Pluvialis squatarola</i>	Grey Plover	LC	8,447	11,051	16,368	14,412	9,421	34,007	13,993	13,707
<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	14,262	24,103	23,328	21,816	22,693	24,401	21,577	23,867
<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	NR	6,834	5,997	14	2,780	834	74		892
<i>Eudromias morinellus</i>	Eurasian Dotterel	LC	1							
<i>Charadrius obscurus</i>	Southern Red-breasted Plover	EN	543	455	389	322	342	431	530	328
<i>Charadrius hiaticula</i>	Common Ringed Plover	LC	11	26	137	35	14	47	96	73
<i>Charadrius semipalmatus</i>	Semipalmated Plover	LC				1				
<i>Charadrius placidus</i>	Long-billed Plover	LC	2,420	98	155	2,457	3,199	3,023	2,422	112
<i>Charadrius dubius</i>	Little Ringed Plover	LC	17,404	15,283	26,282	9,691	18,327	8,251	11,814	4,723
<i>Charadrius alexandrinus</i>	Kentish Plover	LC	18,655	14,921	49,847	39,144	22,146	23,643	23,940	29,870
<i>Charadrius javanicus</i>	Javan Plover	NT	58	2	83	70	11	9		70
<i>Charadrius ruficapillus</i>	Red-capped Plover	LC	8,744	13,419	15,902	7,326	6,767	16,526	10,908	9,883
<i>Charadrius peronii</i>	Malay Plover	NT	96	2,429	49	352	77	27	924	62

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Charadrius bicinctus</i>	Double-banded Plover	LC	6,160	3,541	1,590	2,302	2,793	3,594	787	512
<i>Charadrius mongolus</i>	Lesser Sandplover	LC	36,594	43,343	79,145	58,190	28,913	34,369	38,930	43,294
<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	11,908	42,823	43,188	57,869	48,779	59,125	75,712	48,093
<i>Charadrius asiaticus</i>	Caspian Plover	LC	14							
<i>Charadrius veredus</i>	Oriental Plover	LC		24,245	14,412	15,326	5,647	1,823	20,934	40,381
<i>Charadrius spp.</i>	Unidentified Charadrius Plover	NR	24	7,862						
<i>Thinornis cucullatus</i>	Hooded Plover	VU	812	528	445	645	603	940	319	857
<i>Thinornis novaeseelandiae</i>	Shore Plover	EN	1					1	1	
<i>Elseyornis melanops</i>	Black-fronted Dotterel	LC	370	382	320	152	153	205	147	159
<i>Vanellus vanellus</i>	Northern Lapwing	NT	1,442	1,608	2,017	2,017	2,575	2,486	1,852	1,827
<i>Vanellus duvaucelii</i>	River Lapwing	NT	86	123	167	330	480	189	746	623
<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	237	358	326	5,950	731	619	599	357
<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	1,013	806	1,082	1,612	2,337	1,534	3,289	2,871
<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	4,240	3,595	6,207	7,853	10,013	6,342	6,768	5,198
<i>Vanellus tricolor</i>	Banded Lapwing	LC	296	585	295	154	58	37	912	36
<i>Vanellus miles</i>	Masked Lapwing	LC	6,729	5,257	3,422	2,345	3,223	3,701	3,360	3,278
<i>Vanellus gregarius</i>	Sociable Lapwing	CR					25	20		
<i>Vanellus leucurus</i>	White-tailed Lapwing	LC	180	110	501	174	169	87	31	72
<i>Vanellus spp.</i>	Unidentified Lapwing	NR		4	3	1	7			
<i>Erythrogonyx cinctus</i>	Red-kneed Dotterel	LC	336	511	162	86	586	414	401	89
<i>Peltohyas australis</i>	Inland Dotterel	LC					8		1	
<i>Anarhynchus frontalis</i>	Wrybill	VU	5,622	5,362	33	167	217	441	120	132
Ciconiidae										
<i>Leptoptilos dubius</i>	Greater Adjutant	EN	120	161	148	22	210	11	91	156
<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	361	433	556	320	695	554	611	573
<i>Mycteria leucocephala</i>	Painted Stork	NT	5,794	6,595	21,744	5,964	11,524	5,983	13,919	8,010
<i>Mycteria cinerea</i>	Milky Stork	EN	196	33	147	39	10	1	4	4
<i>Anastomus oscitans</i>	Asian Openbill	LC	65,117	38,137	62,032	34,559	70,134	42,057	81,323	46,598
<i>Ciconia nigra</i>	Black Stork	LC	189	143	297	223	260	214	178	184
<i>Ciconia episcopus</i>	Asian Woollyneck	VU	136	181	454	143	272	259	352	310

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Ciconia ciconia</i>	White Stork	LC	73	40	132	4	12	21	7	3
<i>Ciconia boyciana</i>	Oriental Stork	EN	44	9	5	72	4	134	11	19
<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT	10	21	32	26	30	9	16	40
<i>Ciconiidae spp.</i>	Unidentified Stork	NR	50	5	6	94	5		14	17
Dromadidae										
<i>Dromas ardeola</i>	Crab-plover	LC	2	935	1,908	1,700	1,162	9	6	22
Gaviidae										
<i>Gavia stellata</i>	Red-throated Loon	LC	107	72	347	145	66	47	28	65
<i>Gavia adamsii</i>	Yellow-billed Loon	NT		2	1	2				1
<i>Gavia arctica</i>	Arctic Loon	LC		663	788	1,133	324	1,831	875	70
<i>Gavia pacifica</i>	Pacific Loon	LC		48	360	105	321	1,344	780	71
<i>Gavia arctica</i>	Arctic Loon	LC	47							
<i>Gavia pacifica</i>	Pacific Loon	LC	32							
<i>Gavia spp.</i>	Unidentified Loon	NR	6	12	400	55				300
Glareolidae										
<i>Cursorius coromandelicus</i>	Indian Courser	LC			5	4	8	78	12	2
<i>Stiltia isabella</i>	Australian Pratincole	LC						1		
<i>Glareola pratincola</i>	Collared Pratincole	LC	82	300			269	77	22	7
<i>Glareola maldivarum</i>	Oriental Pratincole	LC	552	6	221	80	308	162	46	1,582
<i>Glareola lactea</i>	Little Pratincole	LC	1,532	2,434	10,597	5,650	8,777	10,029	9,311	9,163
Gruidae										
<i>Leucogeranus leucogeranus</i>	Siberian Crane	CR	2	3			1	2	2	4
<i>Antigone canadensis</i>	Sandhill Crane	LC	2				1			1
<i>Antigone vipio</i>	White-naped Crane	VU	4,167	1,790	1,433	1,825	1,505	1,599	2,645	2,798
<i>Antigone antigone</i>	Sarus Crane	VU	193	214	764	53	668	603	386	654
<i>Antigone rubicunda</i>	Brolga	LC	22							
<i>Anthropoides virgo</i>	Demoiselle Crane	LC	22,185	43,386	147,462	10,558	6,373	126,686	14,727	93,404
<i>Grus japonensis</i>	Red-crowned Crane	EN	826	1,047	1,068	979	798	939	966	953
<i>Grus grus</i>	Common Crane	LC	15,927	21,800	27,962	10,829	5,484	6,061	3,932	18,606
<i>Grus monacha</i>	Hooded Crane	VU	11,338	343	456	516	596	656	925	891

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Grus nigricollis</i>	Black-necked Crane	VU		40			8		36	97
<i>Gruidae spp.</i>	Unidentified cranes	NR	124	71	5,103	118	18	218	186	27
Haematopodidae										
<i>Haematopus ostralegus</i> (inc. <i>Fincshii</i>)	Eurasian Oystercatcher	NT	106,938	83,384	39,112	30,398	32,277	33,626	22,894	11,234
<i>Haematopus longirostris</i>	Pied Oystercatcher	LC	7,443	5,041	4,079	4,459	3,167	4,701	2,897	19,921
<i>Haematopus unicolor</i>	Variable Oystercatcher	LC	2,829	2,112	1,745	1,634	2,114	2,308	2,148	1,947
<i>Haematopus fuliginosus</i>	Sooty Oystercatcher	LC	2,501	1,585	919	1,772	944	1,292	650	1,112
<i>Haematopus hybrid</i>	Hybrid Oystercatcher	NR	18	17		18	21	16	16	4
Heliorhithidae										
<i>Heliopais personatus</i>	Masked Finfoot	EN	1		1,188			2		
Ibidorhynchidae										
<i>Threskiornithidae spp.</i>	Unidentified Ibis	NR	5,500	5,000						
<i>Ibidorhyncha struthersii</i>	Ibisbill	LC			2	1	3	2	48	45
Jacanidae										
<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	2,922	3,456	8,904	8,810	10,861	8,412	5,868	8,842
<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	1,436	1,209	3,723	4,735	6,368	6,572	3,581	5,573
<i>Irediparra gallinacea</i>	Comb-crested Jacana	LC	14	30	57	8	6	8	3	2
<i>Jacanidae spp.</i>	Unidentified jacanas	NR								30
Laridae										
<i>Anous stolidus</i>	Brown Noddy	LC			30					
<i>Rynchops albicollis</i>	Indian Skimmer	VU	3,434	2,500	1,600		20	600	1,164	1,667
<i>Saundersilarus saundersi</i>	Saunders's Gull	VU	4,096	4,493	4,267	4,701	5,378	6,601	5,653	5,794
<i>Rissa tridactyla</i>	Black-legged Kittiwake	LC	130	24	17	7	28	75	307	145
<i>Larus genei</i>	Slender-billed Gull	LC	2,151	13,884	24,040	2,669	1,971	17	644	699
<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	11,728	24,475	64,707	34,122	28,754	24,083	55,318	65,055
<i>Larus ridibundus</i>	Black-headed Gull	LC	35,427	37,018	101,157	83,299	54,820	65,356	42,216	70,120
<i>Larus novaehollandiae</i>	Silver Gull	LC	13,322							
<i>Larus ichthyaetus</i>	Pallas's Gull	LC	4,383	3,236	2,694	4,124	4,240	3,377	6,968	6,939
<i>Larus relictus</i>	Relict Gull	VU	36	141	3	110	659	2	62	4,603
<i>Larus hemprichii</i>	Sooty Gull	LC			172		1,252			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Larus pacificus</i>	Pacific Gull	LC	1,542							
<i>Larus crassirostris</i>	Black-tailed Gull	LC	25,400	30,797	26,630	35,567	39,900	36,666	51,944	26,561
<i>Larus canus</i>	Mew Gull	LC	14,118	19,061	12,744	9,488	8,181	5,996	12,877	5,322
<i>Larus dominicanus</i>	Kelp Gull	LC	154							
<i>Larus fuscus</i>	Lesser Black-backed Gull	LC	20	160	114	505	768	11	467	1,751
<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)	209	448	12,390	6,202	4,792	676	4,680	4,646
<i>Larus argentatus</i>	European Herring Gull	LC	118		34	20	3,605	3,669	52	355
<i>Larus michahellis</i>	Yellow-legged Gull	LC		18,512	7,573	509				45
<i>Larus cachinnans</i>	Caspian Gull	LC		13	13	7,129	525	35	88	
<i>Larus heuglini/Larus cachinnans</i>	Heuglin's Gull/Caspian Gull	NR		22		1		12	298	1
<i>Larus smithsonianus</i>	Arctic Herring Gull	LC		35	91	35	37	182	1	597
<i>Larus smithsonianus vegaee</i>	Vega Gull	LC (SS)	35,980	41,117	40,376	42,698	33,160	39,751	68,360	48,627
<i>Larus smithsonianus mongolicus</i>	Mongolian Gull	LC (SS)	238	543	285	352	434	404	819	1,039
<i>Larus thayeri</i>	Thayer's Gull	LC							1	2
<i>Larus glaucopterus</i>	Iceland Gull	LC		2				1		
<i>Larus schistisagus</i>	Slaty-backed Gull	LC	10,780	9,113	1,446	2,421	3,308	3,189	8,562	3,466
<i>Larus glaucescens</i>	Glaucous-winged Gull	LC	857	10	3	7	10	17	4	8
<i>Larus hyperboreus</i>	Glaucous Gull	LC	77	98	64	51	63	76	97	68
<i>Larus spp.</i>	Unidentified Gull	NR	5,092	5,550	18,647	6,731	10,940	9,472	16,792	13,298
<i>Onychoprion anaethetus</i>	Bridled Tern	LC	106		195		46	80		
<i>Sternula albifrons</i>	Little Tern	LC	14,195	8,639	16,054	7,529	9,450	13,812	9,317	5,209
<i>Sternula saundersi</i>	Saunders's Tern	LC		153	21	62			45	32
<i>Sternula nereis</i>	Fairy Tern	VU	706							
<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	3,466	3,870	8,457	5,935	4,827	5,617	11,420	8,368
<i>Hydroprogne caspia</i>	Caspian Tern	LC	1,040	331	12,245	6,028	3,381	2,064	13,899	6,191
<i>Chlidonias hybrida</i>	Whiskered Tern	LC	19,430	41,162	46,471	34,533	59,447	57,592	45,109	66,686
<i>Chlidonias leucopterus</i>	White-winged Tern	LC	784	3,645	1,757	2,023	121	1,194	2,677	978
<i>Chlidonias spp.</i>	Unidentified Marsh Tern	NR		11	36	722	176			72
<i>Sterna aurantia</i>	River Tern	NT	2,330	462	5,983	4,365	4,798	3,098	5,070	3,471
<i>Sterna dougallii</i>	Roseate Tern	LC	1		1	4				4

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Sterna sumatrana</i>	Black-naped Tern	LC	202	344	328	408	475	268	253	751
<i>Sterna hirundo</i>	Common Tern	LC	10,740	6,783	7,101	8,894	7,959	17,429	14,923	25,950
<i>Sterna acuticauda</i>	Black-bellied Tern	EN	42	17	170	678	134	23	55	72
<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC	1,026	3,300	9,874	1,558	1,417	1,535	2,395	121,587
<i>Thalasseus sandvicensis</i>	Sandwich Tern	LC			994	348	143	200	393	31
<i>Thalasseus bergii</i>	Greater Crested Tern	LC	4,232	400	7,438	1,955	2,435	893	1,750	3,837
<i>Sterninae spp.</i>	Unidentified Terns	NR	106,397	9,383	11,690	51,479	31,148	11,355	12,316	18,862
<i>Laridae spp.</i>	Unidentified Gull or Tern	NR	1,850	2,417	5,956	3,208	843	706	8,221	10,666
Pelecanidae										
<i>Pelecanus crispus</i>	Dalmatian Pelican	VU	181	388	1,990	12,998	2,279	131	162	366
<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT	6,014	4,751	12,639	7,694	11,653	9,019	17,377	16,751
<i>Pelecanus conspicillatus</i>	Australian Pelican	LC	2,098			3	1			
<i>Pelecanus onocrotalus</i>	Great White Pelican	LC	3,391	5,391	23,493	21,032	18,516	2,428	6,861	6,598
<i>Pelecanus spp.</i>	Unidentified Pelican	NR	2	43	1,050	70	14		4	40
Phalacrocoracidae										
<i>Microcarbo niger</i>	Little Cormorant	LC	23,212	24,192	70,833	68,190	67,402	43,324	56,153	51,570
<i>Microcarbo melanoleucus</i>	Little Pied Cormorant	LC	2,034	2		1				
<i>Phalacrocorax pelagicus</i>	Pelagic Cormorant	LC	63	819	361	471	592	350	755	1,069
<i>Phalacrocorax carbo</i>	Great Cormorant	LC	23,250	24,400	52,654	76,740	35,483	34,258	35,154	45,212
<i>Phalacrocorax capillatus</i>	Japanese Cormorant	LC	2,388	1,685	1,814	2,496	3,503	1,953	2,301	3,024
<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	11,406	17,817	13,987	13,606	11,972	7,209	13,754	8,476
<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant	LC	1,396	85		41	4		30	
<i>Phalacrocorax fuscescens</i>	Black-faced Cormorant	LC	24							
<i>Phalacrocorax varius</i>	Great Pied Cormorant	LC	4,916							
<i>Phalacrocorax spp.</i>	Unidentified Cormorant	NR	2,208	4,972	22,778	5,234	302	246	4,121	6,654
Phoenicopteridae										
<i>Phoenicopterus roseus</i>	Greater Flamingo	LC	15,267	26,172	94,273	88,574	25,200	30,310	71,831	55,777
<i>Phoeniconaias minor</i>	Lesser Flamingo	NT	11,131	21,457	113,498	41,154	5,428	2,906	102,726	75,618
<i>Phoenicopteridae spp.</i>	Unidentified Flamingo	NR	50,043	1,100	25,112	50	15	35	8,031	84
Podicipedidae										

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Tachybaptus ruficollis</i>	Little Grebe	LC	10,745	8,939	24,177	33,333	23,079	14,015	15,977	15,077
<i>Tachybaptus novaehollandiae</i>	Australasian Grebe	LC		138						
<i>Poliocephalus poliocephalus</i>	Hoary-headed Grebe	LC		216						
<i>Podiceps grisegena</i>	Red-necked Grebe	LC	111	284	1,685	67	529	147	211	162
<i>Podiceps cristatus</i>	Great Crested Grebe	LC	10,568	12,189	17,906	18,529	27,378	23,824	27,475	34,620
<i>Podiceps auritus</i>	Horned Grebe	VU	42	79	144	103	70	137	82	130
<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	8,742	5,899	5,643	2,231	2,538	4,717	5,463	5,312
<i>Podicipedidae spp.</i>	Unidentified Grebe	NR	145	123	1,162	125	182		7	60
Rallidae										
<i>Rallina fasciata</i>	Red-legged Crake	LC	2	3			17	5	25	9
<i>Rallina eurizonoides</i>	Slaty-legged Crake	LC		3		43	10	24		
<i>Laterallus ruber</i>	Ruddy Crake	LC	11	9	16	2	258	5	28	64
<i>Rallus aquaticus</i>	Western Water Rail	LC			11	147	819	115	25	24
<i>Rallus indicus</i>	Eastern Water Rail	LC	3	12	10	16	13			5
<i>Lewinia striata</i>	Slaty-breasted Rail	LC	12	8	27	85	325	134	4	14
<i>Hypotaenidia torquata</i>	Barred Rail	LC	106	128	127	231	347	388	218	263
<i>Hypotaenidia philippensis</i>	Buff-banded Rail	LC	61	45	60	56	86	163	153	306
<i>Porzana porzana</i>	Spotted Crake	LC				9	8			
<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	66	38	132	700	1,058	90	57	54
<i>Zapornia akool</i>	Brown Crake	LC	22	17	45	25	105	58	69	13
<i>Zapornia pusilla</i>	Baillon's Crake	LC	7	7	85	76	22	63	30	36
<i>Zapornia bicolor</i>	Black-tailed Crake	LC						3	7	
<i>Zapornia tabuensis</i>	Spotless Crake	LC	4							
<i>Amaurornis isabellina</i>	Isabelline Bush-hen	LC		5	25					
<i>Amaurornis olivacea</i>	Philippine Bush-hen	LC		8	1	12	13	10	25	1
<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	1,668	1,052	1,912	3,251	2,963	1,855	2,821	1,889
<i>Amaurornis cinerea</i>	White-browed Crake	LC	127	353	78	328	280	285	241	165
<i>Gallicrex cinerea</i>	Watercock	LC	108	101	251	368	733	196	225	214
<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	20,732	10,532	19,660	41,936	52,173	43,698	49,130	31,001
<i>Gallinula chloropus</i>	Common Moorhen	LC	4,457	3,726	10,895	19,016	16,637	7,795	12,841	10,604

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Gallinula tenebrosa</i>	Dusky Moorhen	LC	154	10	36					
<i>Tribonyx ventralis</i>	Black-tailed Native-hen	LC		6						
<i>Fulica atra</i>	Common Coot	LC	301,185	230,540	226,183	246,098	371,499	260,577	249,059	333,560
<i>Rallidae spp.</i>	Unidentified Rails	NR		12	11	6	774	20	40	14
Recurvirostridae										
<i>Cladorhynchus leucocephalus</i>	Banded Stilt	LC	330,763	12,251	39,953	14,666	25,332	109,147	16,039	29,860
<i>Recurvirostra avosetta</i>	Pied Avocet	LC	29,474	20,645	19,900	38,439	15,180	14,947	22,041	28,603
<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet	LC	10,719	4,317	5,413	1,346	1,311	4,817	5,955	8,640
<i>Himantopus himantopus</i>	Black-winged Stilt	LC	69,715	46,176	73,877	80,807	98,810	79,676	92,821	59,836
<i>Himantopus novaezelandiae</i>	Black Stilt	CR	1	5		1	1	3	1	
<i>Himantopus hybrid</i>	Hybrid Stilt	NR		14	9	3	3	8	4	2
Rostratulidae										
<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	970	325	157	209	211	133	139	44
<i>Rostratula australis</i>	Australian Painted-snipe	EN		2		1	2	11		1
Scolopacidae										
<i>Numenius phaeopus</i>	Whimbrel	LC	5,621	5,683	4,732	6,565	4,804	4,137	3,291	4,273
<i>Numenius minutus</i>	Little Curlew	LC	57	3,661	1,437	2,397	392	491	359	865
<i>Numenius arquata</i>	Eurasian Curlew	NT	12,176	18,333	12,935	18,294	21,333	14,399	9,791	23,074
<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	10,292	3,582	1,587	2,794	1,830	1,869	2,007	1,870
<i>Numenius spp.</i>	Unidentified Curlew	NR					59			110
<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	121,377	178,197	126,038	148,783	145,543	187,631	160,772	153,538
<i>Limosa haemastica</i>	Hudsonian Godwit	LC	1			1				
<i>Limosa limosa</i>	Black-tailed Godwit	NT	23,861	26,875	86,978	139,294	124,256	132,782	93,698	94,139
<i>Arenaria interpres</i>	Ruddy Turnstone	LC	7,497	7,174	5,376	4,877	4,253	3,588	5,308	5,293
<i>Calidris tenuirostris</i>	Great Knot	EN	17,497	175,167	87,248	121,579	117,996	163,212	135,053	112,933
<i>Calidris canutus</i>	Red Knot	NT	55,266	66,790	44,765	34,755	53,635	67,090	52,931	48,385
<i>Calidris pugnax</i>	Ruff	LC	32,057	55,138	16,567	162,186	9,697	18,117	15,409	14,584
<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	68	2,106	5,680	3,099	2,608	1,406	4,075	1,020
<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC	64,932	16,277	19,386	1,340	3,251	6,953	10,805	4,592
<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	26,930	20,341	389,866	27,528	15,756	24,455	29,716	19,942

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Calidris temminckii</i>	Temminck's Stint	LC	1,369	1,436	2,328	934	1,820	873	1,759	1,189
<i>Calidris subminuta</i>	Long-toed Stint	LC	349	3,329	1,767	1,509	556	757	686	1,442
<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR	3	17		15	28	8	27	28
<i>Calidris ruficollis</i>	Red-necked Stint	NT	156,336	124,442	57,313	79,760	64,476	64,372	61,600	55,585
<i>Calidris alba</i>	Sanderling	LC	6,700	8,951	6,839	12,252	16,605	7,109	8,511	8,663
<i>Calidris alpina</i>	Dunlin	LC	58,353	45,001	86,156	64,949	52,052	72,998	61,121	69,708
<i>Calidris ptilocnemis</i>	Rock Sandpiper	LC				3				
<i>Calidris minuta</i>	Little Stint	LC	4,305	4,910	121,856	34,456	22,255	18,410	51,563	23,820
<i>Calidris melanotos</i>	Pectoral Sandpiper	LC	11	33	156	24	6	10	16	11
<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	278	16	184	154	78	85	448	368
<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	LC	25	70	24	53	29	65	30	37
<i>Scolopax rusticola</i>	Eurasian Woodcock	LC	1	3	2	1	4	7	9	8
<i>Gallinago solitaria</i>	Solitary Snipe	LC			2	20	29	14	59	9
<i>Gallinago hardwickii</i>	Latham's Snipe	LC	803	184	722	26	81	85	64	60
<i>Gallinago stenura</i>	Pintail Snipe	LC	618	77	117	202	339	392	125	47
<i>Gallinago megala</i>	Swinhoe's Snipe	LC	12	4	21				3	7
<i>Gallinago gallinago</i>	Common Snipe	LC	1,456	651	1,820	2,150	2,474	2,142	1,833	1,519
<i>Gallinago spp.</i>	Unidentified Snipe	NR	37	63	9	41	39	30	14	53
<i>Lymnocryptes minimus</i>	Jack Snipe	LC	13	13	75	21	266	57	21	13
<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	692	309	163	12	45	23	9	92
<i>Phalaropus fulicarius</i>	Red Phalarope	LC							2	
<i>Xenus cinereus</i>	Terek Sandpiper	LC	3,032	11,761	6,579	10,971	9,043	11,870	10,310	8,638
<i>Actitis hypoleucos</i>	Common Sandpiper	LC	3,962	16,008	18,669	14,003	17,774	5,412	10,362	9,584
<i>Tringa ochropus</i>	Green Sandpiper	LC	408	409	2,673	1,219	3,668	576	694	524
<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	6,835	13,611	10,732	14,184	15,967	19,063	18,893	14,323
<i>Tringa incana</i>	Wandering Tattler	LC	1	4	8	4	3	2		10
<i>Tringa erythropus</i>	Spotted Redshank	LC	1,694	1,676	3,931	1,139	1,859	723	2,409	1,607
<i>Tringa nebularia</i>	Common Greenshank	LC	9,796	12,309	13,248	13,592	17,635	12,994	12,935	12,611
<i>Tringa totanus</i>	Common Redshank	LC	9,210	12,945	48,186	18,500	17,092	18,849	10,084	15,258
<i>Tringa glareola</i>	Wood Sandpiper	LC	7,709	3,755	8,295	11,417	13,257	10,284	18,249	8,147

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Scientific Name	Common Name	RL Status	2008	2009	2010	2011	2012	2013	2014	2015
<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	14,014	15,522	71,575	30,070	21,283	22,066	15,141	9,301
<i>Tringa guttifer</i>	Spotted Greenshank	EN	142	141	9	80	126	127	11	26
<i>Tringa spp.</i>	Unidentified Tringa Sandpiper	NR		1,700		960				15
<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	NR		5,538	6,888	400		6		524
Threskiornithidae										
<i>Platalea flavipes</i>	Yellow-billed Spoonbill	LC	484							
<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	4,677	2,471	3,983	8,534	4,511	2,467	2,698	3,267
<i>Platalea minor</i>	Black-faced Spoonbill	EN	783	811	1,214	1,763	927	1,346	1,114	2,826
<i>Platalea regia</i>	Royal Spoonbill	LC	480		9	40	234			
<i>Platalea spp.</i>	Unidentified Spoonbill	NR	11							
<i>Threskiornis aethiopicus</i>	African Sacred Ibis	LC		200	201		285	391	765	
<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	3,723	7,311	11,377	8,592	7,657	5,612	10,186	6,732
<i>Threskiornis moluccus</i>	Australian Ibis	LC	1,146							
<i>Threskiornis spinicollis</i>	Straw-necked Ibis	LC	720							
<i>Pseudibis papillosa</i>	Red-naped Ibis	LC	3,670	1,552	2,760	2,244	1,705	1,303	1,668	1,494
<i>Pseudibis davisoni</i>	White-shouldered Ibis	CR		2	13		18	113	2	
<i>Thaumatibis gigantea</i>	Giant Ibis	CR		8	4		12	31		
<i>Plegadis falcinellus</i>	Glossy Ibis	LC	18,559	16,613	18,783	38,758	24,737	18,639	28,717	19,024
Unknown										
	Unidentified waders	NR	60,084	25,782	643,765	77,172	45,069	79,091	112,420	186,564
	Unidentified waterbirds	NR	107			1,000	61	1,001	1,121	324
Total			5,454,126	5,224,061	7,561,491	5,852,128	5,826,551	5,372,490	5,868,824	6,045,259

Annex 3. Waterbird species totals reported to the AWC 2008-2015 – Country/regions

EAST ASIA

China

China Mainland

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	
Anatidae	<i>Cygnus olor</i>	Mute Swan	LC	79		5	78	168	397		
	<i>Cygnus cygnus</i>	Whooper Swan	LC	635	55	163	121		20		
	<i>Cygnus columbianus bewickii</i>	Bewick's Swan	LC (SS)	188	6	61	229	35	400	103	
	<i>Cygnus spp.</i>	Unidentified Swans	UN		3						
	<i>Anser anser</i>	Greylag Goose	LC			110	60				
	<i>Anser cygnoid</i>	Swan Goose	VU	863	345	333	314	700	356	300	
	<i>Anser fabalis</i>	Bean Goose	LC	669	264	1149	477			105	
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC		3	8	2				
	<i>Bucephala clangula</i>	Common Goldeneye	LC	729	45	215	90	2	1482	45	
	<i>Mergellus albellus</i>	Smew	LC	356	2	48	108	1	44		
	<i>Mergus merganser</i>	Goosander	LC	273	495	282	249	40	215	8	
	<i>Mergus squamatus</i>	Scaly-sided Merganser	EN		1						
	<i>Mergus serrator</i>	Red-breasted Merganser	LC		1	60		4		2	
	<i>Tadorna tadorna</i>	Common Shelduck	LC	144	305	8	145	149	246	24	
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	117	3	2	23		45	22	
	<i>Aix galericulata</i>	Mandarin Duck	LC		4						
	<i>Aythya ferina</i>	Common Pochard	VU	524	31	145	519		21	1	
	<i>Aythya fuligula</i>	Tufted Duck	LC	567	2682	487	235	110	1797	42	
	<i>Aythya marila</i>	Greater Scaup	LC	14	9	1	7				
	<i>Spatula querquedula</i>	Garganey	LC	43		3		6			
	<i>Spatula clypeata</i>	Northern Shoveler	LC	12600	4753	7700	1455	1959	1685	317	
	<i>Sibirionetta formosa</i>	Baikal Teal	LC	2	1	5	164				

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	
	<i>Mareca falcata</i>	Falcated Duck	NT	7515	1920	6231	2887	5176	107		
	<i>Mareca strepera</i>	Gadwall	LC	377	408	181	474	32	97	12	
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	4546	2894	6938	3104	5386	1522	563	
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC	2943	916	1544	2743	1455	582	700	
	<i>Anas platyrhynchos</i>	Mallard	LC	2212	2370	3197	1751	1003	2249	354	
	<i>Anas acuta</i>	Northern Pintail	LC	6380	3472	1778	2395	2126	2520	46	
	<i>Anas crecca</i>	Common Teal	LC	2898	2043	2326	2560	1781	1268	1863	
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN	2172	17353	2655	6606	201	4640	120	
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC	15	17	14	7	4	2		
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC			2			6	10	
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC						1	3	
	<i>Gorsachius spp.</i>	Unidentified Gorsachius Night-heron	UN			410					
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	2	157	122	94	291	222		
	<i>Butorides striata</i>	Green-backed Heron	LC	1						2	
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	104	453	95	126	159	947	8	
	<i>Bubulcus ibis</i>	Cattle Egret	LC		74	5	39	19	53		
	<i>Ardea cinerea</i>	Grey Heron	LC	776	749	782	1198	924	946	340	
	<i>Ardea purpurea</i>	Purple Heron	LC			1	1	2	1	1	
	<i>Ardea alba</i>	Great White Egret	LC	866	946	364	823	639	1537	181	
	<i>Ardea intermedia</i>	Intermediate Egret	LC	1	3	2				2	
	<i>Egretta garzetta</i>	Little Egret	LC	7630	7542	5029	5994	4458	6790	240	
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	146	49	581	1057	498	401	1229	
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	13	68		49	396	889	22	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	117	134	20	6	2	1595	6	
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	2690	1149	4935	2553	881	1044	812	
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	20			5				
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	181		13			2	25	
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	2							
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	LC	1							
	<i>Ciconia boyciana</i>	Oriental Stork	EN	24			66				

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
Gaviidae	<i>Gavia stellata</i>	Red-throated Loon	LC	1	3				1	
Gruidae	<i>Leucogeranus leucogeranus</i>	Siberian Crane	CR		3					
	<i>Grus japonensis</i>	Red-crowned Crane	EN	42	18	17	123		7	
	<i>Grus grus</i>	Common Crane	LC	193	9	373	442		553	
	<i>Grus monacha</i>	Hooded Crane	VU			3				
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT		2001	2	774	2625	17	3749
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	VU	42	52	12	64	124	762	67
	<i>Larus genei</i>	Slender-billed Gull	LC					202		
	<i>Larus ridibundus</i>	Black-headed Gull	LC	3029	4776	11330	10267	5641	11947	1727
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC				3	4		
	<i>Larus relictus</i>	Relict Gull	VU	35	141		109	656		60
	<i>Larus crassirostris</i>	Black-tailed Gull	LC	36	20	84	62	75	19	147
	<i>Larus canus</i>	Mew Gull	LC	313	278		103	27	2	2
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)			9	49	207	92	73
	<i>Larus cachinnans</i>	Caspian Gull	LC			5	13	2	25	15
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC		35					
Pelecanidae	<i>Larus smithsonianus vegae</i>	Vega Gull	LC (SS)	181	440	200	262	555	223	148
	<i>Larus smithsonianus mongolicus</i>	Mongolian Gull	LC (SS)				11	40	10	100
	<i>Larus schistisagus</i>	Slaty-backed Gull	LC				1	1		
	<i>Larus spp.</i>	Unidentified Gull	UN	41	550	149	78	67	8	358
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	81	63	27	11	50	52	42
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC						205	12
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC		37					
	<i>Pelecanus crispus</i>	Dalmatian Pelican	VU		1	2		2		
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	2107	3941	2505	3214	2218	2014	53
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	394	626	684	860	256	465	58
	<i>Podiceps grisegena</i>	Red-necked Grebe	LC				20			
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	65	29	163	226	191	269	1
	<i>Podiceps auritus</i>	Horned Grebe	VU			5	2			
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	22	15		7	4	7	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
Rallidae	<i>Rallus indicus</i>	Eastern Water Rail	LC	1	3		1			
	<i>Lewinia striata</i>	Slaty-breasted Rail	LC			1				
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	13	71	19	32	33	34	
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	11	6	231	13	11	9	
	<i>Gallinula chloropus</i>	Common Moorhen	LC	102	208	133	190	182	153	106
	<i>Fulica atra</i>	Common Coot	LC	4209	4358	1411	1145	1235	1271	40
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	10005	5974	3507	7363	1165	3635	1439
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	655	5	90	465	84	285	8
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC				3	2	2	
	<i>Numenius arquata</i>	Eurasian Curlew	NT	4573	2623	3595	2394	6374	3180	1651
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN			30	3	4		10
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT							1
	<i>Limosa limosa</i>	Black-tailed Godwit	NT		3	800	3	151	6	195
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC				5		2	
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC						20	
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	34						
	<i>Calidris temminckii</i>	Temminck's Stint	LC	5					205	1
	<i>Calidris subminuta</i>	Long-toed Stint	LC		2	10				1
	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR				11	8		
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	40	1332	120	15	38	1256	22
	<i>Calidris alba</i>	Sanderling	LC	614	124	186	990	685	129	126
	<i>Calidris alpina</i>	Dunlin	LC	7121	4110	12888	9354	9767	8445	4597
	<i>Scolopax rusticola</i>	Eurasian Woodcock	LC	1			1			
	<i>Gallinago stenura</i>	Pintail Snipe	LC						6	
	<i>Gallinago gallinago</i>	Common Snipe	LC	9	2	14	3	3	29	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	1	17					
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	29	23	31	13	20	31	5
	<i>Tringa ochropus</i>	Green Sandpiper	LC	8		3	1	2	1	
	<i>Tringa incana</i>	Wandering Tattler	LC							2
	<i>Tringa erythropus</i>	Spotted Redshank	LC	655	34	43	54	11	134	87

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Tringa nebularia</i>	Common Greenshank	LC	572	756	305	522	421	516	248
	<i>Tringa totanus</i>	Common Redshank	LC	151	163	46	89	95	731	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	158	136	40	98	239	285	
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	403		34	2437	69	215	66
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	10	14	1	43	60	50	4
	<i>Platalea minor</i>	Black-faced Spoonbill	EN	131	109	79	88	116	120	29
Unknown		Unidentified wader	UN	1950	1700	550	3960			300
Total				97480	87006	87267	84818	62329	71576	23040

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Taiwan

Family	Scientific Name	Common Name	RL	Season				
				2010	2011	2013	2014	2015
Anatidae	<i>Cygnus columbianus bewickii</i>	Bewick's Swan	LC (SS)	1		1		
	<i>Anser anser</i>	Greylag Goose	LC			1		
	<i>Anser cygnoid</i>	Swan Goose	VU		15	2	1	
	<i>Anser fabalis</i>	Bean Goose	LC	4	1			
	<i>Anser fabalis fabalis</i>	Taiga bean goose	LC (SS)			2		
	<i>Anser fabalis serrirostris</i>	Tundra Bean Goose (serrirostris)	LC (SS)			1	6	
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC	26	31			7
	<i>Clangula hyemalis</i>	Long-tailed Duck	VU				1	
	<i>Bucephala clangula</i>	Common Goldeneye	LC					1
	<i>Mergellus albellus</i>	Smew	LC			1	1	
	<i>Mergus merganser</i>	Goosander	LC		1			
	<i>Mergus squamatus</i>	Scaly-sided Merganser	EN	2	2	1		
	<i>Mergus serrator</i>	Red-breasted Merganser	LC		1			
	<i>Tadorna tadorna</i>	Common Shelduck	LC	3	7	5	1	10
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-duck	LC	1				
	<i>Aix galericulata</i>	Mandarin Duck	LC	2	2		5	
	<i>Aythya ferina</i>	Common Pochard	VU	13	569	57	13	149
	<i>Aythya baeri</i>	Baer's Pochard	CR			3		
	<i>Aythya nyroca</i>	Ferruginous Duck	NT			1		2
	<i>Aythya fuligula</i>	Tufted Duck	LC	1878	1393	2824	2582	2055
	<i>Aythya marila</i>	Greater Scaup	LC	4	14	20	11	13
	<i>Spatula querquedula</i>	Garganey	LC	152	5	35	2824	2402
	<i>Spatula clypeata</i>	Northern Shoveler	LC	1619	2029	2515	1	2
	<i>Sibirionetta formosa</i>	Baikal Teal	LC			1	54	68
	<i>Mareca falcata</i>	Falcated Duck	NT	3	25	24	6	40
	<i>Mareca strepera</i>	Gadwall	LC	25	16	93	57	79
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	536	1465	2034	2996	3782
	<i>Mareca americana</i>	American Wigeon	LC		2			
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC	966	721	1597	2271	1919

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2010	2011	2013	2014	2015
	<i>Anas platyrhynchos</i>	Mallard	LC	68	256	110	118	108
	<i>Anas acuta</i>	Northern Pintail	LC	993	2321	1817	6174	7648
	<i>Anas crecca</i>	Common Teal	LC	7552	4709	4476	7164	5830
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC		3	2		1
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	8	35	14	32	63
	<i>Ixobrychus eurhythmus</i>	Schrenck's Bittern	LC					1
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	3	6	8	10	20
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	1				
	<i>Gorsachius melanolophus</i>	Malay Night-heron	LC		1	1	5	18
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	962	1504	867	1285	1546
	<i>Butorides striata</i>	Green-backed Heron	LC	3		5	2	1
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	6	14	12	12	11
	<i>Bubulcus ibis</i>	Cattle Egret	LC	215	358	568	1764	786
	<i>Ardea cinerea</i>	Grey Heron	LC	1841	1362	1791	2701	3304
	<i>Ardea purpurea</i>	Purple Heron	LC	5	6	7	11	10
	<i>Ardea alba</i>	Great White Egret	LC	1678	964	1753	1950	3054
	<i>Ardea intermedia</i>	Intermediate Egret	LC	324	111	160	192	337
	<i>Egretta garzetta</i>	Little Egret	LC	2451	1481	1565	3184	6000
	<i>Egretta sacra</i>	Pacific Reef-egret	LC		1	1	5	
	<i>Egretta eulophotes</i>	Chinese Egret	VU			1		5
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	127	284	256	437	292
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	2088	146	1081	1861	2054
	<i>Charadrius placidus</i>	Long-billed Plover	LC				1	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	489	269	445	762	771
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	6684	7016	3178	9418	8881
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	8	115	13	96	308
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	26	210	11	222	18
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	29	82	356	187	83
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC				1	
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	LC		2	4		

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2010	2011	2013	2014	2015
	<i>Ciconia boyciana</i>	Oriental Stork	EN			5		2
Gruidae	<i>Leucogeranus leucogeranus</i>	Siberian Crane	CR					1
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT	5	30	80		1
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	1	8	50	248	354
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	VU	25	1	28	77	24
	<i>Larus ridibundus</i>	Black-headed Gull	LC	1455	342	4549	3259	2542
	<i>Larus crassirostris</i>	Black-tailed Gull	LC	87	220	18	21	4
	<i>Larus canus</i>	Mew Gull	LC	95	2			
	<i>Larus fuscus</i>	Lesser Black-backed Gull	LC			2	1	1
	<i>Larus cachinnans</i>	Caspian Gull	LC			497	17	86
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC	2	20	8	51	11
	<i>Larus schistisagus</i>	Slaty-backed Gull	LC	1	3	30		
	<i>Sternula albifrons</i>	Little Tern	LC	1	300	5	28	
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	2		2		31
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	302	224	279	557	679
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	50	99	2983	903	483
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC				6	
	<i>Sterna dougallii</i>	Roseate Tern	LC		4			
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	2090	11077	9217	7161	6240
	<i>Phalacrocorax capillatus</i>	Japanese Cormorant	LC			20		
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	268	411	320	679	606
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	2	121	153	10	15
	<i>Podiceps auritus</i>	Horned Grebe	VU			1		
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	3	2	10	4	4
Rallidae	<i>Rallus indicus</i>	Eastern Water Rail	LC					1
	<i>Lewinia striata</i>	Slaty-breasted Rail	LC	1		2		4
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	8	9	1	8	30
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	31	99	48	41	58
	<i>Gallicrex cinerea</i>	Watercock	LC		112			
	<i>Gallinula chloropus</i>	Common Moorhen	LC	587	385	1285	1694	1808

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2010	2011	2013	2014	2015
	<i>Fulica atra</i>	Common Coot	LC	151	243	499	427	524
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	322	403	1536	495	1209
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	2072	4507	4624	7686	7191
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC		9	18	63	13
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	4	61	74	2	2
	<i>Numenius minutus</i>	Little Curlew	LC			2		1
	<i>Numenius arquata</i>	Eurasian Curlew	NT	235	164	232	776	1729
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN			1		4
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	2	7	14	3	1
	<i>Limosa limosa</i>	Black-tailed Godwit	NT			20	7	5
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	41	492	46	814	680
	<i>Calidris tenuirostris</i>	Great Knot	EN	6		2		6
	<i>Calidris canutus</i>	Red Knot	NT	1	80			
	<i>Calidris pugnax</i>	Ruff	LC	9		6	3	4
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC				47	
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC	22		7	2	5
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT			5		1
	<i>Calidris temminckii</i>	Temminck's Stint	LC	9	2	5	2	23
	<i>Calidris subminuta</i>	Long-toed Stint	LC	40	19	126	538	423
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	96	48	586	450	508
	<i>Calidris alba</i>	Sanderling	LC	74	241	26	307	111
	<i>Calidris alpina</i>	Dunlin	LC	7239	3623	7212	10198	6922
	<i>Calidris minuta</i>	Little Stint	LC			1		
	<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	LC	3	2	10	3	1
	<i>Scolopax rusticola</i>	Eurasian Woodcock	LC					2
	<i>Gallinago gallinago</i>	Common Snipe	LC	190	312	276	633	299
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC			1		
	<i>Phalaropus fulicarius</i>	Red Phalarope	LC				2	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	1	3	1		1
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	200	86	166	234	212

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2010	2011	2013	2014	2015
	<i>Tringa ochropus</i>	Green Sandpiper	LC	14	16	45	35	36
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT		2	28	2	9
	<i>Tringa erythropus</i>	Spotted Redshank	LC		2	14	11	5
	<i>Tringa nebularia</i>	Common Greenshank	LC	1182	566	1203	1446	1184
	<i>Tringa totanus</i>	Common Redshank	LC	108	71	65	143	295
	<i>Tringa glareola</i>	Wood Sandpiper	LC	430	287	314	1045	874
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	180	82	233	229	312
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	2	6	11	6	14
	<i>Platalea minor</i>	Black-faced Spoonbill	EN	317	823	555	453	1710
	<i>Threskiornis aethiopicus</i>	African Sacred Ibis	LC	200	201	285	391	765
Total				48962	53379	65564	89638	89750

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Hong Kong SAR

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Anser fabalis fabalis</i>	Taiga bean goose	LC (SS)				2				
	<i>Mergellus albellus</i>	Smew	LC				1				1
	<i>Tadorna tadorna</i>	Common Shelduck	LC			6					
	<i>Aythya ferina</i>	Common Pochard	VU		1	2	2		1	22	
	<i>Aythya baeri</i>	Baer's Pochard	CR						2		
	<i>Aythya nyroca</i>	Ferruginous Duck	NT							1	
	<i>Aythya fuligula</i>	Tufted Duck	LC	796	2816	3126	4762	551	3753	1371	2775
	<i>Aythya marila</i>	Greater Scaup	LC			4	1				
	<i>Spatula querquedula</i>	Garganey	LC	17	31	60	28	98	7	28	72
	<i>Spatula clypeata</i>	Northern Shoveler	LC	14253	4852	20008	8822	7560	3679	1855	3034
	<i>Mareca falcata</i>	Falcated Duck	NT	5	3	1	10		5	2	
	<i>Mareca strepera</i>	Gadwall	LC		4		3				1
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	5050	3701	2816	1511	2077	2240	1253	2901
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC			7	1		1	7	
	<i>Anas platyrhynchos</i>	Mallard	LC			13	12	1	2		1
	<i>Anas acuta</i>	Northern Pintail	LC	1860	397	1612	2107	1889	1420	1410	1660
	<i>Anas crecca</i>	Common Teal	LC	1108	540	627	290	832	481		622
	Anatinæ spp.	Unidentified Ducks	UN	11770	21710		8310	471	467		2645
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC		3					1	
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC				1		1	1	
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC							1	
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	55	22	2	14	8	12	5	86
	<i>Butorides striata</i>	Green-backed Heron	LC			2		1	2		
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	143	136	199	116	138	198	181	269
	<i>Bubulcus ibis</i>	Cattle Egret	LC	29	13	28	28	3	54	36	43
	<i>Ardea cinerea</i>	Grey Heron	LC	980	902	761	724	804	817	637	949
	<i>Ardea purpurea</i>	Purple Heron	LC			43	1	1	5	1	1
	<i>Ardea alba</i>	Great White Egret	LC	886	1094	656	821	739	769	716	824
	<i>Ardea intermedia</i>	Intermediate Egret	LC	16	50	109	13	16	13	29	27
	<i>Egretta garzetta</i>	Little Egret	LC	1523	1482	1197	763	861	716	587	749
	<i>Egretta eulophotes</i>	Chinese Egret	VU			24					
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	626	203	637	320	432	611	834	354
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	533	400		782	341	357	448	226
	<i>Pluvialis</i> spp.	Unidentified Pluvialis Plover	UN	1		13					
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC			2					

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC		181	200	192	80	123	64	68	45
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC		1857	975	4304	465	2644	3223	106	326
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC		2	1		1	20	21		3
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC						27			35
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC		2				1		3	4
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC		2		1	1	1			
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	VU		22	52	20	30	42	30	27	25
	<i>Larus ridibundus</i>	Black-headed Gull	LC		11600	5643	10575	9160	4964	7817	9000	
	<i>Larus relictus</i>	Relict Gull	VU		1							1
	<i>Larus crassirostris</i>	Black-tailed Gull	LC		1		22				3	
	<i>Larus canus</i>	Mew Gull	LC				2				1	
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)		161	245	700	202	248			
	<i>Larus cachinnans</i>	Caspian Gull	LC				8				2	
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC							30	1	232
	<i>Larus schistisagus</i>	Slaty-backed Gull	LC				2				1	
	<i>Larus spp.</i>	Unidentified Gull	UN							167	188	
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC						1			
	<i>Hydroprogne caspia</i>	Caspian Tern	LC		2		2	1		1		
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC			1						
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	VU				270					
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	Great Cormorant	LC		11316	8746	9045	9309	8414	10704	8188	9942
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC		192	216	216	221	163	242	189	231
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC		41	28	215	82	83	78	62	56
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC				2					
Rallidae	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC				1					
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC		13	24	15	40	42	25	16	19
	<i>Gallicrex cinerea</i>	Watercock	LC				1					
	<i>Gallinula chloropus</i>	Common Moorhen	LC		135	122	154	166	175	147	149	104
	<i>Fulica atra</i>	Common Coot	LC		728	325	374	125	10	31	19	43
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC		16123	8192	10860	9771	11335	8571	11794	10957
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC		648	2	271	471	303	472	155	334
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC				2	5				2
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC		1	22	1	18		37	14	1
	<i>Numenius arquata</i>	Eurasian Curlew	NT		1116	1065	1075	1602	805	1122	1039	653
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN		1		1					
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT		2		1		1	8	6	2
	<i>Limosa limosa</i>	Black-tailed Godwit	NT		441	476	752	220	172	400	600	780

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Calidris tenuirostris</i>	Great Knot	EN		12	21	22		18	28	12	
	<i>Calidris canutus</i>	Red Knot	NT		4		8		2	4	5	
	<i>Calidris pugnax</i>	Ruff	LC				1					
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC		1							
	<i>Calidris temminckii</i>	Temminck's Stint	LC		5	25	44	31	4	28	14	
	<i>Calidris subminuta</i>	Long-toed Stint	LC			3	10			1		
	<i>Calidris ruficollis</i>	Red-necked Stint	NT		40	10	100					
	<i>Calidris alpina</i>	Dunlin	LC	1800	1175	2500	1470	1050	5030	500	1570	
	<i>Gallinago gallinago</i>	Common Snipe	LC	13	4	19	5	27	10	2	32	
	<i>Gallinago spp.</i>	Unidentified Snipe	UN				2					
	<i>Xenus cinereus</i>	Terek Sandpiper	LC						2	9	1	
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	79	59	105	88	93	76	53	59	
	<i>Tringa ochropus</i>	Green Sandpiper	LC	34	30	29	21	20	32	16	12	
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT			2						
	<i>Tringa erythropus</i>	Spotted Redshank	LC	603	73	136	78	26	18	117	88	
	<i>Tringa nebularia</i>	Common Greenshank	LC	1519	1272	1043	1149	481	745	836	598	
	<i>Tringa totanus</i>	Common Redshank	LC	118		297	90	207	785	406	194	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	134	158	114	203	145	85	82	36	
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	1839	1921	1389	2884	797	652	6	1106	
	<i>Tringa guttifer</i>	Spotted Greenshank	EN		1	3			2			
	<i>Tringa spp.</i>	Unidentified Tringa Sandpiper	UN		1700		960					
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC		1	3	2	2			2	
	<i>Platalea minor</i>	Black-faced Spoonbill	EN	369	365	496	441	442	275	248	344	
Unknown		Unidentified wader	UN	1		30		3		1	870	
Total				90810	71513	77390	68839	49716	56587	43348	45966	

Japan

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Cygnus olor</i>	Mute Swan	LC	14	47	41	56	64	56	42	34
	<i>Cygnus cygnus</i>	Whooper Swan	LC	13,334	18,323	13,879	16,371	10,884	12,028	12,542	11,077
	<i>Cygnus columbianus columbianus</i>	Tundra Swan	LC (SS)	3	15	11	15	14	16	27	11
	<i>Cygnus columbianus bewickii</i>	Bewick's Swan	LC (SS)	19,047	21,237	20,931	20,147	19,425	25,090	20,849	16,975
	<i>Cygnus spp.</i>	Unidentified Swans	NR		122	2,453	1,073	3,491	716	1,486	1,825
	<i>Branta bernicla</i>	Brent Goose	LC	3,616	2,294	1,061	1,862	1,898	1,642	1,528	1,476
	<i>Branta hutchinsii</i>	Cackling Goose	LC							27	284
	<i>Branta hutchinsii leucopareia</i>	Cackling Goose (leucopareia)	LC (SS)	1	55	51	66	282	190	697	1,021
	<i>Anser caerulescens</i>	Snow Goose	LC			37	77	80	205	306	245
	<i>Anser cygnoid</i>	Swan Goose	VU			3	4		1	2	
	<i>Anser fabalis</i>	Bean Goose	LC	87	298	263	438	3,922	2,536	4,822	8,735
	<i>Anser fabalis middendorffii</i>	Taiga Bean Goose (middendorffii)	LC (SS)	11,387	10,077	7,651	9,132	13,834	12,483	17,331	15,462
	<i>Anser fabalis serrirostris</i>	Tundra Bean Goose (serrirostris)	LC (SS)	2,844	1,860	1,316	537	2,450	3,385	680	640
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC	155,708	131,832	153,069	153,057	172,151	191,555	165,457	199,652
	<i>Anser erythropus</i>	Lesser White-fronted Goose	VU	4	14	1	2		8	4	1
	<i>Anser spp.</i>	Unidentified Anser Goose	NR		13,000			311	1,711		35
	<i>Clangula hyemalis</i>	Long-tailed Duck	VU	77	42	67	23	8	8	6	2
	<i>Melanitta fusca</i>	Velvet Scoter	VU	1,010		2	40	102	4	17	56
	<i>Melanitta americana</i>	Black Scoter	NT	1,421	274	290	411	893	1,452	584	2,242
	<i>Bucephala albeola</i>	Bufflehead	LC			1		1	1	1	1
	<i>Bucephala clangula</i>	Common Goldeneye	LC	6,202	3,508	3,911	3,228	1,400	1,598	1,328	1,335
	<i>Mergellus albellus</i>	Smew	LC	2,753	1,890	3,818	1,467	4,001	3,038	1,487	2,080
	<i>Mergus merganser</i>	Goosander	LC	2,466	1,738	1,749	2,681	1,906	1,444	1,715	1,060
	<i>Mergus serrator</i>	Red-breasted Merganser	LC	4,940	6,075	3,486	2,204	1,146	2,151	1,024	1,755
	<i>Histrionicus histrionicus</i>	Harlequin Duck	LC	91	114	171	56	157	264	125	171

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Tadorna tadorna</i>	Common Shelduck	LC	2,070	3,270	2,549	3,172	3,615	4,720	6,001	6,104
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC		1	4			1		
	<i>Aix galericulata</i>	Mandarin Duck	LC	436	1,911	1,745	2,019	550	1,396	1,121	1,395
	<i>Netta rufina</i>	Red-crested Pochard	LC	2	1	1			2		1
	<i>Aythya ferina</i>	Common Pochard	VU	14,239	18,580	17,340	14,943	11,016	6,101	11,419	10,463
	<i>Aythya baeri</i>	Baer's Pochard	CR	1							
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	1	1		1		1		1
	<i>Aythya fuligula</i>	Tufted Duck	LC	28,008	30,366	31,008	27,563	23,072	18,685	21,721	18,005
	<i>Aythya marila</i>	Greater Scaup	LC	54,145	72,134	112,756	74,164	58,274	30,723	40,192	38,732
	<i>Aythya valisineria</i>	Canvasback	LC	2					1		
	<i>Spatula clypeata</i>	Northern Shoveler	LC	1,411	706	717	1,262	649	929	686	446
	<i>Sibirionetta formosa</i>	Baikal Teal	LC	9,120	3,602	1,970	8,684	5,384	5,106	5,047	7,058
	<i>Mareca falcata</i>	Falcated Duck	NT	2,955	3,381	3,992	3,383	3,980	3,278	3,141	3,858
	<i>Mareca strepera</i>	Gadwall	LC	6,310	5,534	4,852	6,487	5,060	3,343	4,394	5,064
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	22,021	22,082	21,367	22,266	21,600	20,484	16,624	17,780
	<i>Mareca americana</i>	American Wigeon	LC	20	16	21	10	7	15	9	11
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC	13,324	13,651	11,256	10,727	10,542	12,357	14,948	16,591
	<i>Anas platyrhynchos</i>	Mallard	LC	49,467	53,373	59,354	59,553	52,002	65,976	63,726	85,571
	<i>Anas acuta</i>	Northern Pintail	LC	26,542	49,378	45,347	34,904	19,526	20,583	36,890	30,682
	<i>Anas crecca</i>	Common Teal	LC	36,904	31,140	41,208	39,277	30,549	25,274	27,171	34,017
	<i>Anatinae spp.</i>	Unidentified Dabbling Ducks	NR	15,023	18,229	19,330	30,365	33,493	21,248	7,416	14,192
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	2,643	2,387	2,763	3,427	2,435	2,820	2,881	3,249
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	2,530	1,870	2,111	2,376	2,537	1,274	1,054	1,028
	<i>Eudromias morinellus</i>	Eurasian Dotterel	LC	1							
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC	9	8	6	12	14	11	9	7
	<i>Charadrius placidus</i>	Long-billed Plover	LC	72	72	101	88	75	73	64	61
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	67	123	74	81	94	108	108	109
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	4,316	4,582	4,812	4,385	4,073	4,199	4,118	3,906
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	1,032	845	1,033	1,038	1,063	1,064	795	831

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	377	360	373	299	172	70	53	56
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	1,121	1,418	1,634	1,091	1,840	1,826	1,265	1,467
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	179	160	280	175	172	186	127	119
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	6							
Gruidae	<i>Leucogeranus leucogeranus</i>	Siberian Crane	CR	2							
	<i>Antigone canadensis</i>	Sandhill Crane	LC	2							
	<i>Antigone vipio</i>	White-naped Crane	VU	2,734							
	<i>Grus grus</i>	Common Crane	LC	3							
	<i>Grus monacha</i>	Hooded Crane	VU	11,000							
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT	247	356	586	511	410	608	520	621
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC							1	
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	VU	2,780	2,445	2,898	3,038	3,337	3,484	3,623	3,324
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	501	889	588	768	638	776	579	498
	<i>Podiceps grisegena</i>	Red-necked Grebe	LC	3		52	3	10	5	53	42
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	2,759	3,720	3,172	3,579	4,836	5,009	4,845	3,932
	<i>Podiceps auritus</i>	Horned Grebe	VU	25	9	115	6	6	20	30	29
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	3,519	3,804	4,089	1,609	2,088	3,659	4,694	3,854
Rallidae	<i>Gallinula chloropus</i>	Common Moorhen	LC	12	35	36	20	29	38	26	42
	<i>Fulica atra</i>	Common Coot	LC	35,503	55,272	40,840	37,870	58,778	69,591	66,871	67,605
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	5	5	3	2	1	8	1	3
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	149	176	150	216	165	137	157	171
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC		1	2	5	3	1	4	6
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	42	44	202	115	147	84	158	133
	<i>Numenius arquata</i>	Eurasian Curlew	NT	427	413	421	386	391	397	453	451
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	7	6	4	12	5	9	7	7
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	6	8	2	9	5	6	3	9
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	3		2	1	6	3	3	2
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	219	273	226	256	160	155	103	183
	<i>Calidris tenuirostris</i>	Great Knot	EN	125				36			3

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Calidris canutus</i>	Red Knot	NT	2		2	1			1	1
	<i>Calidris pugnax</i>	Ruff	LC	10	11	5	7	5	8	4	3
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC		24	1		2		6	
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC		1		8	1		1	1
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT		10						
	<i>Calidris temminckii</i>	Temminck's Stint	LC	10	9	9	19	17	14	13	10
	<i>Calidris subminuta</i>	Long-toed Stint	LC	49	58	27	88	79	85	93	70
	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR	1				1			
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	479	325	191	280	114	128	32	145
	<i>Calidris alba</i>	Sanderling	LC	2,532	2,220	1,857	2,454	2,178	2,679	2,281	2,804
	<i>Calidris alpina</i>	Dunlin	LC	29,500	31,850	40,245	38,793	34,610	36,148	31,346	32,251
	<i>Calidris ptilocnemis</i>	Rock Sandpiper	LC					3			
	<i>Calidris minuta</i>	Little Stint	LC	7	2	2	7	1	1	2	
	<i>Calidris melanotos</i>	Pectoral Sandpiper	LC								3
	<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	LC	25	28	21	51	29	55	27	36
	<i>Scolopax rusticola</i>	Eurasian Woodcock	LC		3	2		4	7	9	6
	<i>Gallinago hardwickii</i>	Latham's Snipe	LC		1						
	<i>Gallinago megala</i>	Swinhoe's Snipe	LC	1							
	<i>Gallinago gallinago</i>	Common Snipe	LC	333	379	445	392	369	462	382	419
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	1	5	2	3	4	6	1	2
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	202	243	260	291	268	290	260	264
	<i>Tringa ochropus</i>	Green Sandpiper	LC	33	37	32	53	52	62	53	54
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	80	45	51	67	132	97	93	89
	<i>Tringa erythropus</i>	Spotted Redshank	LC	9	6	14	5	5	9	6	4
	<i>Tringa nebularia</i>	Common Greenshank	LC	392	509	420	469	535	401	504	438
	<i>Tringa totanus</i>	Common Redshank	LC	90	90	88	141	137	149	164	97
	<i>Tringa glareola</i>	Wood Sandpiper	LC	37	31	53	47	31	31	36	31
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	13	19	16	14	18	20	16	11
	<i>Tringa guttifer</i>	Spotted Greenshank	EN							1	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	14	15	26	25	37	27	21	59
	<i>Platalea minor</i>	Black-faced Spoonbill	EN	263	309	305	344	317	328	368	400
Total				613,390	655,807	699,728	656,664	640,214	638,433	620,953	685,057

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Republic of Korea

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Cygnus olor</i>	Mute Swan	LC		6	7			3	3	8
	<i>Cygnus cygnus</i>	Whooper Swan	LC	4,191	4,857	4,794	5,408	5,375	4,846	5,857	6,485
	<i>Cygnus columbianus bewickii</i>	Bewick's Swan	LC (SS)	48	65	45	72	36	36	34	3
	<i>Cygnus spp.</i>	Unidentified Swans	NR	81	48						
	<i>Branta bernicla</i>	Brent Goose	LC	1	18	26	1	12	2	3	
	<i>Branta hutchinsii</i>	Cackling Goose	LC		1					1	
	<i>Anser caerulescens</i>	Snow Goose	LC	2	3	1	1	1	2	3	2
	<i>Anser cygnoid</i>	Swan Goose	VU	27	55	88	60	9	61	38	60
	<i>Anser fabalis</i>	Bean Goose	LC	55,328	74,761	51,516	57,796	53,320	57,002	73,098	74,337
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC	103,563	87,678	69,147	78,180	86,136	73,340	85,594	88,165
	<i>Anser erythropus</i>	Lesser White-fronted Goose	VU		3	2	1	5			1
	<i>Anser / Branta spp.</i>	Unidentified Goose	NR	1,049	8,426	2,190	265	3,930	20,220	6,660	6,732
	<i>Clangula hyemalis</i>	Long-tailed Duck	VU		2			13	1	5	
	<i>Somateria spectabilis</i>	King Eider	LC		2						
	<i>Melanitta deglandi</i>	White-winged Scoter	LC	377	1,089	1,072	1,478	380	724	674	417
	<i>Melanitta americana</i>	Black Scoter	NT		7	21	457	339	369	133	54
	<i>Bucephala albeola</i>	Bufflehead	LC						1	1	
	<i>Bucephala clangula</i>	Common Goldeneye	LC	2,788	6,348	8,038	6,289	6,433	3,236	3,854	2,369
	<i>Mergellus albellus</i>	Smew	LC	1,170	1,265	931	1,258	955	699	861	982
	<i>Mergus merganser</i>	Goosander	LC	13,723	15,028	13,211	13,579	16,455	10,669	10,901	13,741
	<i>Mergus squamatus</i>	Scaly-sided Merganser	EN	12	14	14	59	30	32	55	57
	<i>Mergus serrator</i>	Red-breasted Merganser	LC	1,890	2,276	4,898	3,606	10,136	3,215	2,475	1,475
	<i>Histrionicus histrionicus</i>	Harlequin Duck	LC	137	206	41	56	41	51	12	31
	<i>Tadorna tadorna</i>	Common Shelduck	LC	25,682	21,573	23,852	34,830	29,617	21,037	17,438	24,964
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	2,446	1,184	1,554	2,070	2,966	1,433	2,120	1,782
	<i>Aix galericulata</i>	Mandarin Duck	LC	634	640	1,213	2,655	438	805	1,278	2,406
	<i>Netta rufina</i>	Red-crested Pochard	LC								2

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Aythya ferina</i>	Common Pochard	VU	35,299	36,789	15,839	15,325	17,024	11,698	23,621	26,284
	<i>Aythya baeri</i>	Baer's Pochard	CR								1
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	1							
	<i>Aythya fuligula</i>	Tufted Duck	LC	6,658	11,131	8,821	6,928	8,347	6,313	7,264	19,195
	<i>Aythya marila</i>	Greater Scaup	LC	21,954	33,821	10,811	34,538	4,071	1,952	2,862	11,562
	<i>Aythya valisineria</i>	Canvasback	LC						1		
	<i>Aythya spp.</i>	Unidentified Aythya Ducks	NR	34			210			1,330	
	<i>Spatula clypeata</i>	Northern Shoveler	LC	8,614	5,991	5,258	3,443	3,552	3,482	3,764	4,541
	<i>Sibirionetta formosa</i>	Baikal Teal	LC	626,610	1,063,280	642,724	436,183	318,560	348,319	365,641	310,946
	<i>Mareca falcata</i>	Falcated Duck	NT	4,155	5,224	4,521	3,378	3,645	4,142	4,317	3,945
	<i>Mareca strepera</i>	Gadwall	LC	4,495	6,046	4,989	3,375	5,217	5,235	6,404	5,755
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	8,864	14,209	8,429	10,148	7,438	6,089	8,399	5,753
	<i>Mareca americana</i>	American Wigeon	LC	1	1	1	1	1			
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC	80,640	75,120	75,240	60,181	56,250	59,646	67,630	93,075
	<i>Anas platyrhynchos</i>	Mallard	LC	172,734	159,884	161,666	126,472	114,598	127,424	154,920	177,870
	<i>Anas acuta</i>	Northern Pintail	LC	15,709	9,436	12,056	11,308	7,553	7,296	7,477	4,813
	<i>Anas crecca</i>	Common Teal	LC	20,285	17,233	17,646	16,997	16,380	15,410	14,234	13,609
	<i>Anatinae spp.</i>	Unidentified Dabbling Ducks	NR	10,062	10,994	482	1,447	428	420	2,001	251
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC	6	5	9	5	7	4	2	3
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	49	62	90	56	1	8	64	14
	<i>Butorides striata</i>	Green-backed Heron	LC						1		
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC		1						1
	<i>Bubulcus ibis</i>	Cattle Egret	LC	1	8						
	<i>Ardea cinerea</i>	Grey Heron	LC	2,566	2,247	2,313	2,533	2,652	2,304	3,667	2,595
	<i>Ardea alba</i>	Great White Egret	LC	1,465	1,257	1,076	1,005	1,596	1,540	1,676	2,171
	<i>Ardea intermedia</i>	Intermediate Egret	LC	79	8	3		7	5	20	12
	<i>Egretta garzetta</i>	Little Egret	LC	606	344	407	464	428	488	373	342
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	37	22	22	16	25	18	15	15
	<i>Egretta eulophotes</i>	Chinese Egret	VU						1		

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	NR			15					15
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	2,298	739	2,399	1,531	679	2,546	1,015	98
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC	2	1		1				
	<i>Charadrius placidus</i>	Long-billed Plover	LC	32	25	36	22	18	38	58	24
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	16	7	9	10	4		10	5
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	819	266	337	254	181	432	80	225
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC		8	220	2	22			
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	250	184	188	233	260	133	92	123
Ciconiidae	<i>Ciconia nigra</i>	Black Stork	LC		3			2			
	<i>Ciconia boyciana</i>	Oriental Stork	EN	20	9	5	6	4	9	11	5
Gaviidae	<i>Gavia stellata</i>	Red-throated Loon	LC	106	69	347	145	66	46	28	65
	<i>Gavia adamsii</i>	Yellow-billed Loon	NT		2	1	2				1
	<i>Gavia arctica</i>	Arctic Loon	LC		663	788	1,133	324	1,831	875	70
	<i>Gavia pacifica</i>	Pacific Loon	LC		48	360	105	321	1,344	780	71
	<i>Gavia arctica</i>	Arctic Loon	LC	47							
	<i>Gavia pacifica</i>	Pacific Loon	LC	32							
	<i>Gavia spp.</i>	Unidentified Loon	NR	6	12	400	55				
Gruidae	<i>Leucogeranus leucogeranus</i>	Siberian Crane	CR					1	2	2	3
	<i>Antigone canadensis</i>	Sandhill Crane	LC					1			1
	<i>Antigone vipio</i>	White-naped Crane	VU	1,433	1,790	1,433	1,825	1,505	1,599	2,645	2,798
	<i>Grus japonensis</i>	Red-crowned Crane	EN	784	1,029	1,051	856	798	932	966	916
	<i>Grus grus</i>	Common Crane	LC	6	7	5	8	6	8	6	8
	<i>Grus monacha</i>	Hooded Crane	VU	338	343	453	516	596	656	925	891
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT	3,352	4,382	4,929	2,062	5,174	8,349	2,544	5,601
Laridae	<i>Saundersilarus saundersi</i>	Saunders's Gull	VU	1,252	1,944	1,294	1,568	1,700	2,297	1,859	2,191
	<i>Rissa tridactyla</i>	Black-legged Kittiwake	LC	130	24	17	7	28	75	307	145
	<i>Larus ridibundus</i>	Black-headed Gull	LC	17,276	17,781	24,361	17,055	18,699	24,841	19,448	36,981
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC		1						1
	<i>Larus relictus</i>	Relict Gull	VU			3	1	3	2	2	1

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Larus crassirostris</i>	Black-tailed Gull	LC	25,363	30,777	26,436	35,285	39,823	36,625	51,776	26,505	
	<i>Larus canus</i>	Mew Gull	LC	13,805	18,783	12,647	9,383	8,153	5,993	12,875	5,201	
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)	48	184	70	105	351	306	392	194	
	<i>Larus smithsonianus vegae</i>	European Herring Gull	LC	35,799								
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC							2	1	
	<i>Larus smithsonianus vegae</i>	Vega Gull	LC (SS)		40,677	40,176	42,436	32,605	39,528	68,212	46,949	
	<i>Larus smithsonianus mongolicus</i>	Mongolian Gull	LC (SS)	238	543	285	341	394	394	719	1,029	
	<i>Larus thayeri</i>	Thayer's Gull	LC							1	2	
	<i>Larus glaucopterus</i>	Iceland Gull	LC		2					1		
	<i>Larus schistisagus</i>	Slaty-backed Gull	LC	10,780	9,113	1,443	2,417	3,307	3,159	8,562	3,465	
	<i>Larus glaucescens</i>	Glaucous-winged Gull	LC	857	10	3	7	10	17	4	8	
	<i>Larus hyperboreus</i>	Glaucous Gull	LC	77	98	64	51	63	76	97	68	
	<i>Larus spp.</i>	Unidentified Gull	NR	4,774	2,505	1,434	3,785	1,735	2,493	8,793	7,279	
Phalacrocoracidae	<i>Phalacrocorax pelagicus</i>	Pelagic Cormorant	LC	63	819	361	471	592	350	755	1,069	
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	2,669	4,465	2,911	1,639	4,336	5,213	6,115	9,280	
	<i>Phalacrocorax capillatus</i>	Japanese Cormorant	LC	2,388	1,685	1,814	2,496	3,503	1,933	2,301	3,024	
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	NR	380	562	45	401	150	220		88	
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	1,772	1,496	1,104	1,037	922	887	1,280	1,533	
	<i>Podiceps grisegena</i>	Red-necked Grebe	LC	43	222	1,621	42	355	140	17	43	
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	5,370	6,314	9,664	10,295	13,148	9,812	10,275	19,106	
	<i>Podiceps auritus</i>	Horned Grebe	VU	17	70	29	92	62	116	52	101	
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	667	467	584	386	379	1,027	741	910	
Rallidae	<i>Rallus indicus</i>	Eastern Water Rail	LC	1	3	1	1					
	<i>Gallinula chloropus</i>	Common Moorhen	LC	121	218	66	89	82	29	59	41	
	<i>Fulica atra</i>	Common Coot	LC	10,706	17,029	16,289	11,397	14,417	10,953	17,756	22,761	
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	1					2			
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC				1		3	1		
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	1								
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	13		10	14	178	7	3	30	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Numenius arquata</i>	Eurasian Curlew	NT	1,826	3,532	4,095	2,642	4,450	7,596	2,736	4,534	
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	28	12	2	2	89	42	16	8	
	<i>Limosa limosa</i>	Black-tailed Godwit	NT			1			29			
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC		2	1				5	8	
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC						2			
	<i>Calidris temminckii</i>	Temminck's Stint	LC				1		1			
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	431	144	801	63	80	361	1,046	51	
	<i>Calidris alba</i>	Sanderling	LC	118	312	301	293	335	443	219	270	
	<i>Calidris alpina</i>	Dunlin	LC	19,762	7,261	21,955	9,321	4,538	15,695	13,890	6,199	
	<i>Gallinago solitaria</i>	Solitary Snipe	LC							1		
	<i>Gallinago gallinago</i>	Common Snipe	LC	1	12	3	4	10	13	15	7	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	11		7						
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	80	42	62	53	70	64	93	74	
	<i>Tringa ochropus</i>	Green Sandpiper	LC	28	43	48	44	50	41	71	51	
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	22						13		
	<i>Tringa erythropus</i>	Spotted Redshank	LC								3	
	<i>Tringa nebularia</i>	Common Greenshank	LC	28	7	32	5	17	4	61	18	
	<i>Tringa totanus</i>	Common Redshank	LC					1	1		1	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	5		2				1		
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC								1	
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	182	209	137	115	104	361	147	170	
	<i>Platalea minor</i>	Black-faced Spoonbill	EN	20	27	15	18	17	29	16	16	
Unknown		Unidentified waders	NR		285	5	660					
		Unidentified waterbirds	NR	107			894	61	999	901	322	
Total					1,400,874	1,855,935	1,338,239	1,105,817	949,218	990,983	1,127,123	1,117,483

Mongolia

Family	Scientific Name	Common Name	RL	Season			
				2009	2011	2013	2014
Anatidae	<i>Cygnus cygnus</i>	Whooper Swan	LC				112
	<i>Bucephala clangula</i>	Common Goldeneye	LC	6			307
	<i>Mergus merganser</i>	Goosander	LC	7	2	4	103
	<i>Tadorna tadorna</i>	Common Shelduck	LC	1	12	8	
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	1002	504	226	656
	<i>Mareca strepera</i>	Gadwall	LC				51
	<i>Anas platyrhynchos</i>	Mallard	LC	292	25	31	59
Total				1308	543	269	1288

Eastern Russia

Family	Scientific Name	Common Name	RL	Season					
				2008	2009	2010	2011	2012	2013
Anatidae	<i>Clangula hyemalis</i>	Long-tailed Duck	VU	103	143	140	162		
	<i>Bucephala clangula</i>	Common Goldeneye	LC	12420	10450	13265	9660	8380	8515
	<i>Mergellus albellus</i>	Smew	LC		9	2	3		2
	<i>Mergus merganser</i>	Goosander	LC	350	347	223	552	71	264
	<i>Mergus serrator</i>	Red-breasted Merganser	LC	38	87	25	18	6	
	<i>Aythya fuligula</i>	Tufted Duck	LC	5	1				
	<i>Mareca penelope</i>	Eurasian Wigeon	LC		1	1			
	<i>Anas platyrhynchos</i>	Mallard	LC	677	454	133	409	245	195
	<i>Anas crecca</i>	Common Teal	LC				1		
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	1					
Total				13594	11492	13789	10805	8702	8976

SOUTH EAST ASIA

Brunei Darussalam

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna arcuata</i>	Wandering Whistling-duck	LC	1	1217	22	8	29	18	22	
	<i>Dendrocygna spp.</i>	Unidentified	UN							11	
	<i>Spatula querquedula</i>	Garganey	LC							1	
	<i>Spatula clypeata</i>	Northern Shoveler	LC							1	
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN				1				
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	34	2	3	7	3	21	17	12
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	20	4	12	14	11	13	5	4
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	1	3	3		8	6		
	<i>Gorsachius melanopholus</i>	Malay Night-heron	LC	1	2					1	
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	74	15	32	56	36	1	35	3
	<i>Nycticorax caledonicus</i>	Rufous Night-heron	LC	1		4			42	5	86
	<i>Butorides striata</i>	Green-backed Heron	LC	71	1	6	14	25	12	12	2
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC		4	1	3	2	3	11	
	<i>Ardeola speciosa</i>	Javan Pond-heron	LC			1				2	
	<i>Bubulcus ibis</i>	Cattle Egret	LC	1425	481	252	246	211	741	705	114
	<i>Ardea cinerea</i>	Grey Heron	LC	51	15	4	22	4	7	30	30
	<i>Ardea sumatrana</i>	Great-billed Heron	LC							1	
	<i>Ardea purpurea</i>	Purple Heron	LC	12	3		28	11	61	14	23
	<i>Ardea alba</i>	Great White Egret	LC	350	120	40	91	1051	93	150	41
	<i>Ardea intermedia</i>	Intermediate Egret	LC	250	55	40	316	588	193	128	11
	<i>Egretta garzetta</i>	Little Egret	LC	339	94	200	340	1426	453	445	157
Charadriidae	<i>Egretta sacra</i>	Pacific Reef-egret	LC	12			2	6	1		
	<i>Egretta eulophotes</i>	Chinese Egret	VU	26	1	2	3	4	1		1
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN		3536	1853	2550	4363	1327	104	199
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN	8156						1375	
	<i>Pluvialis squatarola</i>	Grey Plover	LC	59	4	19		6	2		
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	410	11	9	50	29	45	20	
	<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	UN				42				
Charadriidae	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC				9				
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	158	9	95	40	57	81	24	32
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	90	55	103	44	43	26		3
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC		63	14		27	3		

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
<i>Ciconiidae</i>	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC		8	2		4	2		
	<i>Charadrius veredus</i>	Oriental Plover	LC				50				
<i>Glareolidae</i>	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	3	2			2	3	3	4
<i>Laridae</i>	<i>Glareola maldivarum</i>	Oriental Pratincole	LC							1	
<i>Laridae</i>	<i>Sternula albifrons</i>	Little Tern	LC			2		4	3		23
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	2			6		12	30	1
<i>Rallidae</i>	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	3		11				1	2
	<i>Sterna sumatrana</i>	Black-naped Tern	LC							2	
<i>Rallidae</i>	<i>Sterna hirundo</i>	Common Tern	LC		13	7	8	7			
	<i>Sterna spp.</i>	Unidentified Sterna/Sternula Tern	UN								1
<i>Recurvirostridae</i>	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	1							
	<i>Sterninae spp.</i>	Unidentified Terns	UN	20	14	1	7	6	7		
<i>Rostratulidae</i>	<i>Lewinia striata</i>	Slaty-breasted Rail	LC			2		1			
	<i>Hypotaenidia philippensis</i>	Buff-banded Rail	LC							1	
<i>Scolopacidae</i>	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	53	22	37	29	50	62	86	21
	<i>Amaurornis cinerea</i>	White-browed Crake	LC	14							6
<i>Recurvirostridae</i>	<i>Gallicrex cinerea</i>	Watercock	LC		4						
	<i>Gallinula chloropus</i>	Common Moorhen	LC			8		5		1	
<i>Rostratulidae</i>	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	26		12			18	26	24
<i>Rostratulidae</i>	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC				2				
<i>Scolopacidae</i>	<i>Numenius phaeopus</i>	Whimbrel	LC	82	17		7	8	5	54	3
	<i>Numenius arquata</i>	Eurasian Curlew	NT				7				
<i>Recurvirostridae</i>	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN			1	1				
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC			1	1				
<i>Calidridae</i>	<i>Calidris temminckii</i>	Temminck's Stint	LC							2	
	<i>Calidris subminuta</i>	Long-toed Stint	LC	43	4	12	5		13	10	4
<i>Calidridae</i>	<i>Calidris ruficollis</i>	Red-necked Stint	NT	172		16				1	
	<i>Calidris alba</i>	Sanderling	LC		2	3	20	11	5	5	8
<i>Recurvirostridae</i>	<i>Gallinago gallinago</i>	Common Snipe	LC		2	1					
	<i>Gallinago spp.</i>	Unidentified Snipe	UN							2	
<i>Actitis hypoleucos</i>	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC						1		
	<i>Xenus cinereus</i>	Terek Sandpiper	LC				3			33	2
<i>Actitis hypoleucos</i>	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	200	54	77	60	149	158	203	126
<i>Tringidae</i>	<i>Tringa ochropus</i>	Green Sandpiper	LC			51	10	9			
	<i>Tringa nebularia</i>	Common Greenshank	LC	54	69	57	15	170	2	6	5
<i>Tringidae</i>	<i>Tringa totanus</i>	Common Redshank	LC	210		10	2	36		65	17
	<i>Tringa glareola</i>	Wood Sandpiper	LC	181	127	127	30	45	210	334	128

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	30		6	4	2	11	5	16
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	UN								12
Unknown		Unidentified wader	UN	89	4	40	4	4	5		13
Total				12723	6021	3209	4156	8454	3685	3983	1130

Cambodia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	6707	12058	5509	2351	37408	11399	15619	10450
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC		571	171	25	1379	374	848	69
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	2	86	549	492	3187	550	579	5064
	<i>Asarcornis scutulata</i>	White-winged Duck	EN		7	7		2			
	<i>Spatula querquedula</i>	Garganey	LC		12500	258	848	1365	2160	13689	6484
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	54	213	72	33	678	482	419	34
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN			12	214				
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	4371	4191	2689	53	3427	20	2106	2921
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	146	82	33	10	356	132	43	141
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	10	25	2	4	96	16	43	61
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	19	2	16	1	127	32	38	59
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	98	20	393	56	805	67	454	306
	<i>Butorides striata</i>	Green-backed Heron	LC	41	71	14	76	25	4	90	4
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC		678	1295			1396		1776
	<i>Ardeola speciosa</i>	Javan Pond-heron	LC		403					1668	
	<i>Ardeola spp.</i>	Unidentified Pond-heron	UN	795	229		1024	2134			
	<i>Bubulcus ibis</i>	Cattle Egret	LC	96	78	826	279	1232	1347	187	906
	<i>Ardea cinerea</i>	Grey Heron	LC	366	478	284	226	919	236	416	288
	<i>Ardea purpurea</i>	Purple Heron	LC	193	227	319	113	780	256	469	1279
	<i>Ardea alba</i>	Great White Egret	LC	202	891	484	806	1397	842	609	812
	<i>Ardea intermedia</i>	Intermediate Egret	LC	180	1298	1658	84	1948	480	1558	2367
	<i>Egretta garzetta</i>	Little Egret	LC	6477	886	2377	530	2431	1583	1096	1820
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN	380	422	446	966	385	480	165	78
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	NT				7				
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	1							
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC						67		
	<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	UN				7				
	<i>Charadrius dubius</i>	Little Ringed Plover	LC		8	20	73		25	50	31
	<i>Vanellus duvaucelii</i>	River Lapwing	NT				138				
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC		4	5		1			
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	25		11	9	15	20	17	
	<i>Vanellus spp.</i>	Unidentified Lapwing	UN			3	1	7			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Ciconiidae	<i>Leptoptilos dubius</i>	Greater Adjutant	EN	120	161	148	12	196	11	85	149
	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	211	319	368	31	383	191	316	359
	<i>Mycteria leucocephala</i>	Painted Stork	NT	2305	2408	2703	121	2856	392	2868	2095
	<i>Mycteria cinerea</i>	Milky Stork	EN	9	6	3	2	10	1	1	4
	<i>Anastomus oscitans</i>	Asian Openbill	LC	11044	13738	15191	1452	18766	1235	26625	10046
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU	2	31	39	13	39	54	2	8
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT		3	4		4	6		5
	<i>Ciconiidae spp.</i>	Unidentified Stork	UN				2			9	
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	82		42	1	246			
	<i>Glareola lactea</i>	Little Pratincole	LC				949			23	
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU	31	172	682	6	448	469	289	542
Heliornithidae	<i>Helioptais personatus</i>	Masked Finfoot	EN						2		
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	100	438	329	37	836	461	152	41
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	51	401	104	61	770	172	104	41
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC				248	1			
	<i>Hydroprogne caspia</i>	Caspian Tern	LC			3	27				
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC		592	2008	394	330	3	1180	1246
	<i>Sterna aurantia</i>	River Tern	NT				170				
	<i>Sterna hirundo</i>	Common Tern	LC		4						
	<i>Sterna acuticauda</i>	Black-bellied Tern	EN				4				
	<i>Sterninae spp.</i>	Unidentified Terns	UN		2		14				
	<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT	5557	1243	2638	914	2833	353	1901	1797
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	2854	424	1074	3597	3390	100	959	1202
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	1276	905	1101	46	1677	3	1662	330
	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	9664	10542	9603	973	8308	13	5508	3164
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN	1707	39	82	4093				
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	27	46	28	196	1520	460	132	990
Rallidae	<i>Laterallus ruber</i>	Ruddy Crake	LC	8	7			255	3		29
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC				3			12	
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	16	6	15	13	101	3	42	53
	<i>Amaurornis cinerea</i>	White-browed Crake	LC						17		
	<i>Gallicrex cinerea</i>	Watercock	LC	1		2		392	101	11	68
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	1012	849	710	226	5068	570	11006	5982
	<i>Gallinula chloropus</i>	Common Moorhen	LC	133	102	66	19	43	11	54	32
	<i>Fulica atra</i>	Common Coot	LC		1	4			76	92	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Rallidae spp.</i>	Unidentified Rails	UN				5				
Recurvirostridae	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	95	59	260	13	639	439	599	480
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC						1		
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	NT							2	
	<i>Calidris pugnax</i>	Ruff	LC							2	
	<i>Calidris subminuta</i>	Long-toed Stint	LC						12		3
	<i>Gallinago stenura</i>	Pintail Snipe	LC						6		
	<i>Gallinago gallinago</i>	Common Snipe	LC	168	8	151		399	55	15	44
	<i>Gallinago spp.</i>	Unidentified Snipe	UN						15		
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC		42	190	53	346	20	296	42
	<i>Tringa ochropus</i>	Green Sandpiper	LC		5		3	1	1		6
	<i>Tringa nebularia</i>	Common Greenshank	LC		50	30	97	11	6		60
	<i>Tringa totanus</i>	Common Redshank	LC			59		3	29		
	<i>Tringa glareola</i>	Wood Sandpiper	LC		18	42		30	17		40
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC		16	44		8	3		8
Threskiornithidae	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	425	261	113	18	460	2	318	76
	<i>Pseudibis davisoni</i>	White-shouldered Ibis	CR		2	13		18	113	2	
	<i>Thaumatibis gigantea</i>	Giant Ibis	CR		8	4		12	31		
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC				18	5			
Unknown		Unidentified wader	UN		27		1		23		
Total				57062	68359	55305	22263	110507	27449	94403	63919

Indonesia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna guttata</i>	Spotted Whistling-duck	LC					24			
	<i>Dendrocygna arcuata</i>	Wandering Whistling-duck	LC	59	100	166	23	15			45
	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	59		6	15		4	4	33
	<i>Nettapus pulchellus</i>	Green Pygmy-goose	LC				4				
	<i>Asarcornis scutulata</i>	White-winged Duck	EN			8					
	<i>Anas superciliosa</i>	Pacific Black Duck	LC		150	250	39	74			6
	<i>Anas gibberifrons</i>	Sunda Teal	NT	50	66	128		14	6		12
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN	2	30	40	412				
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	23	48	2					
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	68	52		15	18	1	3	
	<i>Ixobrychus eurhythmus</i>	Schrenck's Bittern	LC	9			1				4
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	46	34		34	14	1	1	6
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	6	53						
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	340	76		261	282	14	591	
	<i>Butorides striata</i>	Green-backed Heron	LC	60	30	8	8	33		9	1
	<i>Ardeola speciosa</i>	Javan Pond-heron	LC	854	101		540	11	14	52	19
	<i>Bubulcus ibis</i>	Cattle Egret	LC	10313	7072	3023	610	3436	2	4351	7328
	<i>Ardea cinerea</i>	Grey Heron	LC	41	35	8	25			1	6
	<i>Ardea sumatrana</i>	Great-billed Heron	LC	1	2	9	1	2			
	<i>Ardea purpurea</i>	Purple Heron	LC	63	17	27	10	18	6	19	33
	<i>Ardea alba</i>	Great White Egret	LC	613	78	69	81	5		31	59
	<i>Ardea intermedia</i>	Intermediate Egret	LC	126	5	8	30	141			
	<i>Egretta garzetta</i>	Little Egret	LC	904	445	273	190	298	33	1578	2990
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	5		2		6		1	369
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN	31	69	5	588	79	1		
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	12	17	64	421	3			
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	29	37	853	933		2		91
	<i>Charadrius dubius</i>	Little Ringed Plover	LC			10	19	4			
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	36	2	81	2	2			
	<i>Charadrius javanicus</i>	Javan Plover	NT	58	2	83	70	11	9		70
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	162	195	386	923				3
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	2640	157	1390	5				
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	4		2					11
	<i>Mycteria cinerea</i>	Milky Stork	EN	180	27	144	36			3	
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU	1							

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Ciconiidae spp.</i>	Unidentified Stork	UN								3
Glareolidae	<i>Stiltia isabella</i>	Australian Pratincole	LC							1	
	<i>Glareola maldivarum</i>	Oriental Pratincole	LC			2	1				
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	52		9	22				
	<i>Irediparra gallinacea</i>	Comb-crested Jacana	LC		10	50	2				
Laridae	<i>Anous stolidus</i>	Brown Noddy	LC				30				
	<i>Onychoprion anaethetus</i>	Bridled Tern	LC					45			
	<i>Sternula albifrons</i>	Little Tern	LC	1		427	53			203	
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	1266		1160	3				
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	92		50	1				
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	130	1030	1512	1034				
	<i>Sterna dougallii</i>	Roseate Tern	LC	1		1					
	<i>Sterna sumatrana</i>	Black-naped Tern	LC	2	5	7	3				
	<i>Sterna hirundo</i>	Common Tern	LC	20	155	484	167	50			24
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC			40	27				9
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	116	31	28	88	315	12		793
	<i>Sterninae spp.</i>	Unidentified Terns	UN			300					
Pelecanidae	<i>Pelecanus conspicillatus</i>	Australian Pelican	LC				3	1			
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC		5						
	<i>Microcarbo melanoleucos</i>	Little Pied Cormorant	LC		2		1				
	<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant	LC	16	85		41	4		30	
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN		3		8				
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC		10		7				
	<i>Tachybaptus novaehollandiae</i>	Australasian Grebe	LC	4							
Rallidae	<i>Lewinia striata</i>	Slaty-breasted Rail	LC		1						
	<i>Hypotaenidia philippensis</i>	Buff-banded Rail	LC		20	50					
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	35				2		1	
	<i>Zapornia pusilla</i>	Baillon's Crake	LC			70	51				
	<i>Amaurornis isabellina</i>	Isabelline Bush-hen	LC		5	25					
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	58	36	156	41	6	3	3	5
	<i>Amaurornis cinerea</i>	White-browed Crake	LC	12	12	20	45	7			
	<i>Gallicrex cinerea</i>	Watercock	LC		5	5					
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	30	76	406	6	9			16
	<i>Gallinula chloropus</i>	Common Moorhen	LC	96	7	10	13	2	3		17
	<i>Gallinula tenebrosa</i>	Dusky Moorhen	LC		10	36					
	<i>Rallidae spp.</i>	Unidentified Rails	UN		10	5	742				
Recurvirostridae	<i>Himantopus himantopus</i>	Black-winged Stilt	LC		28	3					50

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC		10	40					
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	514	6	1361	1192	29	2	17	49
	<i>Numenius minutus</i>	Little Curlew	LC		1			4			
	<i>Numenius arquata</i>	Eurasian Curlew	NT	7	15	1358	1551		80	12	
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	3	2		68	1			
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	882	14	268	53			23	
	<i>Limosa limosa</i>	Black-tailed Godwit	NT			181				25	
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	33	68	6	27				
	<i>Calidris tenuirostris</i>	Great Knot	EN	183		3	209				
	<i>Calidris canutus</i>	Red Knot	NT	1							
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	1							
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC				2				
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	173		1016	295	5			
	<i>Calidris subminuta</i>	Long-toed Stint	LC			79	3			9	
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	20		10	2			18	
	<i>Calidris alba</i>	Sanderling	LC			249	8				
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	196	3	115	2				
	<i>Gallinago stenura</i>	Pintail Snipe	LC		10	20					
	<i>Gallinago gallinago</i>	Common Snipe	LC			80				1	
	<i>Gallinago spp.</i>	Unidentified Snipe	UN					2			
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	43							
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	114	411	52	778	6			
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	132	57	160	23	97	17	1504	67
	<i>Tringa ochropus</i>	Green Sandpiper	LC			153					
	<i>Tringa erythropus</i>	Spotted Redshank	LC			10					
	<i>Tringa nebularia</i>	Common Greenshank	LC	140	10	36	21			1	
	<i>Tringa totanus</i>	Common Redshank	LC	38	36	181	138			12	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	89	9	230	245			3	
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	18	10	25	19	2		6	
	<i>Tringa guttifer</i>	Spotted Greenshank	EN			3					
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	UN							11	
Threskiornithidae	<i>Platalea regia</i>	Royal Spoonbill	LC			9	40	234			
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT			1					
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC		4500	4700	3134				
Unknown		Unidentified wader	UN	2898	565	207	3540	4307			
Total				24214	16173	22205	19274	9626	133	8481	12241

Malaysia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	41	41	11	167	105	8	27	46
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	1	2	1	2	11	6	5	
	<i>Spatula querquedula</i>	Garganey	LC								3
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	28	42	16	22	18	1	9	9
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	6	23	7	5	6		2	5
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC			2					
	<i>Ixobrychus spp.</i>	Unidentified Bittern	UN		1						
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	475	502	417	319	334	4	5	59
Ardeidae	<i>Butorides striata</i>	Green-backed Heron	LC		66	29	35	11		7	72
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	2103	1097				6		
	<i>Ardeola spp.</i>	Unidentified Pond-heron	UN	184	292	91	152	60	5	77	37
	<i>Bubulcus ibis</i>	Cattle Egret	LC	1522	4028	5668	2472	2473	103	1130	2445
	<i>Ardea cinerea</i>	Grey Heron	LC	471	327	301	632	375	4	251	355
	<i>Ardea purpurea</i>	Purple Heron	LC	277	250	351	248	140	19	300	212
	<i>Ardea alba</i>	Great White Egret	LC	297	313	409	184	113		422	255
	<i>Ardea intermedia</i>	Intermediate Egret	LC	38	192	229	175	162	10	124	159
	<i>Egretta garzetta</i>	Little Egret	LC	672	2154	1004	936	382	8	799	901
	<i>Egretta sacra</i>	Pacific Reef-egret	LC		11						1
Charadriidae	<i>Egretta eulophotes</i>	Chinese Egret	VU	97	60						
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN		200	3	263		1	650	
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN	220		290	9	101			164
	<i>Pluvialis squatarola</i>	Grey Plover	LC	422	450	3	501				216
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	330	365	117	73	285	161	164	2202
	<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	UN	6833	5047	1					892
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	42	86	58	11	5	2	3	8
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	107	166						
	<i>Charadrius peronii</i>	Malay Plover	NT	3	16						
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	1377	357	350	6446				3821
Ciconiidae	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	16	296	25	1730				38
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	45	21	178	410	419	471	489	681
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	47	45	25	52	32	10	26	56
	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	37	20	50	16	1		5	104

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
					2008	2009	2010	2011	2012	2013	2014	2015
	<i>Mycteria leucocephala</i>	Painted Stork	NT									11
	<i>Mycteria cinerea</i>	Milky Stork	EN	7				1				
	<i>Anastomus oscitans</i>	Asian Openbill	LC								1	
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	52		43	4					21
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	5	2		2					
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	3	7							353
	<i>Larus ridibundus</i>	Black-headed Gull	LC	1	3							3
	<i>Sternula albifrons</i>	Little Tern	LC	356	197	56	25					310
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	535	1257		300					205
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	26	32		53					12
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	256	49	94	43	5	3			443
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	146	182	153	119					201
	<i>Sterna hirundo</i>	Common Tern	LC		4							3064
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC									10
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	4	124							72
	<i>Sterninae spp.</i>	Unidentified Terns	UN		16	1	2	2				794
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC				1					5
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	124	17	17	29	25	2	8	3	
Rallidae	<i>Lewinia striata</i>	Slaty-breasted Rail	LC	2				2				
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	3			2					1
	<i>Zapornia pusilla</i>	Baillon's Crake	LC									8
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	202	189	104	155	57	20	50	36	
	<i>Amaurornis cinerea</i>	White-browed Crake	LC	10	40	6	6	5			4	
	<i>Gallicrex cinerea</i>	Watercock	LC	10	22	2	17	8			11	4
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	105	95	46	83	60	11	27	33	
	<i>Gallinula chloropus</i>	Common Moorhen	LC	83	88	38	37	62	8	16	10	
	<i>Rallidae spp.</i>	Unidentified Rails	UN		1	1						
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC		1							
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	14	67	61	39	62	81	5	179	
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	1	26				3			1
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	1414	754	21	1400					1235
	<i>Numenius arquata</i>	Eurasian Curlew	NT	3296	6334	1	7000					2065
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	2	33							8
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	1076	1031		750					1999
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	175	71		190					44

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	33	26		1				8
	<i>Calidris tenuirostris</i>	Great Knot	EN	595	791						146
	<i>Calidris canutus</i>	Red Knot	NT	54	25		2				
	<i>Calidris pugnax</i>	Ruff	LC				4		2		1
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	12	11		5				105
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	199	301		77				374
	<i>Calidris temminckii</i>	Temminck's Stint	LC		2		1				
	<i>Calidris subminuta</i>	Long-toed Stint	LC	2	64	101	52	2			11
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	909	1368	28	188				1870
	<i>Calidris alba</i>	Sanderling	LC		128						20
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	3							116
	<i>Gallinago stenura</i>	Pintail Snipe	LC				6				
	<i>Gallinago gallinago</i>	Common Snipe	LC	1	4	6	1	1	1	1	3
	<i>Gallinago spp.</i>	Unidentified Snipe	UN	37	63	7	41	20	10	5	5
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	620	1067	26	615				680
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	104	156	40	31	20	5	38	32
	<i>Tringa ochropus</i>	Green Sandpiper	LC		1			2			
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	1	4						
	<i>Tringa nebularia</i>	Common Greenshank	LC	240	541	19	71	3	2	1	428
	<i>Tringa totanus</i>	Common Redshank	LC	3997	2561	379	2302				3994
	<i>Tringa glareola</i>	Wood Sandpiper	LC	64	212	265	72	138	19	7	78
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	207	191	8	65	4	8		284
	<i>Tringa guttifer</i>	Spotted Greenshank	EN	24	18		17	2			5
Unknown		Unidentified wader	UN	1246	722	200					3146
Total				31947	35370	11357	28663	5525	987	4669	35177

Myanmar

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	1230	28	7457	169	1065
	<i>Anser indicus</i>	Bar-headed Goose	LC	1419		64		50
	<i>Anser anser</i>	Greylag Goose	LC	1	41	169		1273

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC	2				
	<i>Mergus merganser</i>	Goosander	LC		159			8
	<i>Tadorna tadorna</i>	Common Shelduck	LC	1		15		4
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	251	1808	4741		2986
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC			11		20
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	14		118		
	<i>Asarcornis scutulata</i>	White-winged Duck	EN		14			
	<i>Aythya ferina</i>	Common Pochard	VU		38	193		
	<i>Aythya nyroca</i>	Ferruginous Duck	NT		273	856		
	<i>Aythya fuligula</i>	Tufted Duck	LC			55		
	<i>Spatula querquedula</i>	Garganey	LC	1		137		
	<i>Spatula clypeata</i>	Northern Shoveler	LC			99		
	<i>Mareca falcata</i>	Falcated Duck	NT			7		2
	<i>Mareca strepera</i>	Gadwall	LC		224	276		49
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	1434		36		44
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC			1659		1080
	<i>Anas platyrhynchos</i>	Mallard	LC		3			2
	<i>Anas acuta</i>	Northern Pintail	LC	2400		81		374
	<i>Anas crecca</i>	Common Teal	LC		8	112		30
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	20	80	105		265
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC		2			4
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC			2		
	<i>Gorsachius melanolophus</i>	Malay Night-heron	LC					1
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	19	32	351	7	515
	<i>Butorides striata</i>	Green-backed Heron	LC	2	15	1	14	6
	<i>Ardeola spp.</i>	Unidentified Pond-heron	UN	364		102		
	<i>Bubulcus ibis</i>	Cattle Egret	LC	7207	58	263	27	100
	<i>Ardea cinerea</i>	Grey Heron	LC	209	16	234	11	147
	<i>Ardea insignis</i>	White-bellied Heron	CR		9			
	<i>Ardea sumatrana</i>	Great-billed Heron	LC				7	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
Ardeidae	<i>Ardea purpurea</i>	Purple Heron	LC	120	4	32		
	<i>Ardea alba</i>	Great White Egret	LC	486	35	139	62	320
	<i>Ardea intermedia</i>	Intermediate Egret	LC	73	39	177	28	61
	<i>Egretta garzetta</i>	Little Egret	LC	331	47	518	285	1094
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	1			67	
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN		107			
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN				86	144
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	NT		2	1	2	
	<i>Esacus magnirostris</i>	Beach Thick-knee	NT				5	
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	326			25	67
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	8066		242	60	30
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC	x				
	<i>Charadrius placidus</i>	Long-billed Plover	LC		16			1
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	623	41	13	3	49
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	45	2	6	69	57
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	18790		1	340	845
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	759			316	350
	<i>Vanellus duvaucelii</i>	River Lapwing	NT		29	16		3
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	18	5	29		122
Ciconiidae	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC			8		8
	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	6	3	1	7	6
	<i>Mycteria leucocephala</i>	Painted Stork	NT	600				
	<i>Anastomus oscitans</i>	Asian Openbill	LC	352		2170		508
	<i>Ciconia nigra</i>	Black Stork	LC		40	21		23
Glareolidae	<i>Ciconia episcopus</i>	Asian Woollyneck	VU		3			
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT		2			
	<i>Glareola maldivarum</i>	Oriental Pratincole	LC		4		2	27
	<i>Glareola lactea</i>	Little Pratincole	LC	126	578	2495	8	505
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU	2				
	<i>Grus grus</i>	Common Crane	LC		171		600	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
Ibidorhynchidae	<i>Ibidorhyncha struthersii</i>	Ibisbill	LC		1			
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	300		197		50
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	20		9		14
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	657		1171	2122	458
	<i>Larus ridibundus</i>	Black-headed Gull	LC	283		547	7	
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC	297		23		35
	<i>Sternula albifrons</i>	Little Tern	LC	444			70	45
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	251			72	6
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	61				
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	7659			39	182
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	2168			334	50
	<i>Sterna aurantia</i>	River Tern	NT			21		18
	<i>Sterna dougallii</i>	Roseate Tern	LC				4	
	<i>Sterna sumatrana</i>	Black-naped Tern	LC				3	
	<i>Sterna hirundo</i>	Common Tern	LC	1			1	
	<i>Sterna acuticauda</i>	Black-bellied Tern	EN			11		7
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC	839			354	25
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	8			240	18
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT		6			
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	704	219	2274	160	1008
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC		472	563		1122
	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	2				
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	13		66		
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC		3	31		
Rallidae	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC				1	
	<i>Zapornia akool</i>	Brown Crake	LC			1		
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	1	6	3	1	5
	<i>Amaurornis cinerea</i>	White-browed Crake	LC					11
	<i>Gallicrex cinerea</i>	Watercock	LC				1	2
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	1000	422	1158		23

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
	<i>Gallinula chloropus</i>	Common Moorhen	LC	10	30	112	2	133
	<i>Fulica atra</i>	Common Coot	LC			3727		256
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	1		3		
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC			257		93
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	964			415	160
	<i>Numenius arquata</i>	Eurasian Curlew	NT	2234			323	337
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	233			52	26
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	4909			64	19
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	66			2	7
	<i>Calidris tenuirostris</i>	Great Knot	EN	471			10	8
	<i>Calidris canutus</i>	Red Knot	NT	59			11	
	<i>Calidris pugnax</i>	Ruff	LC	34				
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	1475			36	49
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	6137			10	20
	<i>Calidris temminckii</i>	Temminck's Stint	LC	32	2		7	1
	<i>Calidris subminuta</i>	Long-toed Stint	LC	4				
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	6431			30	63
	<i>Calidris alba</i>	Sanderling	LC	232				
	<i>Calidris alpina</i>	Dunlin	LC	1				
	<i>Calidris minuta</i>	Little Stint	LC	13	6		12	
	<i>Limnodromus scolopaceus</i>	Long-billed Dowitcher	LC	42				
	<i>Gallinago stenura</i>	Pintail Snipe	LC	9			2	
	<i>Gallinago gallinago</i>	Common Snipe	LC	12			11	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	446			196	200
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	73	37	27	63	57
	<i>Tringa ochropus</i>	Green Sandpiper	LC	3	23	1	1	
	<i>Tringa erythropus</i>	Spotted Redshank	LC	1308			34	30
	<i>Tringa nebularia</i>	Common Greenshank	LC	1728	55	31	56	112
	<i>Tringa totanus</i>	Common Redshank	LC	3774			601	72
	<i>Tringa glareola</i>	Wood Sandpiper	LC	232		6	1	38
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	131			91	4

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season				
				2009	2010	2013	2014	2015
Threskiornithidae	<i>Tringa guttifer</i>	Spotted Greenshank	EN	9				
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	UN	64				
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	207	16	8	349	
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC	19	419		118	
Total				99230	5041	33862	7036	18089

Palau

Family	Scientific Name	Common Name	RL	Season
			2015	
Ardeidae	<i>Nycticorax caledonicus</i>	Rufous Night-heron	LC	5
	<i>Ardea alba</i>	Great White Egret	LC	5
	<i>Egretta garzetta</i>	Little Egret	LC	15
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	2
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	102
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	14
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	14
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	63
Laridae	<i>Gygis alba</i>	Common White Tern	LC	3
	<i>Sternula albifrons</i>	Little Tern	LC	18
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	1
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	4
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	3
Phalacrocoracidae	<i>Microcarbo melanoleucus</i>	Little Pied Cormorant	LC	25
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	192
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	4
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	14
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	113
	<i>Calidris tenuirostris</i>	Great Knot	EN	7
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	439
	<i>Calidris alba</i>	Sanderling	LC	7
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	5
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	300
	<i>Tringa nebularia</i>	Common Greenshank	LC	60
	<i>Tringa totanus</i>	Common Redshank	LC	2
Total				1417

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

The Philippines

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna guttata</i>	Spotted Whistling-duck	LC								20
	<i>Dendrocygna arcuata</i>	Wandering Whistling-duck	LC	3910	2915	5855	716	6233	5329	4766	3714
	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC							35	
	<i>Tadorna tadorna</i>	Common Shelduck	LC				2			7	
	<i>Aythya ferina</i>	Common Pochard	VU	10	500	151	5	8	2	424	28
	<i>Aythya fuligula</i>	Tufted Duck	LC	38367	13752	14760	12699	19952	27206	8500	20733
	<i>Spatula querquedula</i>	Garganey	LC	8082	1370	3941	2905	3027	502	900	4107
	<i>Spatula clypeata</i>	Northern Shoveler	LC	3535	555	641	97	4467	2140	3870	859
	<i>Mareca strepera</i>	Gadwall	LC	2					2	1250	5
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	14		5	800	4	8		30
Anatidae	<i>Anas luzonica</i>	Philippine Duck	VU	15275	12977	21362	20337	17491	24585	26726	26432
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC								2
	<i>Anas platyrhynchos</i>	Mallard	LC	4501	3000	1300				2	14
	<i>Anas acuta</i>	Northern Pintail	LC	772	430	202	6	565	67	15	87
	<i>Anas crecca</i>	Common Teal	LC	22	7	21		10	21	3	10
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN	422	124	98	385	9330	142	299	652
	<i>Botaurus stellaris</i>	Eurasian Bittern	LC	1			25		352		3
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	578	1335	1676	581	799	1069	1244	248
	<i>Ixobrychus eurhythmus</i>	Schrenck's Bittern	LC	1	13	2	6	92	121	55	39
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	59	1103	1697	364	472	504	699	882
Ardeidae	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	658	752	8	125	182	250	166	136
	<i>Gorsachius goisagi</i>	Japanese Night-heron	EN				5				
	<i>Gorsachius melanolophus</i>	Malay Night-heron	LC		25						56
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	2323	1345	1043	9641	10293	4515	749	566
	<i>Nycticorax caledonicus</i>	Rufous Night-heron	LC	142	112	732	2514	939	272	175	908
	<i>Butorides striata</i>	Green-backed Heron	LC	210	255	269	219	337	415	323	474
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	24		153		4		32	11
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	293	1295	607	704	393	187	140	257
	<i>Ardeola speciosa</i>	Javan Pond-heron	LC	144	597	185	950	800	5109	224	5292
	<i>Bubulcus ibis</i>	Cattle Egret	LC	30596	21157	22716	11439	22345	24150	15197	10596
Ardeidae	<i>Ardea cinerea</i>	Grey Heron	LC	1185	1325	1911	939	1648	1191	828	1085
	<i>Ardea sumatrana</i>	Great-billed Heron	LC					1			1

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Ardea purpurea</i>	Purple Heron	LC	1453	1454	1619	633	485	419	1181	820
	<i>Ardea alba</i>	Great White Egret	LC	1513	4073	3987	9340	10695	10904	4588	4400
	<i>Ardea intermedia</i>	Intermediate Egret	LC	12928	20954	15435	11259	17775	23633	12767	23377
	<i>Egretta garzetta</i>	Little Egret	LC	49009	38224	36763	30614	50178	48557	26676	46984
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	32	34	167	75	52	69	6	21
	<i>Egretta eulophotes</i>	Chinese Egret	VU	128	238	80	188	137	133	53	493
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN		7309	17250	3766	12393	13890		
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN	4320						7147	4759
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	638	4198	5247	3476	2580	24525	5077	3060
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	4555	8344	10286	10419	7961	12105	8458	8069
	<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	UN		950						
	<i>Charadrius placidus</i>	Long-billed Plover	LC	2285			2344	3100	2910	2210	21
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	14684	12967	15400	2612	5130	3812	5115	776
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	6022	5589	11877	18191	6573	8271	7101	7296
	<i>Charadrius peronii</i>	Malay Plover	NT		2412		333	77	10	884	62
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	5125	5686	4282	7343	5994	5865	4702	9968
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	392	737	1025	927	1407	2448	13386	2314
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC						66	27	
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC			29	1			3	
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	3	13	2	3	4	73	10	15
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC				1	204			
	<i>Larus ridibundus</i>	Black-headed Gull	LC	649	4349	13298	8176	5425	1670	422	7276
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC				1				
	<i>Larus spp.</i>	Unidentified Gull	UN	44	941	19		5005	196	2151	2046
	<i>Sternula albifrons</i>	Little Tern	LC	8140	4535	6438	2162	5980	10263	6717	2803
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	1114	904	865	536	2126	1416	724	640
	<i>Hydroprogne caspia</i>	Caspian Tern	LC			53	93	292	139	420	
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	8007	18127	9306	12676	22167	24518	16291	16249
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	8	197	79	136	1	6	2191	463
	<i>Chlidonias spp.</i>	Unidentified Marsh Tern	UN		11	36	722	176			72
	<i>Sterna sumatrana</i>	Black-naped Tern	LC	166	308	321	405	473	266	231	749
	<i>Sterna hirundo</i>	Common Tern	LC	7315	3288	5139	5260	4764	14390	10963	7156
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	9		60		4	22	287	91
	<i>Sterninae spp.</i>	Unidentified Terns	UN	3385	3474	2958	619	10315	6247	3424	4989
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	VU		1						

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	Great Cormorant	LC		5	1				3	4
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN			14					
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	8	15	103	70	122	61	101	103
Rallidae	<i>Rallina fasciata</i>	Red-legged Crake	LC		3			15	5	25	9
	<i>Rallina eurizonoides</i>	Slaty-legged Crake	LC	3			6	9	24		
<i>Laterallus ruber</i>		Ruddy Crake	LC			10	2				
					4	4	14	12			4
<i>Rallus indicus</i>		Eastern Water Rail	LC		6	3	18	9	1		2
						25					
<i>Lewinia striata</i>		Slaty-breasted Rail	LC			18	9	1			
<i>Hypotaenidia torquata</i>		Barred Rail	LC	106	128	127	231	347	388	218	263
						10	12				
<i>Hypotaenidia philippensis</i>		Buff-banded Rail	LC	49	25	10	56	86	163	152	306
<i>Zapornia fusca</i>		Ruddy-breasted Crake	LC							12	
<i>Zapornia pusilla</i>		Baillon's Crake	LC							1	
<i>Amaurornis olivacea</i>		Philippine Bush-hen	LC		8	1	12	13	10	25	1
<i>Amaurornis phoenicurus</i>		White-breasted Waterhen	LC	40	20	63	155	186	210	190	460
<i>Amaurornis cinerea</i>		White-browed Crake	LC	55	278	29	159	194	252	221	153
<i>Gallicrex cinerea</i>		Watercock	LC	18	10	87	16	6	25	16	76
<i>Porphyrio porphyrio</i>		Purple Swamphen	LC	102	60	31	38	49	47	50	109
<i>Gallinula chloropus</i>		Common Moorhen	LC	429	462	271	393	427	630	738	536
<i>Fulica atra</i>		Common Coot	LC	7	7	11	6	37	22	14	49
<i>Rallidae spp.</i>		Unidentified Rails	UN	12			27	7	34	14	85
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC		1						
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	12758	8884	19085	12341	9760	21745	33754	17517
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	5	244	48	72	12	2		7
Scopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	517	681	961	1210	1737	2037	801	1222
	<i>Numenius minutus</i>	Little Curlew	LC	53	51	724	220	146	411	10	606
<i>Numenius arquata</i>		Eurasian Curlew	NT	29	321	189	135	191	192	157	244
<i>Numenius madagascariensis</i>		Far Eastern Curlew	EN	88	2	46	25	31	111	390	97
<i>Limosa lapponica</i>		Bar-tailed Godwit	NT	239	992	380	784	1234	1913	1824	1238
<i>Limosa limosa</i>		Black-tailed Godwit	NT		4	160	117	1273	3540	1602	2619
<i>Arenaria interpres</i>		Ruddy Turnstone	LC	72	179	702	839	646	826	515	328
<i>Calidris tenuirostris</i>		Great Knot	EN	329	919	592	837	2795	4796	7024	3646
<i>Calidris canutus</i>		Red Knot	NT	168	37	142	344	649	637	838	171
<i>Calidris pugnax</i>		Ruff	LC						1	1	30
<i>Calidris falcinellus</i>		Broad-billed Sandpiper	LC					1108	208	3379	338
<i>Calidris acuminata</i>		Sharp-tailed Sandpiper	LC		20	60	3	1	2	1	1

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	546	311	741	612	797	827	475	395
	<i>Calidris temminckii</i>	Temminck's Stint	LC			98			1	1	
	<i>Calidris subminuta</i>	Long-toed Stint	LC	22	2936	1152	136	296	175	34	889
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	1667	6631	4894	4238	11530	13264	10189	9003
	<i>Calidris alba</i>	Sanderling	LC		412	373	9	238	42	41	72
	<i>Calidris alpina</i>	Dunlin	LC				14				
	<i>Calidris minuta</i>	Little Stint	LC						118	7	73
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	4	8	43	37	57	51	393	142
	<i>Gallinago stenura</i>	Pintail Snipe	LC		1					4	2
	<i>Gallinago megala</i>	Swinhoe's Snipe	LC	11							5
	<i>Gallinago gallinago</i>	Common Snipe	LC	391	1	64	1	39	58	7	22
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC			85	12	11		7	3
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	795	1903	973	1191	1248	1487	2033	1289
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	980	13256	10931	5428	7631	960	1674	6195
	<i>Tringa ochropus</i>	Green Sandpiper	LC				6	10	63		15
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	749	592	669	1053	1650	2046	1322	1337
	<i>Tringa erythropus</i>	Spotted Redshank	LC						23	4	23
	<i>Tringa nebularia</i>	Common Greenshank	LC	1341	1829	1233	3293	3212	3732	1727	3611
	<i>Tringa totanus</i>	Common Redshank	LC	1992	2234	2650	4626	3459	4349	1719	3687
	<i>Tringa glareola</i>	Wood Sandpiper	LC	267	82	820	1051	948	1053	895	841
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	8903	7210	6048	8893	7317	8238	6967	1433
	<i>Tringa guttifer</i>	Spotted Greenshank	EN						3	7	15
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	UN	30	1015					6083	
Threskiornithidae	<i>Platalea minor</i>	Black-faced Spoonbill	EN		1						
	<i>Platalea spp.</i>	Unidentified Spoonbill	UN	1							
Unknown		Unidentified wader	UN	16597	6027	7169	1858	16735	15865	10930	9729
Total				292439	272073	303116	248313	356938	405800	306119	301641

Singapore

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	2	9	12	3	7	9	23	10
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	1							

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season		2008	2009	2010	2011	2012	2013	2014	2015
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC					1	1				
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC			31	8			10		2	
	<i>Butorides striata</i>	Green-backed Heron	LC			43	32	34	46	55	31	44	29
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC			9	19	6	2		2		
	<i>Ardeola spp.</i>	Unidentified Pond-heron	UN							2			
	<i>Bubulcus ibis</i>	Cattle Egret	LC			22	9	28	2	18		7	
	<i>Ardea cinerea</i>	Grey Heron	LC			176	90	148	190	132	148	203	138
	<i>Ardea sumatrana</i>	Great-billed Heron	LC				1	3	1	2	1	1	2
	<i>Ardea purpurea</i>	Purple Heron	LC			3	5	7	8	2	5	6	8
	<i>Ardea alba</i>	Great White Egret	LC			44	15	26	26	18	20	22	22
	<i>Ardea intermedia</i>	Intermediate Egret	LC			5	13	19	11	2	5	4	9
	<i>Egretta garzetta</i>	Little Egret	LC			285	221	207	163	89	180	171	270
	<i>Egretta sacra</i>	Pacific Reef-egret	LC			2	2						
	<i>Egretta eulophotes</i>	Chinese Egret	VU										1
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN					6	2	2		6	
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC				28	33	48	65	12	22	
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC			467	1030	342	27	471	109	378	584
	<i>Charadrius dubius</i>	Little Ringed Plover	LC				5						
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC					2	3				
	<i>Charadrius peronii</i>	Malay Plover	NT					33	15				
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC			522	1577	1392	66	1652	1034	893	500
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC					8		204			
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC			1		12	4		2	2	5
Ciconiidae	<i>Ciconiidae spp.</i>	Unidentified Stork	UN					4	4	1		5	14
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC					7					
Laridae	<i>Larus ridibundus</i>	Black-headed Gull	LC				1			2			
	<i>Sternula albifrons</i>	Little Tern	LC			2							5
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC			3		1		14			85
	<i>Sterna sumatrana</i>	Black-naped Tern	LC								2		2
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC			3		1					3
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC			45	99	314	85	118	210	65	57
	<i>Sterninae spp.</i>	Unidentified Terns	UN			20			2	4			1
Phalacrocoracidae	<i>Phalacrocorax carbo</i>	Great Cormorant	LC						2	1			
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC			3	1		1	1	4	4	
Rallidae	<i>Lewinia striata</i>	Slaty-breasted Rail	LC					1					
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC			27	18	9	17	17	17	17	16
	<i>Amaurornis cinerea</i>	White-browed Crake	LC			1							1

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
<i>Scolopacidae</i>	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC		2					4		
	<i>Gallinula chloropus</i>	Common Moorhen	LC	4								
	<i>Numenius phaeopus</i>	Whimbrel	LC	228	200	485	330	231	224	242	194	
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT		3	4	2			5		
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC		1	10	5					
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC					7	3	1		
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	12	1	1		2	3	10	12	
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	8	46	34		32	47	38	95	
	<i>Calidris alba</i>	Sanderling	LC			22						
	<i>Xenus cinereus</i>	Terek Sandpiper	LC								1	
<i>Actitis hypoleucos</i>	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	46	47	68	67	96	71	92	42	
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT								1	
	<i>Tringa nebularia</i>	Common Greenshank	LC	96	50	62	144	61	73	88	71	
	<i>Tringa totanus</i>	Common Redshank	LC	392	56	243	221	38	160	299	258	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	2	6	1	2					
<i>Unknown</i>	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	65	36	46	30	12	6	21	13	
		Unidentified wader	UN					15				
Total					2570	3631	3632	1530	3179	2586	2668	2452

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Thailand

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	120575	43361	21606	39861	21199	25294	30038	
	<i>Anser indicus</i>	Bar-headed Goose	LC		1						
	<i>Clangula hyemalis</i>	Long-tailed Duck	VU								3
	<i>Tadorna tadorna</i>	Common Shelduck	LC				1				1
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	2	1		3		2	9	
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC	65						1	
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	4713	674	427	323	1044	592	3259	
	<i>Netta rufina</i>	Red-crested Pochard	LC						1		
	<i>Aythya ferina</i>	Common Pochard	VU	1							3
	<i>Aythya baeri</i>	Baer's Pochard	CR	4	2	1	3	2			1
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	34	32	32	45	36	52	63	
	<i>Aythya fuligula</i>	Tufted Duck	LC	4	1		5	4	9	5	
	<i>Spatula querquedula</i>	Garganey	LC	966	8	20	26	118	1091	1408	
	<i>Spatula clypeata</i>	Northern Shoveler	LC	9	8	13	18	5	17	4	
	<i>Mareca falcata</i>	Falcated Duck	NT				4				8
	<i>Mareca strepera</i>	Gadwall	LC	1	3	2	4	3	5	11	
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	4	1	2	2	22	93	4	
	<i>Anas zonorhyncha</i>	Chinese Spot-billed Duck	LC							8	1
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	226	384	642	512	683	535	382	
	<i>Anas platyrhynchos</i>	Mallard	LC	2		2		4		7	
	<i>Anas acuta</i>	Northern Pintail	LC	238	122	200	29	9	659	23	
	<i>Anas crecca</i>	Common Teal	LC	16	1	64	54				
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN		10			2			
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	179		1	1	7	12	61	
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC	70				2			1
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	98	35	342	1056	377	34	157	
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	1010	6	136	662	550	13	222	
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	32		1	3	3	1	3	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Ixobrychus spp.</i>	Unidentified Bittern	UN	258				3		
	<i>Gorsachius melanophorus</i>	Malay Night-heron	LC	7					1	
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	1949	32	410	463	521	415	343
	<i>Butorides striata</i>	Green-backed Heron	LC	263	32	64	33	27	18	59
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC	7210	379	693	1220	1634	3424	1439
	<i>Ardeola speciosa</i>	Javan Pond-heron	LC	79	1	37	155	123	105	134
	<i>Ardeola spp.</i>	Unidentified Pond-heron	UN	145	793	875	7675	1090	1034	1
	<i>Bubulcus ibis</i>	Cattle Egret	LC	24044	347	5061	13251	1635	16141	1682
	<i>Ardea cinerea</i>	Grey Heron	LC	800	273	264	251	284	195	301
	<i>Ardea purpurea</i>	Purple Heron	LC	383	39	75	65	134	106	184
	<i>Ardea alba</i>	Great White Egret	LC	3246	1029	738	1422	2152	1220	1146
	<i>Ardea intermedia</i>	Intermediate Egret	LC	1986	305	340	946	2390	1244	1518
	<i>Egretta garzetta</i>	Little Egret	LC	8754	3150	2948	7930	6161	4043	2807
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	57	6	2	4		6	25
	<i>Egretta eulophotes</i>	Chinese Egret	VU	14	8	1		1	22	1
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN		887	348	176	923	1137	
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN			1	3		28	
Burhinidae	<i>Burhinus oedicnemus</i>	Eurasian Thick-knee	LC		1		3			
	<i>Esacus recurvirostris</i>	Great Thick-knee	NT		8					
	<i>Esacus magnirostris</i>	Beach Thick-knee	NT		1					
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	358	260	106	355	248	821	110
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	729	362	515	795	991	538	220
	<i>Pluvialis spp.</i>	Unidentified Pluvialis Plover	UN			2731	834	74		
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC			1				
	<i>Charadrius placidus</i>	Long-billed Plover	LC	1	1		3	2	2	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	571	236	329	440	371	486	295
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	1044	326	861	434	1747	205	1
	<i>Charadrius peronii</i>	Malay Plover	NT	93	1	16	4		17	40
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	6194	5489	5183	16841	4221	6598	429
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	3791	799	47	212	2236	124	354

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Vanellus duvaucelii</i>	River Lapwing	NT	13	44	7	21		3	
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	322	255	63	133	315	88	47
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	997	264	223	95	242	369	135
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	5					5	
	<i>Mycteria leucocephala</i>	Painted Stork	NT	173	11	3		215	97	83
	<i>Anastomus oscitans</i>	Asian Openbill	LC	28636	4334	4092	1645	23926	8113	3338
	<i>Ciconia nigra</i>	Black Stork	LC					1		
	<i>Ciconiidae spp.</i>	Unidentified Stork	UN	50		2		4		
Glareolidae	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	70	6	98	5		42	
	<i>Glareola lactea</i>	Little Pratincole	LC	158	47	212	214	233	268	496
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU						4	
Heliornithidae	<i>Heliopais personatus</i>	Masked Finfoot	EN	1						
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	1740	391	509	261	956	521	707
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	234	116	152	200	272	105	275
Laridae	<i>Larus genei</i>	Slender-billed Gull	LC		1			1	1	
	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	8603	6241	8407	12047	9335	7432	3660
	<i>Larus ridibundus</i>	Black-headed Gull	LC		40	1	1	32	86	31
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC							1
	<i>Larus crassirostris</i>	Black-tailed Gull	LC			1		2	1	
	<i>Larus canus</i>	Mew Gull	LC						1	
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)					24		
	<i>Larus spp.</i>	Unidentified Gull	UN						1	
	<i>Onychoprion anaethetus</i>	Bridled Tern	LC	6					80	
	<i>Sternula albifrons</i>	Little Tern	LC	423	407	303	981	626	148	188
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	7	29	57	38	226	44	28
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	33	27	23	149	204	210	178
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	530	1675	1688	2636	3443	1506	144
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	308	5		24	35	11	7
	<i>Sterna aurantia</i>	River Tern	NT	1	1					
	<i>Sterna sumatrana</i>	Black-naped Tern	LC	34	31			2		17

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Sterna hirundo</i>	Common Tern	LC	1247	405	302	3052	1021	1500	1516
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC		1284		25		83	91
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC		102	18	64	32	85	18
	<i>Sterninae spp.</i>	Unidentified Terns	UN	2187				644	6	
	<i>Laridae spp.</i>	Unidentified Gull or Tern	UN					354		
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT					73		
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	3170	2637	1811	3255	4395	4744	2642
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	14	9	9	8	6	5	6
	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	31	11	5	65	286	184	275
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	2544	498	606	450	1424	1527	713
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC					1		1
Rallidae	<i>Rallina fasciata</i>	Red-legged Crake	LC	2						
	<i>Rallina eurizonoides</i>	Slaty-legged Crake	LC					1		
	<i>Rallus indicus</i>	Eastern Water Rail	LC		2	2		1		
	<i>Lewinia striata</i>	Slaty-breasted Rail	LC	3	4	1	5	6	4	
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	19	28	64	612	83	15	
	<i>Zapornia pusilla</i>	Baillon's Crake	LC	1	1	10	1			
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	314	64	307	1195	737	121	599
	<i>Amaurornis cinerea</i>	White-browed Crake	LC	35	20	23	118	74	16	10
	<i>Gallicrex cinerea</i>	Watercock	LC	34	2	30	12	23	6	98
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	2098	100	1107	1360	2681	1277	3291
	<i>Gallinula chloropus</i>	Common Moorhen	LC	982	173	1321	2199	1794	463	808
	<i>Fulica atra</i>	Common Coot	LC	379	19	169	93	373	504	1325
	<i>Rallidae spp.</i>	Unidentified Rails	UN					13	6	
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC		13	12	33	62		
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	4371	5028	6246	6999	6305	8011	3281
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	40	29	48	3	8	5	11
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	307	167	149	366	477	140	175
	<i>Numenius arquata</i>	Eurasian Curlew	NT	471	461	180	159	1411	1184	1355
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	1						

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Numenius spp.</i>	Unidentified Curlew	UN					59		
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	23	195		179	1273	143	1
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	2190	3792	3357	10890	12579	9251	2876
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	75	120	23	90	48	35	24
	<i>Calidris tenuirostris</i>	Great Knot	EN	684	1283	311	1261	3916	5601	60
	<i>Calidris canutus</i>	Red Knot	NT	53	35	33	25	311	5	72
	<i>Calidris pugnax</i>	Ruff	LC	37	44	1	33	11	20	7
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	38	331	2879	2527	1038	953	
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC						5	
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	1440	1598	2499	2695	1747	2900	373
	<i>Calidris temminckii</i>	Temminck's Stint	LC	258	162	250	395	27	72	117
	<i>Calidris subminuta</i>	Long-toed Stint	LC	175	219	84	167	166	342	3
	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR	2	2		3	9	8	2
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	1054	5833	2059	4522	5836	4435	395
	<i>Calidris alba</i>	Sanderling	LC	27	21	38	10	5	52	42
	<i>Calidris alpina</i>	Dunlin	LC		2					
	<i>Calidris minuta</i>	Little Stint	LC	210	1				20	
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	3		2	4		11	
	<i>Gallinago stenura</i>	Pintail Snipe	LC	517	10	29	67	53	31	1
	<i>Gallinago gallinago</i>	Common Snipe	LC	135	74	33	188	65	46	32
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	6				17	12	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	269	1445	16	861	312	1238	
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	669	116	273	445	189	375	105
	<i>Tringa ochropus</i>	Green Sandpiper	LC	31	43	12	53		26	
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT		2			17	1	
	<i>Tringa erythropus</i>	Spotted Redshank	LC	203	134	257	268	991	222	33
	<i>Tringa nebularia</i>	Common Greenshank	LC	429	486	273	273	476	618	103
	<i>Tringa totanus</i>	Common Redshank	LC	259	1717	811	1059	727	1043	289
	<i>Tringa glareola</i>	Wood Sandpiper	LC	788	481	146	370	492	495	208
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	638	3139	2008	2474	4929	5806	332
	<i>Tringa guttifer</i>	Spotted Greenshank	EN	118	111	2	60	102	120	
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	UN		5474	6258			6	
Threskiornithidae	<i>Platalea minor</i>	Black-faced Spoonbill	EN			2			41	10
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	2						

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2009	2010	2011	2012	2013	2014
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC	170				1		55
Unknown		Unidentified wader	UN					315		
Total				261323	111253	92324	165446	149861	139414	77477

Timor Leste

Family	Scientific Name	Common Name	RL	Season 2009
Ardeidae	<i>Ardea alba</i>	Great White Egret	LC	2
	<i>Egretta garzetta</i>	Little Egret	LC	20
Laridae	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	20
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	2
Rallidae	<i>Amaurornis cinerea</i>	White-browed Crake	LC	3
Scolopacidae	<i>Limosa limosa</i>	Black-tailed Godwit	NT	10
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC	4
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	2
	<i>Tringa nebularia</i>	Common Greenshank	LC	30
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	30
Total			123	

AUSTRALASIA

Australia (shorebirds)

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Burhinidae	<i>Burhinus grallarius</i>	Bush Thick-knee	LC	19	4	1	2	2	1	9	
	<i>Esacus magnirostris</i>	Beach Thick-knee	NT	39	11	7	9	15	15	14	9
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	1139	2294	1576	2384	1313	1344	1478	1218
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	3448	1857	1761	1341	1149	1570	1314	1177
	<i>Charadrius ruficollis</i>	Red-capped Plover	LC	8744	13419	15902	7326	6767	16526	10908	9883
	<i>Charadrius bicinctus</i>	Double-banded Plover	LC	278	145	91	39	16	54	27	22
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	1644	459	164	202	56	87	294	206
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	2718	39120	39186	50177	44359	56070	60362	44560
	<i>Charadrius asiaticus</i>	Caspian Plover	LC	14							
	<i>Charadrius veredus</i>	Oriental Plover	LC		24245	14412	15276	5647	1823	20933	40381
	<i>Charadrius spp.</i>	Unidentified Charadrius Plover	UN	24							
	<i>Thinornis cucullatus</i>	Hooded Plover	VU	812	528	445	645	603	940	319	857
	<i>Elseyornis melanops</i>	Black-fronted Dotterel	LC	350	372	314	148	138	193	138	152
	<i>Vanellus tricolor</i>	Banded Lapwing	LC	296	585	295	154	58	37	912	36
	<i>Vanellus miles</i>	Masked Lapwing	LC	5637	4516	2819	1440	2392	2611	2105	2512
	<i>Erythrogonyx cinctus</i>	Red-kneed Dotterel	LC	336	511	162	86	586	414	401	89
	<i>Peltohyas australis</i>	Inland Dotterel	LC					8		1	
	<i>Haematopus longirostris</i>	Pied Oystercatcher	LC	7443	5041	4079	4459	3167	4701	2863	4294
Haematopodidae	<i>Haematopus fuliginosus</i>	Sooty Oystercatcher	LC	2501	1585	919	1772	944	1292	650	1112
	<i>Irediparra gallinacea</i>	Comb-crested Jacana	LC	14	20	7	6	6	8	3	2
Recurvirostridae	<i>Cladorhynchus leucocephalus</i>	Banded Stilt	LC	330763	12251	39953	14666	25332	109147	16039	29860
	<i>Recurvirostra novaehollandiae</i>	Red-necked Avocet	LC	10719	4317	5413	1346	1311	4817	5955	8640
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	19580	7380	10808	3243	3737	6808	8517	4470
	<i>Rostratulidae</i>	<i>Rostratula australis</i>	Australian Painted-snipe	EN		2		1	2	11	1
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	2349	2572	725	1316	1037	1129	877	802
	<i>Numenius minutus</i>	Little Curlew	LC	4	3609	713	2177	242	78	349	258

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	10150	3514	1495	2656	1675	1699	1576	1744
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	52151	90921	38534	72873	58659	80715	79906	76450
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	5776	1976	541	897	2876	351	2728	796
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	4294	3824	2539	1785	1855	1335	1656	2498
	<i>Calidris tenuirostris</i>	Great Knot	EN	15689	171531	86158	119216	111192	152733	127588	108197
	<i>Calidris canutus</i>	Red Knot	NT	9817	26568	19578	15870	20517	38270	20720	19691
	<i>Calidris pugnax</i>	Ruff	LC	3	2	3	1		2	2	
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	6	220	252	267	443	200	182	217
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC	64902	16240	19289	1325	3235	6924	10792	4582
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	22835	9072	4587	6325	4873	6183	5974	6779
	<i>Calidris subminuta</i>	Long-toed Stint	LC	3	35	96	52	13		7	28
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	151293	102234	48903	70339	46603	44096	48616	43658
	<i>Calidris alba</i>	Sanderling	LC	3143	5307	2537	5259	5369	3564	4433	4179
	<i>Calidris melanotos</i>	Pectoral Sandpiper	LC	9	22	155	15	2	6	12	6
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT	72	5	8	31	21	7	6	32
	<i>Gallinago hardwickii</i>	Latham's Snipe	LC	803	183	722	26	81	85	64	60
	<i>Gallinago megala</i>	Swinhoe's Snipe	LC		2	21					
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	640							
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	1064	6145	4345	6674	7343	8759	7401	6237
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	167	148	217	127	145	93	118	93
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	5981	12967	10010	13031	14153	16888	17463	12887
	<i>Tringa incana</i>	Wandering Tattler	LC		3	8	4	3	1		8
	<i>Tringa nebularia</i>	Common Greenshank	LC	4165	3964	2136	3708	3550	4587	5969	4605
	<i>Tringa totanus</i>	Common Redshank	LC			33	70	2		6	1
	<i>Tringa glareola</i>	Wood Sandpiper	LC	3653	434	220	23	20	31	29	38
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	1005	368	278	97	284	186	286	280
Unknown		Unidentified wader	UN	2848	1514	677	1248	3059	1304	3046	2266
Total				330763	171531	86158	119216	111192	152733	127588	108197

Australia (other waterbirds)

Family	Scientific Name	Common Name	RL	2008
Anatidae	<i>Dendrocygna eytoni</i>	Plumed Whistling-duck	LC	12
	<i>Dendrocygna arcuata</i>	Wandering Whistling-duck	LC	478
	<i>Oxyura australis</i>	Blue-billed Duck	NT	584
	<i>Biziura lobata</i>	Musk Duck	LC	338
	<i>Malacorhynchus membranaceus</i>	Pink-eared Duck	LC	206
	<i>Cereopsis novaehollandiae</i>	Cape Barren Goose	LC	22
	<i>Cygnus atratus</i>	Black Swan	LC	18118
	<i>Radjah radjah</i>	Radjah Shelduck	LC	180
	<i>Tadorna tadornoides</i>	Australian Shelduck	LC	35996
	<i>Nettapus pulchellus</i>	Green Pygmy-goose	LC	56
	<i>Chenonetta jubata</i>	Maned Duck	LC	518
	<i>Aythya australis</i>	Hardhead	LC	14
	<i>Spatula rhynchos</i>	Australian Shoveler	LC	1240
	<i>Spatula cyanoptera</i>	Cinnamon Teal	LC	110
	<i>Anas superciliosa</i>	Pacific Black Duck	LC	5084
	<i>Anas gracilis</i>	Grey Teal	LC	23948
	<i>Anas castanea</i>	Chestnut Teal	LC	3504
Anhingidae	<i>Anhinga novaehollandiae</i>	Australasian Darter	LC	152
Anseranatidae	<i>Anseranas semipalmata</i>	Magpie Goose	LC	1226
Ardeidae	<i>Nycticorax caledonicus</i>	Rufous Night-heron	LC	12
	<i>Butorides striata</i>	Green-backed Heron	LC	32
	<i>Bubulcus ibis</i>	Cattle Egret	LC	146
	<i>Ardea pacifica</i>	White-necked Heron	LC	34
	<i>Ardea alba</i>	Great White Egret	LC	232
	<i>Ardea intermedia</i>	Intermediate Egret	LC	62
	<i>Egretta picata</i>	Pied Heron	LC	10
	<i>Egretta novaehollandiae</i>	White-faced Heron	LC	1004

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	2008
Gruidae	<i>Egretta garzetta</i>	Little Egret	LC	126
	<i>Egretta sacra</i>	Pacific Reef-egret	LC	28
Laridae	<i>Antigone rubicunda</i>	Brolga	LC	22
Laridae	<i>Larus novaehollandiae</i>	Silver Gull	LC	13322
	<i>Larus pacificus</i>	Pacific Gull	LC	1542
	<i>Larus dominicanus</i>	Kelp Gull	LC	154
	<i>Sternula albifrons</i>	Little Tern	LC	4760
	<i>Sternula nereis</i>	Fairy Tern	VU	706
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	62
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	728
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	230
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	182
	<i>Sterna hirundo</i>	Common Tern	LC	1984
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC	38
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	3982
Pelecanidae	<i>Pelecanus conspicillatus</i>	Australian Pelican	LC	2098
Phalacrocoracidae	<i>Microcarbo melanoleucus</i>	Little Pied Cormorant	LC	2034
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	298
	<i>Phalacrocorax sulcirostris</i>	Little Black Cormorant	LC	1380
	<i>Phalacrocorax fuscescens</i>	Black-faced Cormorant	LC	24
	<i>Phalacrocorax varius</i>	Great Pied Cormorant	LC	4916
Podicipedidae	<i>Tachybaptus novaehollandiae</i>	Australasian Grebe	LC	134
	<i>Poliocephalus poliocephalus</i>	Hoary-headed Grebe	LC	216
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	98
Rallidae	<i>Hypotaenidia philippensis</i>	Buff-banded Rail	LC	12
	<i>Zapornia tabuensis</i>	Spotless Crake	LC	4
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	514
	<i>Gallinula tenebrosa</i>	Dusky Moorhen	LC	154
	<i>Tribonyx ventralis</i>	Black-tailed Native-hen	LC	6
	<i>Fulica atra</i>	Common Coot	LC	22342
Threskiornithidae	<i>Platalea flavipes</i>	Yellow-billed Spoonbill	LC	484

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	2008
	<i>Platalea regia</i>	Royal Spoonbill	LC	480
	<i>Threskiornis moluccus</i>	Australian Ibis	LC	1146
	<i>Threskiornis spinicollis</i>	Straw-necked Ibis	LC	720
Total	158244			

New Zealand

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	3		1	1		3		1
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	400	297	132	132	115	58	133	70
	<i>Charadrius obscurus</i>	Southern Red-breasted Plover	EN	543	455	389	322	342	431	530	328
	<i>Charadrius semipalmatus</i>	Semipalmated Plover	LC				1				
	<i>Charadrius bicinctus</i>	Double-banded Plover	LC	5882	3396	1499	2263	2777	3540	760	490
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	2	1	1					2
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	4	2	2	2		2	1	
	<i>Charadrius veredus</i>	Oriental Plover	LC							1	
	<i>Thinornis novaeseelandiae</i>	Shore Plover	EN	1					1	1	
	<i>Elseyornis melanops</i>	Black-fronted Dotterel	LC	20	10	6	4	15	12	9	7
Haematopodidae	<i>Vanellus spinosus</i>	Spur-winged Lapwing	LC						1255	766	
	<i>Vanellus miles</i>	Masked Lapwing	LC	1092	741	603	905	831	1090		
	<i>Anarhynchus frontalis</i>	Wrybill	VU	5622	5362	33	167	217	441	120	132
	<i>Haematopus ostralegus finschi</i>	South Island Pied Oystercatcher	NT	103296	76056	28283	26041	23086	24557	16061	
	<i>Haematopus longirostris</i>	Pied Oystercatcher	LC						34	15627	
Recurvirostridae	<i>Haematopus unicolor</i>	Variable Oystercatcher	LC	2829	2112	1745	1634	2114	2308	2148	1947
	<i>Haematopus hybrid</i>	Hybrid Oystercatcher	UN		17		18	21	16	16	4
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	19538	13138	2432	2880	5139	5671	3164	4114
	<i>Himantopus novaezelandiae</i>	Black Stilt	CR	1	5		1	1	3	1	
Scolopacidae	<i>Himantopus hybrid</i>	Hybrid Stilt	UN	14	9	3	3	8	4	2	2
	<i>Numenius phaeopus</i>	Whimbrel	LC	79	76	14	17	35	14	15	24
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN	12	13	8	7	7	5	7	2
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	78328	83342	84056	68101	82403	75933	78536	68389
	<i>Limosa haemastica</i>	Hudsonian Godwit	LC	1			1				
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	1	1				1	1	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	2696	2382	1015	1189	1382	865	1955	1406	
	<i>Calidris tenuirostris</i>	Great Knot	EN	2	1	2				3	418	
	<i>Calidris canutus</i>	Red Knot	NT	45167	40066	24979	18433	32156	28174	31217	28420	
	<i>Calidris acuminata</i>	Sharp-tailed Sandpiper	LC	30	12	15	4	12	15	9	3	
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	12	11	6	4	9	3	7	15	
	<i>Calidris ruficollis</i>	Red-necked Stint	NT	175	88	60	35	43	66	59	76	
	<i>Calidris alba</i>	Sanderling	LC	4	3	1	1	3	3	7	3	
	<i>Calidris melanotos</i>	Pectoral Sandpiper	LC	1	11	1	9	4	4	4	2	
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	1								
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	3	2	1	1		1	1	1	
	<i>Tringa brevipes</i>	Grey-tailed Tattler	NT	2	1		1		3			
	<i>Tringa incana</i>	Wandering Tattler	LC	1	1				1		2	
	<i>Tringa nebularia</i>	Common Greenshank	LC						1			
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC		1		1	1	1	1	2	
Total				103296	83342	84056	68101	82403	75933	78536	68389	

SOUTH ASIA

Bangladesh

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna bicolor</i>	Fulvous Whistling-duck	LC	28689	13211	60	1		900	2797	2096
	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	8823	25404		85		2325	1459	1245
	<i>Anser indicus</i>	Bar-headed Goose	LC	32	10	390	162	266	688	64	185
	<i>Anser anser</i>	Greylag Goose	LC	275	6	30	271	48	44	137	436
	<i>Tadorna tadorna</i>	Common Shelduck	LC	7416	7261	12085	4519	1681	3961	2989	2629
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	3048	2321	36	1562	995	1043	855	662
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC	2	6001	330			2		
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	2715	383	513			37	286	222
	<i>Netta rufina</i>	Red-crested Pochard	LC	1517	6750	799	541		4435	3112	33
	<i>Aythya ferina</i>	Common Pochard	VU	20796	13723	4057	728		8592	638	63
	<i>Aythya baeri</i>	Baer's Pochard	CR	25	14		4			1	
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	13462	7374	677	8048	3	8251	4015	1669
	<i>Aythya fuligula</i>	Tufted Duck	LC	8470	11285	350	1374	1	18546	768	215
	<i>Spatula querquedula</i>	Garganey	LC	1046	4965	604	1148	210	36400	317	461
	<i>Spatula clypeata</i>	Northern Shoveler	LC	5381	6110	457	1048	56	286	1186	588
	<i>Sibirionetta formosa</i>	Baikal Teal	LC	1							
	<i>Mareca falcata</i>	Falcated Duck	NT	12	9		2		3	12	4
	<i>Mareca strepera</i>	Gadwall	LC	19684	46108	1925	14732	9	21345	13467	3297
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	17186	22404	3033	17444	6013	3702	10954	9771
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	525	732	156	261		3897	567	
	<i>Anas platyrhynchos</i>	Mallard	LC	71	8	11	8		42	39	
	<i>Anas acuta</i>	Northern Pintail	LC	75550	23559	5878	10281	202	1733	3807	1148
	<i>Anas crecca</i>	Common Teal	LC	7399	7614	1834	97	956	36353	1670	1220
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN	19399	14228		1800	460	8700	22362	5349
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	11	6	1		13	10	7	5
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	1	6						
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	3	3					2	
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC			1					
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	365	189	13	4	3	306	386	68
	<i>Butorides striata</i>	Green-backed Heron	LC	5	1	1	1		8	1	
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	532	845	205	342	700	266	766	730
	<i>Bubulcus ibis</i>	Cattle Egret	LC	957	614	127	450	416	638	1439	2309

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Ardea cinerea</i>	Grey Heron	LC	621	425	71	105	136	75	206	332	
	<i>Ardea purpurea</i>	Purple Heron	LC	8	19	16	7	8	19	36	17	
	<i>Ardea alba</i>	Great White Egret	LC	1255	1726	3253	592	1054	1615	2323	1293	
	<i>Ardea intermedia</i>	Intermediate Egret	LC	690	2626	74	493	17	303	896	412	
	<i>Egretta garzetta</i>	Little Egret	LC	532	2002	65	128	417	157	1157	508	
	<i>Egretta gularis</i>	Western Reef-egret	LC		2							
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN	7			225					
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	UN	188	1030					1610	126	
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	NT		1				1			
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	80	33	26	23	87	8	245	276	
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	554	1194	410	443	1187	414	971	5154	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	80	221	45	5	37	20	130	362	
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	758	67	18	127	343	9	62	414	
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	16167	8903	1155	1877	1403	703	4066	5353	
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	1780	262	45	1214	22	15	377	609	
	<i>Vanellus vanellus</i>	Northern Lapwing	NT					1	1		24	
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	379	293	127	77	204	111	776	885	
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	18	1	1	8	3	15	2	4	
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	62	2				1			
	<i>Mycteria leucocephala</i>	Painted Stork	NT						2			
	<i>Anastomus oscitans</i>	Asian Openbill	LC	679	2582	305	122		457	1271	5181	
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT							4	1	
	<i>Ciconiidae spp.</i>	Unidentified Stork	UN				80					
Glareolidae	<i>Glareola lactea</i>	Little Pratincole	LC	630	333	120	42	236	20	5	311	
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT						1			
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	32	698	484	31	50	48	167	37	
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	17	22	1		9	25	10	2	
Laridae	<i>Rynchops albicollis</i>	Indian Skimmer	VU	3200	2500	1600		20	600	1060	1343	
	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	1481	10858	1633	1700	4168	1156	5683	1624	
	<i>Larus ridibundus</i>	Black-headed Gull	LC	948	240	604	20	99	223	76	85	
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC	1765	1190	154	3345	1724	3009	6106	6375	
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)		15		20	8		57	500	
	<i>Larus spp.</i>	Unidentified Gull	UN	218	2		300		4	56	132	
	<i>Sternula albifrons</i>	Little Tern	LC	34	310	10	4	66	330	172	105	
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	41	27	3	26	2	30	43	42	
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	3	2	1	3	17	3	2	3	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	2998	61	140	133	130	1713	137	73	
	<i>Sterna aurantia</i>	River Tern	NT		20	7	22	5	7	7	6	
	<i>Sterna hirundo</i>	Common Tern	LC	7	99	8		2	4	1	2	
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC	967	826			5	1	200		
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	6	9	2			3	11	5	
	<i>Sterninae</i> spp.	Unidentified Terns	UN				10			1		
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	1846	2714	1032	317	524	939	4732	2709	
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	28	21	13	227	46	492	194	71	
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	554	765	70	152	2	4	186	79	
	<i>Podiceps grisegena</i>	Red-necked Grebe	LC	65	62	5	2	6	2	107	77	
Rallidae	<i>Rallus indicus</i>	Eastern Water Rail	LC	1		3						
	<i>Lewinia striata</i>	Slaty-breasted Rail	LC	1		2						
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	4	6	4	1	1	1	2		
	<i>Zapornia pusilla</i>	Baillon's Crake	LC	1	4				2			
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	6	12	1	1	1	8	3		
	<i>Gallicrex cinerea</i>	Watercock	LC	3	1	2				2		
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	922	1033	916	139	208	1679	1309	576	
	<i>Gallinula chloropus</i>	Common Moorhen	LC	157	302	23		63	350	372	340	
	<i>Fulica atra</i>	Common Coot	LC	11434	10649	5441	7800	6	28405	9916	1689	
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	643	106	158	269	111	348	141	49	
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	327	419			414	82	151	238	
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	4	2			3	3	5		
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	43	60	11	12	47	53	379	282	
	<i>Numenius arquata</i>	Eurasian Curlew	NT	167	1041	169	98	147	126	492	563	
	<i>Numenius madagascariensis</i>	Far Eastern Curlew	EN							1		
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	69		22	19	54	402	20	27	
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	1668	420	880	1109	5098	9224	6687	5538	
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	25	62	17	2	20	4	28	40	
	<i>Calidris tenuirostris</i>	Great Knot	EN	3			40			325	420	
	<i>Calidris canutus</i>	Red Knot	NT							58		
	<i>Calidris pugnax</i>	Ruff	LC	504	528	160		158	20	850	194	
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	5	18	3	24	2	2	418	274	
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	827	54	7	93	13	2	178	648	
	<i>Calidris temminckii</i>	Temminck's Stint	LC	57	35	4	22	82		190	192	
	<i>Calidris subminuta</i>	Long-toed Stint	LC		4						5	
	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR		13		1			21	28	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
	<i>Calidris ruficollis</i>	Red-necked Stint	NT			1				695		
	<i>Calidris alba</i>	Sanderling	LC		44	2	1	1	2	17	45	
	<i>Calidris alpina</i>	Dunlin	LC	2						16		
	<i>Calidris minuta</i>	Little Stint	LC			39	175	255	3	430	367	
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT							2	38	
	<i>Gallinago stenura</i>	Pintail Snipe	LC	42	12	12	3	2	12	4	1	
	<i>Gallinago megala</i>	Swinhoe's Snipe	LC		2							
	<i>Gallinago gallinago</i>	Common Snipe	LC	136	34	46	25	4	4	20	4	
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	93	75	16	31	4	33	39	98	
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	34	49	9	3	11	20	15	29	
	<i>Tringa ochropus</i>	Green Sandpiper	LC	59	30	4	7	1	2		2	
	<i>Tringa erythropus</i>	Spotted Redshank	LC	180	53	140		474	223	1209	1127	
	<i>Tringa nebularia</i>	Common Greenshank	LC	220	127	27	67	53	39	100	82	
	<i>Tringa totanus</i>	Common Redshank	LC	1060	470	163	280	243	77	579	255	
	<i>Tringa glareola</i>	Wood Sandpiper	LC	152	197	108		21	4	67	78	
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	365	145	1		59	48	121	329	
	<i>Tringa guttifer</i>	Spotted Greenshank	EN		2	1	3		2	3	6	
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC		11	2	3	15				
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	254	378	136	262	305	494	772	564	
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC				1			18	42	
Unknown		Unidentified wader	UN	12827	1311	104	1505	686	690	909	4446	
Total					314391	281016	53705	88789	32632	217415	133812	87555

Bhutan

Family	Scientific Name	Common Name	RL	Season	
				2014	2015
Anatidae	<i>Anser indicus</i>	Bar-headed Goose	LC	1	2
	<i>Clangula hyemalis</i>	Long-tailed Duck	VU	1	
	<i>Mergus merganser</i>	Goosander	LC	61	109
	<i>Tadorna tadorna</i>	Common Shelduck	LC		12
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	247	385
	<i>Netta rufina</i>	Red-crested Pochard	LC	2	
	<i>Mareca strepera</i>	Gadwall	LC	12	
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	7	
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	12	
	<i>Anas platyrhynchos</i>	Mallard	LC	50	60
Ardeidae	<i>Anas crecca</i>	Common Teal	LC	6	
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN		10
	<i>Butorides striata</i>	Green-backed Heron	LC		10
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	19	34
	<i>Bubulcus ibis</i>	Cattle Egret	LC	7	22
	<i>Ardea insignis</i>	White-bellied Heron	CR	2	3
Charadriidae	<i>Ardea alba</i>	Great White Egret	LC	12	
	<i>Ardea intermedia</i>	Intermediate Egret	LC		36
	<i>Egretta garzetta</i>	Little Egret	LC	96	100
	<i>Charadrius placidus</i>	Long-billed Plover	LC	4	5
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	13	8
Glareolidae	<i>Vanellus duvaucelii</i>	River Lapwing	NT	95	98
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	6	13
Gruidae	<i>Glareola lactea</i>	Little Pratincole	LC	12	
Ibidorhynchidae	<i>Grus nigricollis</i>	Black-necked Crane	VU	36	97
	<i>Ibidorhyncha struthersii</i>	Ibisbill	LC	45	45

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season	
				2014	2015
Laridae	<i>Larus ichthyaetus</i>	Pallas's Gull	LC	1	1
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	106	149
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	175	236
Podicipedidae	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC		1
Rallidae	<i>Zapornia bicolor</i>	Black-tailed Crake	LC	3	7
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	2	3
	<i>Gallinula chloropus</i>	Common Moorhen	LC		2
Recurvirostridae	<i>Himantopus himantopus</i>	Black-winged Stilt	LC		1
Scolopacidae	<i>Calidris temminckii</i>	Temminck's Stint	LC	26	4
	<i>Gallinago solitaria</i>	Solitary Snipe	LC		2
	<i>Gallinago gallinago</i>	Common Snipe	LC	1	
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	40	53
	<i>Tringa ochropus</i>	Green Sandpiper	LC	14	6
	<i>Tringa totanus</i>	Common Redshank	LC		2
Total				1114	1516

India

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna bicolor</i>	Fulvous Whistling-duck	LC	1858	452	5371	11316	3538	6002	2688	9301
	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	22061	19059	12521	54252	131861	82794	89927	105758
	<i>Anser indicus</i>	Bar-headed Goose	LC	314	221	2989	2271	2188	13934	53195	88288
	<i>Anser anser</i>	Greylag Goose	LC	14157	2775	2591	3857	16838	8912	4040	27062
	<i>Anser albifrons</i>	Greater White-fronted Goose	LC							24	53
	<i>Anser / Branta spp.</i>	Unidentified Goose	NR							7500	300
	<i>Bucephala clangula</i>	Common Goldeneye	LC								94
	<i>Mergus merganser</i>	Goosander	LC								8
	<i>Tadorna tadorna</i>	Common Shelduck	LC	59	52	203	68	208	19	63	7
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	4277	2865	6581	6479	8638	15508	11331	24292
	<i>Sarkidiornis melanotos</i>	Knob-billed Duck	LC	4453	2907	1259	3237	1395	2829	1973	8402
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	4751	3028	11681	8580	19507	10685	11124	7979
	<i>Aix galericulata</i>	Mandarin Duck	LC								2
	<i>Marmaronetta angustirostris</i>	Marbled Teal	VU	864		2	32	88			1
	<i>Asarcornis scutulata</i>	White-winged Duck	EN		7						
	<i>Netta rufina</i>	Red-crested Pochard	LC	4726	6978	7027	16114	7091	6757	10432	24157
	<i>Aythya ferina</i>	Common Pochard	VU	11795	14051	38241	13752	25752	27219	29553	30974
	<i>Aythya baeri</i>	Baer's Pochard	CR			4	420				42
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	16	158	68	2816	1826	658	933	858
	<i>Aythya fuligula</i>	Tufted Duck	LC	998	2784	43227	16820	38036	28421	22854	26239
	<i>Aythya marila</i>	Greater Scaup	LC			53					
	<i>Spatula querquedula</i>	Garganey	LC	9820	2706	43428	34151	26898	17256	28221	12414
	<i>Spatula clypeata</i>	Northern Shoveler	LC	22718	25396	119313	81488	53510	102816	96932	100985
	<i>Mareca falcata</i>	Falcated Duck	NT			8	1				
	<i>Mareca strepera</i>	Gadwall	LC	9789	6937	159874	160082	196633	110984	127988	100982
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	5088	14417	97293	124998	129546	187154	164278	189011

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	2653	6379	9743	10710	9162	9603	7778	9241
	<i>Anas platyrhynchos</i>	Mallard	LC	99	87	23	146	1437	219	593	969
	<i>Anas gibberifrons</i>	Sunda Teal	NT				546				
	<i>Anas acuta</i>	Northern Pintail	LC	23712	14539	200849	144914	449586	115796	221507	204207
	<i>Anas crecca</i>	Common Teal	LC	40510	9077	92179	9873	27996	19374	41538	29307
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	NR	47306	18240	67032	21774	17577	16362	38016	84480
	<i>Anas spp.</i>	Unidentified Anas Duck	NR	46500	12000	1630	41693	25400	51273	321664	135808
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	307	874	2318	557	1079	578	1158	936
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC	3		4		9		2	3
	<i>Ixobrychus minutus</i>	Common Little Bittern	LC	2						1	65
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	12	10	158	95	92	95	116	73
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	15	4	6	36	109	65	45	18
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	12	5	17	28	104	41	22	24
	<i>Ixobrychus spp.</i>	Unidentified Bittern	NR							15	
	<i>Gorsachius melanolophus</i>	Malay Night-heron	LC	1			1	17	30	1	6
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	433	2307	7177	1828	1384	786	558	698
	<i>Butorides striata</i>	Green-backed Heron	LC	7	24	55	67	136	200	91	66
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	5000	6833	20904	16371	14035	12768	21605	14742
	<i>Ardeola bacchus</i>	Chinese Pond-heron	LC				247	71			
	<i>Bubulcus ibis</i>	Cattle Egret	LC	5866	19533	69610	34907	26385	24918	31178	26300
	<i>Ardea cinerea</i>	Grey Heron	LC	1220	1295	5607	2258	2453	1731	3127	2770
	<i>Ardea insignis</i>	White-bellied Heron	CR				3				
	<i>Ardea goliath</i>	Goliath Heron	LC				6	4	17	6	
	<i>Ardea purpurea</i>	Purple Heron	LC	854	565	1328	1161	1720	1863	2140	1860
	<i>Ardea alba</i>	Great White Egret	LC	2167	10056	11598	6940	4124	5570	7330	5497
	<i>Ardea intermedia</i>	Intermediate Egret	LC	3052	8057	11968	10940	6959	12327	14171	10988
	<i>Egretta garzetta</i>	Little Egret	LC	6614	19048	40490	21297	18591	14622	27273	17560
	<i>Egretta gularis</i>	Western Reef-egret	LC	692	830	895	1670	473	429	1154	1398
	<i>Ardeidae spp.</i>	Unidentified Heron or Egret	NR	6747	14414	6255	14444	6117	6402	33507	13184

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Burhinidae	<i>Burhinus oedicnemus</i>	Eurasian Thick-knee	LC			74	4	2	2		6
	<i>Esacus recurvirostris</i>	Great Thick-knee	NT	27	119	352	60	86	18	167	148
	<i>Esacus magnirostris</i>	Beach Thick-knee	NT		1						
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	10	57	735	562	183	516	500	405
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	74	83	3575	3870	6723	4670	5913	2348
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC		11	127	8			74	56
	<i>Charadrius placidus</i>	Long-billed Plover	LC	30		2		4		85	
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	1242	552	5133	2200	5511	1127	4519	2127
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	759	1539	8553	776	1196	1748	1641	2326
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	33	384	35037	17201	11712	10544	11481	5855
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	9	270	256	1130	41	122	613	105
	<i>Charadrius spp.</i>	Unidentified Charadrius Plover	NR		1						
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	21			80	136		86	100
Charadriidae	<i>Vanellus duvaucelii</i>	River Lapwing	NT	3		2	19	63	74	487	389
	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	159	275	280	436	578	475	518	311
	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	6	2	2	23		10	39	16
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC		33	375	737	1152	521	1726	1018
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	2605	2772	3444	3874	4581	5036	5897	4519
	<i>Vanellus gregarius</i>	Sociable Lapwing	CR						20		
	<i>Vanellus leucurus</i>	White-tailed Lapwing	LC	180	110	7	14	17	31	27	38
	<i>Vanellus spp.</i>	Unidentified Lapwing	NR		4						
	<i>Ciconiidae</i>	Greater Adjutant	EN				10	14		6	7
	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU		10	3	44	87	157	12	13
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	NT	3209	3350	18677	5483	7754	4724	10138	5248
	<i>Anastomus oscitans</i>	Asian Openbill	LC	24420	12720	38069	31027	26104	28540	48899	27400
	<i>Ciconia nigra</i>	Black Stork	LC	5	2	2	7	16	13	12	2
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU	66	87	333	68	188	144	300	260
	<i>Ciconia ciconia</i>	White Stork	LC	73	40	119	4	8	21	7	3
	<i>Ciconia boyciana</i>	Oriental Stork	EN						120		

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT	4	17	24	6	24	1	9	34
	<i>Ciconiidae spp.</i>	Unidentified Stork	NR		5		8				
Dromadidae	<i>Dromas ardeola</i>	Crab-plover	LC	2	935	1388	14	1030		1	
Gaviidae	<i>Gavia spp.</i>	Unidentified Loon	NR								300
Glareolidae	<i>Cursorius coromandelicus</i>	Indian Courser	LC			5	4	2	78	12	2
	<i>Glareola pratincola</i>	Collared Pratincole	LC	82	300			255	77	22	7
	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	339			52	61	113	18	1532
	<i>Glareola lactea</i>	Little Pratincole	LC	69	621	8159	2670	7055	5629	7959	7900
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU	144	31	64	35	172	113	37	109
	<i>Anthropoides virgo</i>	Demoiselle Crane	LC	22185	43386	147209	10464	6373	126686	14726	93404
	<i>Grus grus</i>	Common Crane	LC	15708	21777	27064	10379	5204	5329	3650	15140
	<i>Grus nigricollis</i>	Black-necked Crane	VU		40			8			
	<i>Gruidae spp.</i>	Unidentified cranes	NR	124	71	5103	118	18	218	186	27
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT	43	589	449	22	174	14	17	8
Heliornithidae	<i>Heliopais personatus</i>	Masked Finfoot	EN			1188					
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	713	1015	6891	8163	8604	6680	4329	8048
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	757	354	3140	4240	5112	5933	2737	5044
	<i>Jacanidae spp.</i>	Unidentified jacanas	NR								30
Laridae	<i>Rynchops albicollis</i>	Indian Skimmer	VU	234						104	324
	<i>Larus genei</i>	Slender-billed Gull	LC	2151	13883	8064	298	4	16	644	665
	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	1521	6679	40454	15256	10951	10849	15343	11179
	<i>Larus ridibundus</i>	Black-headed Gull	LC	67	3896	9709	7242	1372	5814	6373	13570
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC	2612	1748	1360	207	546	291	601	465
	<i>Larus hemprichii</i>	Sooty Gull	LC					12			
	<i>Larus fuscus</i>	Lesser Black-backed Gull	LC	20	160	114	505	768	9	466	1750
	<i>Larus heuglini/Larus cachinnans</i>	Heuglin's Gull/Caspian Gull	NR		22		1		12	298	1
	<i>Larus spp.</i>	Unidentified Gull	NR	15	1543	13715	1452	529	16	4249	600
	<i>Onychoprion anaethetus</i>	Bridled Tern	LC					1			
	<i>Sternula albifrons</i>	Little Tern	LC	310	2724	3988	2299	481	2714	1410	1229

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Sternula saundersi</i>	Saunders's Tern	LC		153	21	54				
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	249	1157	3741	1544	1431	1673	3588	1410
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	38	98	3189	1362	114	144	320	353
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	5884	10020	30872	12605	29973	21767	24739	32857
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC		16	1	44	21	4	4	2
	<i>Sterna aurantia</i>	River Tern	NT	692	441	2306	2117	2480	2290	4381	3069
	<i>Sterna hirundo</i>	Common Tern	LC	123	2603	1098	51	40	86	212	858
	<i>Sterna acuticauda</i>	Black-bellied Tern	EN	39	10	28	352	17	4	48	57
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC		184	3575	836	354	351	371	32
	<i>Thalasseus sandvicensis</i>	Sandwich Tern	LC			258	302		200	363	31
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC		6	6002	1010	48	133	1034	92
	<i>Sterninae spp.</i>	Unidentified Terns	NR	100758	5743	3068	29146	15545	4055	8700	2425
	<i>Laridae spp.</i>	Unidentified Gull or Tern	NR	1850	2417	5956	3208	489	706	8221	10666
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	VU	181	386	527	365	217	131	162	366
	<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT	386	3334	9768	6581	8349	8430	15219	14623
	<i>Pelecanus onocrotalus</i>	Great White Pelican	LC	3391	5391	14083	1954	1114	2428	6861	6598
	<i>Pelecanus spp.</i>	Unidentified Pelican	NR	2	43	1050	70	14		4	40
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	9164	12374	39773	31426	33717	28671	42487	42235
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	2958	3427	4194	2513	4712	3359	8679	14081
	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	1182	3730	1516	4562	2215	3853	7143	3678
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	NR	103	4255	6914	732	132	23	4121	6412
Phoenicopteridae	<i>Phoenicopterus roseus</i>	Greater Flamingo	LC	15161	26172	60010	41618	5087	26414	70031	49029
	<i>Phoeniconaias minor</i>	Lesser Flamingo	NT	11131	21457	113348	5636	5264	2904	102726	75618
	<i>Phoenicopteridae spp.</i>	Unidentified Flamingo	NR	50043	1100	20112	50	15	35	8031	84
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	3390	3886	13349	8980	11455	8013	10255	9093
	<i>Podiceps grisegena</i>	Red-necked Grebe	LC					136		18	
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	2154	2044	3700	3263	8674	8369	12155	11308
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	4516	1611	953	205	60		12	540
	<i>Podicipedidae spp.</i>	Unidentified Grebe	NR	145	123	1160	125	182		7	60

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Rallidae	<i>Rallina fasciata</i>	Red-legged Crake	LC					2			
	<i>Rallina eurizonoides</i>	Slaty-legged Crake	LC				37				
	<i>Laterallus ruber</i>	Ruddy Crake	LC			4				24	33
	<i>Rallus aquaticus</i>	Western Water Rail	LC				60	680	115	25	16
	<i>Lewinia striata</i>	Slaty-breasted Rail	LC		1	56	315	128	2	10	
	<i>Porzana porzana</i>	Spotted Crake	LC			9	8				
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC	5	3	1	58	295	73	23	21
	<i>Zapornia akool</i>	Brown Crake	LC	8	5	23	6	93	24	18	2
	<i>Zapornia pusilla</i>	Baillon's Crake	LC	5	2	5	24	22	61	27	27
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	653	251	670	1157	1008	745	1520	993
Recurvirostridae	<i>Gallicrex cinerea</i>	Watercock	LC	35	20	115	211	269	58	86	59
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	14723	6520	14045	38566	39332	36375	32022	20594
	<i>Gallinula chloropus</i>	Common Moorhen	LC	1238	1186	4896	13460	11533	3372	6442	5609
	<i>Fulica atra</i>	Common Coot	LC	171644	141775	117876	92987	154193	133544	123149	191525
	<i>Recurvirostra avosetta</i>	Pied Avocet	LC	2697	6365	4335	598	2484	701	8167	9237
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	9842	8647	23268	22107	17882	25740	33157	22093
	<i>Rostratulidae</i>	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC	919	12	16	32	180	98	56
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	21	120	393	183	343	306	88	48
	<i>Numenius arquata</i>	Eurasian Curlew	NT	212	293	461	454	307	304	421	155
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT	685	1458	1971	1009	876	28244	401	43
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	12185	14579	71474	113001	98919	93587	72489	76525
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	10	128	701	45	15	93	60	45
	<i>Calidris tenuirostris</i>	Great Knot	EN		25	74			52	15	1
	<i>Calidris canutus</i>	Red Knot	NT			21					
	<i>Calidris pugnax</i>	Ruff	LC	31490	54509	15278	162123	9445	18053	14538	14347
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC		27	2516	10			6	30
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	271	1006	17149	4129	6598	9104	4763	5890
Charadriidae	<i>Calidris temminckii</i>	Temminck's Stint	LC	911	1042	389	64	1232	305	731	724
	<i>Calidris subminuta</i>	Long-toed Stint	LC		156	987					

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Calidris pygmaea</i>	Spoon-billed Sandpiper	CR		2			9		4	
	<i>Calidris alba</i>	Sanderling	LC	262	140	70	164	1301	125	718	91
	<i>Calidris alpina</i>	Dunlin	LC	168	595	707	162	52	293	571	28
	<i>Calidris minuta</i>	Little Stint	LC	3546	4363	58747	22070	13339	12831	22386	11468
	<i>Limnodromus semipalmatus</i>	Asian Dowitcher	NT			16	50		16	47	40
	<i>Gallinago solitaria</i>	Solitary Snipe	LC				20	29	14	55	7
	<i>Gallinago stenura</i>	Pintail Snipe	LC	6	19	32	76	206	301	77	29
	<i>Gallinago megala</i>	Swinhoe's Snipe	LC							3	2
	<i>Gallinago gallinago</i>	Common Snipe	LC	244	66	555	928	965	1098	673	629
	<i>Gallinago spp.</i>	Unidentified Snipe	NR					19	3	9	6
	<i>Lymnocryptes minimus</i>	Jack Snipe	LC	13	13	68	19	248	51	20	11
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC	2	309	78		17	9		81
	<i>Xenus cinereus</i>	Terek Sandpiper	LC	61	244	459	319	98	332	275	47
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	938	1422	2169	5064	3797	2286	5105	1908
	<i>Tringa ochropus</i>	Green Sandpiper	LC	74	117	260	249	438	143	308	211
	<i>Tringa erythropus</i>	Spotted Redshank	LC	44	67	3295	695	207	42	908	143
	<i>Tringa nebularia</i>	Common Greenshank	LC	159	527	960	503	745	370	802	516
	<i>Tringa totanus</i>	Common Redshank	LC	388	1545	8865	4181	1766	6562	1804	1747
	<i>Tringa glareola</i>	Wood Sandpiper	LC	1798	1524	5493	8755	9087	7226	15155	5250
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	109	935	31531	7130	3661	5008	3995	1515
	<i>Tringa guttifer</i>	Spotted Greenshank	EN					22			
	<i>Scolopacidae spp.</i>	Unidentified Scolopacidae wader	NR			630	400				501
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	4404	2096	3184	2076	2872	1622	2315	2274
	<i>Platalea spp.</i>	Unidentified Spoonbill	NR	10							
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	2565	5340	10715	7234	4299	3974	8338	4567
	<i>Pseudibis papillosa</i>	Red-naped Ibis	LC	3325	1120	2560	2006	1511	987	1179	1168
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC	18389	12094	13997	35603	24648	17905	28543	18859
	<i>Threskiornithidae spp.</i>	Unidentified Ibis	NR	5500	5000						
Unknown		Unidentified waders	NR	21163	12476	33000	57067	12286	57543	91135	140940

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season								
				2008	2009	2010	2011	2012	2013	2014	2015	
		Unidentified waterbirds		NR			106		2		220	
Total					915821	771356	2298561	1780923	1953414	1740110	2416904	2357056

Nepal

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	10189	5192	2748	4487	4569	7709	9879	7765
	<i>Anser indicus</i>	Bar-headed Goose	LC	299	175	204	206	262	345	427	552
	<i>Anser anser</i>	Greylag Goose	LC			38	2	1	3	1	3
	<i>Anser / Branta spp.</i>	Unidentified Goose	UN		8						
	<i>Bucephala clangula</i>	Common Goldeneye	LC	2		1					9
	<i>Mergus merganser</i>	Goosander	LC	602	723	605	506	407	818	792	639
	<i>Tadorna tadorna</i>	Common Shelduck	LC	50	1			5		1	1
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	5863	4525	7207	5746	5990	7951	10346	7431
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC	1	31	193					47
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	85	96	214	249	310	303	300	362
	<i>Netta rufina</i>	Red-crested Pochard	LC	261	84	51	137	236	235	1177	1230
	<i>Aythya ferina</i>	Common Pochard	VU	132	188	140	79	113	101	204	337
	<i>Aythya baeri</i>	Baer's Pochard	CR	1						6	6
	<i>Aythya nyroca</i>	Ferruginous Duck	NT	103	118	107	185	190	216	255	341
	<i>Aythya fuligula</i>	Tufted Duck	LC	90	254	152	211	224	143	485	673
	<i>Spatula querquedula</i>	Garganey	LC	16	8	22	36	36	6	213	4
	<i>Spatula clypeata</i>	Northern Shoveler	LC	118	126	179	25	3	27	149	247
	<i>Mareca falcata</i>	Falcated Duck	NT		1			1		1	
	<i>Mareca strepera</i>	Gadwall	LC	1729	1771	1480	1951	962	1374	1664	1552
	<i>Mareca penelope</i>	Eurasian Wigeon	LC	117	397	573	164	125	187	594	582
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC	41	43	3	12	16	72	50	44
	<i>Anas platyrhynchos</i>	Mallard	LC	927	948	872	944	419	1236	1400	725
	<i>Anas acuta</i>	Northern Pintail	LC	475	717	365	36	105	150	323	6103
	<i>Anas crecca</i>	Common Teal	LC	2227	2383	1556	1505	2245	3425	5762	4679
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN		26	120	140				3
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	33	38	97	78	33	84	102	41
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC		2	2			1	1	
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	3	12	3	4	3	6	5	3
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	2	2	3			1	2	1
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	2	11	17	27	6	1	70	14
	<i>Butorides striata</i>	Green-backed Heron	LC	19	24	18	37	8	31	13	15
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	790	682	479	645	506	482	1253	656
	<i>Bubulcus ibis</i>	Cattle Egret	LC	1071	770	961	975	1114	1347	1278	1053

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Ardea cinerea</i>	Grey Heron	LC	68	79	58	42	28	41	87	73
	<i>Ardea purpurea</i>	Purple Heron	LC	63	19	28	25	10	21	47	17
	<i>Ardea alba</i>	Great White Egret	LC	163	295	119	185	108	142	223	157
	<i>Ardea intermedia</i>	Intermediate Egret	LC	318	214	267	200	152	176	253	183
	<i>Egretta garzetta</i>	Little Egret	LC	674	616	580	367	342	451	484	431
Burhinidae	<i>Burhinus oedicnemus</i>	Eurasian Thick-knee	LC					1	13		
	<i>Esacus recurvirostris</i>	Great Thick-knee	NT	3		2					
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC							1	
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC								33
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	160	100	204	213	104	254	457	246
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	101	58	76	82	20	43	209	64
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	47	6	3	383	2	168	206	11
	<i>Vanellus duvaucelii</i>	River Lapwing	NT	70	79	97	53	37	96	164	133
	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	11	32		4		4	4	
	<i>Vanellus cinereus</i>	Grey-headed Lapwing	LC	84	26	50	75	74	61	93	42
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	168	127	137	185	137	132	196	174
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU	39	67	130	229	218	191	268	75
	<i>Mycteria leucocephala</i>	Painted Stork	NT								12
	<i>Anastomus oscitans</i>	Asian Openbill	LC	236	123	197	156	202	265	327	150
	<i>Ciconia nigra</i>	Black Stork	LC	183	138	162	132	111	176	166	132
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU	62	48	78	52	35	46	47	42
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT	6		20	2	1	2		
Glareolidae	<i>Glareola lactea</i>	Little Pratincole	LC	660	1303	1520	1770	1253	1601	823	417
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU	18	9	16	12	46	21	56	3
	<i>Anthropoides virgo</i>	Demoiselle Crane	LC				90			1	
	<i>Grus grus</i>	Common Crane	LC	17	7	150		248		276	
Ibidorhynchidae	<i>Ibidorhyncha struthersii</i>	Ibisbill	LC			1	1	3	2	3	
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	12	13	42	9	13	9	15	10
	<i>Metopidius indicus</i>	Bronze-winged Jacana	LC	377	296	326	234	205	328	455	472
Laridae	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	1					1	1	
	<i>Larus ridibundus</i>	Black-headed Gull	LC		6		2		4		
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC				10		2		
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)		4	2	2			3	1
	<i>Larus cachinnans</i>	Caspian Gull	LC					1	3	3	
	<i>Larus spp.</i>	Unidentified Gull	UN								1
	<i>Sternula albifrons</i>	Little Tern	LC	4				4	18	1	2
	<i>Sterna aurantia</i>	River Tern	NT							8	

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Sterna hirundo</i>	Common Tern	LC					11			
	<i>Sterna acuticauda</i>	Black-bellied Tern	EN	3	7	6	11		8	7	8
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	1002	854	579	554	525	429	981	837
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	1631	2705	1495	1117	855	2115	1921	1864
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN	10							
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	204	311	161	114	103	201	93	204
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	49	54	72	109	70	97	121	135
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	3	2	12		5	14	12	3
Rallidae	<i>Laterallus ruber</i>	Ruddy Crake	LC	3	2	2		3	2	4	2
	<i>Zapornia akool</i>	Brown Crake	LC	14	12	22	19	12	33	51	11
	<i>Zapornia pusilla</i>	Baillon's Crake	LC							2	1
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	58	58	69	57	35	56	74	58
	<i>Gallicrex cinerea</i>	Watercock	LC		13						
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	172	158	404	325	279	337	637	415
	<i>Gallinula chloropus</i>	Common Moorhen	LC	693	708	1194	920	443	776	1977	1122
	<i>Fulica atra</i>	Common Coot	LC	2584	1075	1248	2365	5670	5052	3424	4787
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC								1
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	8	3	9				2	
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC		1	1	7	2	2		2
Scolopacidae	<i>Numenius arquata</i>	Eurasian Curlew	NT	14				2			
	<i>Calidris temminckii</i>	Temminck's Stint	LC	120	129	181	125	177	242	538	160
	<i>Calidris alba</i>	Sanderling	LC				1				
	<i>Calidris alpina</i>	Dunlin	LC		7	6	1			3	6
	<i>Calidris minuta</i>	Little Stint	LC	16	57	46	21	11	30	53	38
	<i>Gallinago solitaria</i>	Solitary Snipe	LC			2				3	
	<i>Gallinago stenura</i>	Pintail Snipe	LC		8	3	40	40	14	11	1
	<i>Gallinago gallinago</i>	Common Snipe	LC	6	53	55	42	16	61	31	23
	<i>Lymnocryptes minimus</i>	Jack Snipe	LC			7	2	18	6	1	2
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	191	137	196	201	98	166	264	189
	<i>Tringa ochropus</i>	Green Sandpiper	LC	125	100	250	98	77	124	179	102
	<i>Tringa erythropus</i>	Spotted Redshank	LC		1	10	9	6	1		
	<i>Tringa nebularia</i>	Common Greenshank	LC	310	283	340	441	130	281	527	320
	<i>Tringa totanus</i>	Common Redshank	LC	48	39	41	35	15	33	54	45
	<i>Tringa glareola</i>	Wood Sandpiper	LC	6	16	1	4	9	90	83	39
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	12		13	1			4	3
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	12							
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	141	90	59	119	129	68	102	62

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Pseudibis papillosa</i>	Red-naped Ibis	LC	345	432	194	236	192	316	489	326
Unknown		Unidentified wader	UN				1				
Total				36573	30336	29334	29898	30192	41061	53326	48718

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Pakistan

Family	Scientific Name	Common Name	RL	Season						
				2008	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC		134					
	<i>Oxyura leucocephala</i>	White-headed Duck	EN				1		8	
	<i>Anser indicus</i>	Bar-headed Goose	LC		187	9458	4026			
	<i>Anser anser</i>	Greylag Goose	LC		172	52			42	145
	<i>Bucephala clangula</i>	Common Goldeneye	LC							3
	<i>Tadorna tadorna</i>	Common Shelduck	LC	8	145	114	145			
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC	558	777	4916	1680	15	56	2206
	<i>Marmaronetta angustirostris</i>	Marbled Teal	VU		45	2	6			
	<i>Netta rufina</i>	Red-crested Pochard	LC	4	82	510	75		75	1009
	<i>Aythya ferina</i>	Common Pochard	VU	9383	17421	29903	83417	732	6445	9996
	<i>Aythya nyroca</i>	Ferruginous Duck	NT		444	67	177	54		30
	<i>Aythya fuligula</i>	Tufted Duck	LC	1582	2429	8817	11626		5650	4837
	<i>Spatula querquedula</i>	Garganey	LC		517	12061	136			318
	<i>Spatula clypeata</i>	Northern Shoveler	LC	4090	31195	34274	51237	1901	4214	4013
	<i>Mareca strepera</i>	Gadwall	LC	2059	9125	11143	33372	263	2205	4554
Anatinae spp.	<i>Mareca penelope</i>	Eurasian Wigeon	LC	3006	2772	5600	17928	184	1754	539
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC		2	4	100			514
	<i>Anas platyrhynchos</i>	Mallard	LC	6426	8078	25857	20594	1705	5592	2335
	<i>Anas acuta</i>	Northern Pintail	LC	3427	10396	52105	23063	1623	1179	1265
	<i>Anas crecca</i>	Common Teal	LC	7303	61815	39423	77022	6529	7368	5075
		Unidentified Dabbling Ducks	UN		35415	21705	33880			219
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT		16					
Ardeidae	<i>Botaurus stellaris</i>	Eurasian Bittern	LC		24					
	<i>Ixobrychus minutus</i>	Common Little Bittern	LC						9	
	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC		19		19			
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC		30		4			
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	2	1		5			7
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	12	467	597	348	75	65	4

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2010	2011	2012	2013	2014	2015
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	305	4776	5465	9407	479	264	799
	<i>Bubulcus ibis</i>	Cattle Egret	LC	88	2235	5197	5620	260	175	248
	<i>Ardea cinerea</i>	Grey Heron	LC	87	2827	2146	2672	95	142	190
	<i>Ardea goliath</i>	Goliath Heron	LC					2		
	<i>Ardea purpurea</i>	Purple Heron	LC	5	132	320	261	17	10	29
	<i>Ardea alba</i>	Great White Egret	LC	252	4682	7032	3369	1124	299	442
	<i>Ardea intermedia</i>	Intermediate Egret	LC	121	690	1817	7645	1440	117	491
	<i>Egretta garzetta</i>	Little Egret	LC	886	6950	8120	19047	2828	1148	2842
	<i>Egretta gularis</i>	Western Reef-egret	LC		442	743	721			
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN			250				2
Burhinidae	<i>Esacus recurvirostris</i>	Great Thick-knee	NT		217		39			
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC		27		551			
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC		4					
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC				254		39	7
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	59	3063	3390	6600	12	167	91
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	8	6001	4388	3068	12	26	179
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC		904	29	755			
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC		763	1962	508			
	<i>Vanellus vanellus</i>	Northern Lapwing	NT	2	163	148	336	2	16	19
	<i>Vanellus duvaucelii</i>	River Lapwing	NT		32	99	380			
	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	33		5281	2	38	11	
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	123	2013	3305	4550	151	139	128
	<i>Vanellus gregarius</i>	Sociable Lapwing	CR				25			
	<i>Vanellus leucurus</i>	White-tailed Lapwing	LC		494	160	152	56	4	34
Ciconiidae	<i>Mycteria leucocephala</i>	Painted Stork	NT		37	6	10			
	<i>Ciconia nigra</i>	Black Stork	LC		93	82	130			27
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU		1					
	<i>Ciconia ciconia</i>	White Stork	LC		13		4			
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT		2					
Dromadidae	<i>Dromas ardeola</i>	Crab-plover	LC		513	1686	68			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season									
				2008	2010	2011	2012	2013	2014	2015			
Glareolidae	<i>Glareola pratincola</i>	Collared Pratincole	LC					14					
	<i>Glareola maldivarum</i>	Oriental Pratincole	LC					25					
Gruidae	<i>Antigone antigone</i>	Sarus Crane	VU					2					
	<i>Anthropoides virgo</i>	Demoiselle Crane	LC					253	4				
Haematopodidae	<i>Grus grus</i>	Common Crane	LC					370	26		53		
	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT					4855	958	804			
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	4	118	6	52	72			56		
Laridae	<i>Larus genei</i>	Slender-billed Gull	LC					15976	2371	1764			
	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC					7840	2440	2807			
	<i>Larus ridibundus</i>	Black-headed Gull	LC	1857	29319	30584	17835	7781	1870	1329			
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC					1966					
	<i>Larus hemprichii</i>	Sooty Gull	LC					172	1240				
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)					8654	5159	312			
	<i>Larus michahellis</i>	Yellow-legged Gull	LC					18512	7573	509			
	<i>Larus cachinnans</i>	Caspian Gull	LC					7126					
	<i>Larus smithsonianus</i>	Arctic Herring Gull	LC	118	31	3605				3631			
	<i>Larus spp.</i>	Unidentified Gull	UN					3330	1116	1800	428	132	
Sternidae	<i>Sternula albifrons</i>	Little Tern	LC					4773	1576	2110	25	17	
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC					1319	2712	543			
	<i>Hydroprogne caspia</i>	Caspian Tern	LC					3163	2948	2672			
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC					1098	10	484			
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC					31					
	<i>Sterna aurantia</i>	River Tern	NT	1637	3670	2052	2295	779	674	378			
	<i>Sterna hirundo</i>	Common Tern	LC	16	23	286	1868	1307	333	171			
	<i>Sterna acuticauda</i>	Black-bellied Tern	EN					136	311	117			
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC					296	37	943			
	<i>Thalasseus sandvicensis</i>	Sandwich Tern	LC					736	22	142			
Sterninae spp.	<i>Thalasseus bergii</i>	Greater Crested Tern	LC					979	300	1388			
	<i>Sterninae spp.</i>	Unidentified Terns	UN					5250	21659	1950	213		
Pelecanidae	<i>Pelecanus crispus</i>	Dalmatian Pelican	VU					1191	12633	2060			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2010	2011	2012	2013	2014	2015
Phalacrocoracidae	<i>Pelecanus onocrotalus</i>	Great White Pelican	LC		9410	19078	17402			
	<i>Microcarbo niger</i>	Little Cormorant	LC	2781	23159	25945	21162	1666	1271	1816
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	950	28806	47586	13218	403	996	262
Phoenicopteridae	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC		376	7431	71			
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN		660					154
	<i>Phoenicopterus roseus</i>	Greater Flamingo	LC	27	32515	46956	20113			42
Podicipedidae	<i>Phoeniconaias minor</i>	Lesser Flamingo	NT		150	35518	164			
	<i>Phoenicoptidae spp.</i>	Unidentified Flamingo	UN		5000					
	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	953	6762	19951	6369	583	1634	1291
Rallidae	<i>Podiceps grisegena</i>	Red-necked Grebe	LC		7		22			16
	<i>Podiceps cristatus</i>	Great Crested Grebe	LC	32	915	854	375	6	5	36
	<i>Podiceps nigricollis</i>	Black-necked Grebe	LC	15		22	2			
Recurvirostridae	<i>Podicipedidae spp.</i>	Unidentified Grebe	UN		2					
	<i>Rallus aquaticus</i>	Western Water Rail	LC		11	87	139			8
	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC		55	12	677			
Rostratulidae	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	2	247	148	346	33	19	21
	<i>Gallicrex cinerea</i>	Watercock	LC				35			
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	650	354	998	3127	690	422	2490
Scolopacidae	<i>Gallinula chloropus</i>	Common Moorhen	LC	241	1954	1082	1730	319	320	684
	<i>Fulica atra</i>	Common Coot	LC	41648	42360	92067	136749	4095	26010	39596
	<i>Recurvirostra avosetta</i>	Pied Avocet	LC		585	20016	38			132
Rostratulidae	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	902	8201	25437	52471	525	280	682
	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC			74				
	<i>Numenius phaeopus</i>	Whimbrel	LC		319	263	515			
Limicolidae	<i>Numenius arquata</i>	Eurasian Curlew	NT		1073	1310	7091			
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT		780	1201	40			
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	68	1799	202	72			21
Charadriidae	<i>Arenaria interpres</i>	Ruddy Turnstone	LC			45				
	<i>Calidris tenuirostris</i>	Great Knot	EN		15		8			
	<i>Calidris pugnax</i>	Ruff	LC		1108	10	64			

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season						
				2008	2010	2011	2012	2013	2014	2015
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC		27					
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT		1502		166			
	<i>Calidris temminckii</i>	Temminck's Stint	LC		1342	271	279		100	55
	<i>Calidris alba</i>	Sanderling	LC		1250	2510	6334			12
	<i>Calidris alpina</i>	Dunlin	LC		616	2011	1235			165
	<i>Calidris minuta</i>	Little Stint	LC	77	7411	5691	7743	306	209	384
	<i>Gallinago stenura</i>	Pintail Snipe	LC		4					
	<i>Gallinago gallinago</i>	Common Snipe	LC	19	158	249	576	30	21	19
	<i>Xenus cinereus</i>	Terek Sandpiper	LC		669	486	15			
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	35	3508	1912	4670	404	86	90
	<i>Tringa ochropus</i>	Green Sandpiper	LC	15	1794	658	3005	31	14	24
	<i>Tringa erythropus</i>	Spotted Redshank	LC		25	23	129	32		8
	<i>Tringa nebularia</i>	Common Greenshank	LC	74	3942	2156	7679	91	37	43
	<i>Tringa totanus</i>	Common Redshank	LC	118	5816	2693	9426	208	41	1093
	<i>Tringa glareola</i>	Wood Sandpiper	LC		141		1961	59		136
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC		249	2418	3069		13	
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC		425	6114	1267		12	47
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT				2			
	<i>Pseudibis papillosa</i>	Red-naped Ibis	LC		6	2	2			
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC		86	2	83			
Unknown		Unidentified wader	UN		1750	3816	4066		14	186
Total				92068	528020	780468	815176	42653	72448	94609

Sri Lanka

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
Anatidae	<i>Dendrocygna javanica</i>	Lesser Whistling-duck	LC	575	1295	1989	146	2310	2793	1035	2382
	<i>Tadorna ferruginea</i>	Ruddy Shelduck	LC			1			1		
	<i>Sarkidiornis melanotos</i>	African Comb Duck	LC						30		
	<i>Nettapus coromandelianus</i>	Cotton Pygmy-goose	LC	16	12	15		4		5	8
	<i>Spatula querquedula</i>	Garganey	LC	2012	1067	35506	14711	10128	7780	3852	4339
	<i>Spatula clypeata</i>	Northern Shoveler	LC			2303	13192	1743	1212	412	1713
	<i>Mareca penelope</i>	Eurasian Wigeon	LC			59250	9103	11983	13458	5480	6780
	<i>Anas poecilorhyncha</i>	Indian Spot-billed Duck	LC			4	12	56	19	12	40
	<i>Anas acuta</i>	Northern Pintail	LC	1607	316	68827	16851	18251	22286	3995	18883
	<i>Anas crecca</i>	Common Teal	LC			100	10	38	96	20	54
	<i>Anatinæ spp.</i>	Unidentified Dabbling Ducks	UN	36		1800			505		230
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	NT	35	121	56	88	104	233	56	138
Ardeidae	<i>Ixobrychus sinensis</i>	Yellow Bittern	LC	6	53	11	1	4	6	26	28
	<i>Ixobrychus cinnamomeus</i>	Cinnamon Bittern	LC	1			1				
	<i>Ixobrychus flavicollis</i>	Black Bittern	LC	7	21	6	4	3	6	5	9
	<i>Gorsachius melanolophus</i>	Malay Night-heron	LC	10							
	<i>Nycticorax nycticorax</i>	Black-crowned Night-heron	LC	12		31	54	5	65	12	33
	<i>Butorides striata</i>	Green-backed Heron	LC	4	2	18	2	5	4	8	8
	<i>Ardeola grayii</i>	Indian Pond-heron	LC	551	761	957	818	1102	1266	536	748
	<i>Bubulcus ibis</i>	Cattle Egret	LC	1732	2505	8128	10106	7080	7472	3903	4749
	<i>Ardea cinerea</i>	Grey Heron	LC	49	115	115	220	290	300	318	324
	<i>Ardea purpurea</i>	Purple Heron	LC	54	131	129	76	152	239	83	340
	<i>Ardea alba</i>	Great White Egret	LC	114	349	636	860	683	1872	494	311
	<i>Ardea intermedia</i>	Intermediate Egret	LC	112	180	197	234	201	453	435	510
	<i>Egretta garzetta</i>	Little Egret	LC	371	886	943	806	1501	2577	2237	970
	<i>Egretta gularis</i>	Western Reef-egret	LC		1	2	4		2	6	5
	<i>Egretta/Bubulcus spp.</i>	Unidentified Egret	UN	40		20	1		1		10
Burhinidae	<i>Burhinus oedicnemus</i>	Eurasian Thick-knee	LC	5	4	14	8	10	6	9	21
	<i>Esacus recurvirostris</i>	Great Thick-knee	NT	12	43	29	26	89	48	29	22
Charadriidae	<i>Pluvialis squatarola</i>	Grey Plover	LC	12	6	2023	22	36	32	139	142
	<i>Pluvialis fulva</i>	Pacific Golden Plover	LC	166	119	1125	380	483	819	561	721
	<i>Charadrius hiaticula</i>	Common Ringed Plover	LC		6	2	4		36	13	10

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Charadrius dubius</i>	Little Ringed Plover	LC	8	12	1039	122	31	207	47	56
	<i>Charadrius alexandrinus</i>	Kentish Plover	LC	47	102	1112	124	205	797	297	3716
	<i>Charadrius mongolus</i>	Lesser Sandplover	LC	1312	585	29016	6101	1988	8436	15834	15593
	<i>Charadrius leschenaultii</i>	Greater Sandplover	LC	1	53	27	1	3	55	3	8
	<i>Vanellus malabaricus</i>	Yellow-wattled Lapwing	LC	28	49	44	206	151	92	27	30
	<i>Vanellus indicus</i>	Red-wattled Lapwing	LC	256	386	341	321	453	599	348	291
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser Adjutant	VU		7			4	5		1
	<i>Mycteria leucocephala</i>	Painted Stork	NT	107	226	324	354	689	770	828	644
	<i>Anastomus oscitans</i>	Asian Openbill	LC	102	4288	4178	157	1136	1277	862	3313
	<i>Ciconia episcopus</i>	Asian Woollyneck	VU	5	15		10	10	15	3	
	<i>Ephippiorhynchus asiaticus</i>	Black-necked Stork	NT		1				1	1	
Dromadidae	<i>Dromas ardeola</i>	Crab-plover	LC			7		64	9	5	22
Glareolidae	<i>Cursorius coromandelicus</i>	Indian Courser	LC					6			
	<i>Glareola maldivarum</i>	Oriental Pratincole	LC	3			16	1			2
	<i>Glareola lactea</i>	Little Pratincole	LC	15	4	8	5		16	8	7
Haematopodidae	<i>Haematopus ostralegus</i>	Eurasian Oystercatcher	NT			3		4		3	1
Jacanidae	<i>Hydrophasianus chirurgus</i>	Pheasant-tailed Jacana	LC	259	586	518	267	345	373	167	231
Laridae	<i>Larus genei</i>	Slender-billed Gull	LC								34
	<i>Larus brunnicephalus</i>	Brown-headed Gull	LC	21	33	6373	2430	1288	3474	28509	51441
	<i>Larus ridibundus</i>	Black-headed Gull	LC			10		1		3	3
	<i>Larus ichthyaetus</i>	Pallas's Gull	LC			1180	559				
	<i>Larus fuscus heuglini</i>	Heuglin's Gull	LC (SS)			2955	665	3642	278	4155	3930
	<i>Larus spp.</i>	Unidentified Gull	UN		9			1804	6587	569	3100
	<i>Onychoprion anaethetus</i>	Bridled Tern	LC	100		195					
	<i>Sternula albifrons</i>	Little Tern	LC	165	22	56	129	183	274	512	678
	<i>Sternula saundersi</i>	Saunders's Tern	LC				8			45	32
	<i>Gelochelidon nilotica</i>	Common Gull-billed Tern	LC	189	245	1310	776	497	2452	6965	6034
	<i>Hydroprogne caspia</i>	Caspian Tern	LC	129	48	5535	1197	231	1083	12661	4694
	<i>Chlidonias hybrida</i>	Whiskered Tern	LC	1431	2978	1139	5930	2915	4882	1634	15152
	<i>Chlidonias leucopterus</i>	White-winged Tern	LC	4	10		666	50	1173	103	175
	<i>Sterna hirundo</i>	Common Tern	LC	28	224	34	71	195	60	1897	14675
	<i>Thalasseus bengalensis</i>	Lesser Crested Tern	LC	17	167	5962	633	115	1100	1376	121511
	<i>Thalasseus sandvicensis</i>	Sandwich Tern	LC				24	1		30	
	<i>Thalasseus bergii</i>	Greater Crested Tern	LC	70		35	408	530	428	95	2709
	<i>Sterninae spp.</i>	Unidentified Terns	UN	27	134	112	20	2682	1040	190	10440
Pelecanidae	<i>Pelecanus philippensis</i>	Spot-billed Pelican	NT	71	174	227	199	398	236	257	331
Phalacrocoracidae	<i>Microcarbo niger</i>	Little Cormorant	LC	2394	4480	3186	3095	3689	4501	2815	1609

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Phalacrocorax carbo</i>	Great Cormorant	LC	3	176	12	2		170	1	304
	<i>Phalacrocorax fuscicollis</i>	Indian Cormorant	LC	529	3532	2487	575	1092	3159	828	1634
	<i>Phalacrocorax spp.</i>	Unidentified Cormorant	UN	8	113	15063		20	3		
Phoenicopteridae	<i>Phoenicopterus roseus</i>	Greater Flamingo	LC	79		1748			3896	1800	6706
	<i>Phoeniconaias minor</i>	Lesser Flamingo	NT							2	
Podicipedidae	<i>Tachybaptus ruficollis</i>	Little Grebe	LC	78	148	158	61	79	404	66	86
Rallidae	<i>Zapornia fusca</i>	Ruddy-breasted Crake	LC		1		2				
	<i>Amaurornis phoenicurus</i>	White-breasted Waterhen	LC	151	280	157	97	344	467	158	117
	<i>Gallicrex cinerea</i>	Watercock	LC	7	28	3			6	2	3
	<i>Porphyrio porphyrio</i>	Purple Swamphen	LC	393	633	988	182	1349	1541	366	753
	<i>Gallinula chloropus</i>	Common Moorhen	LC	30	105	47	8	67	99	77	38
	<i>Fulica atra</i>	Common Coot	LC	1	30	5		31	2807	16	32
Recurvirostridae	<i>Recurvirostra avosetta</i>	Pied Avocet	LC			117	5	13	81	4	28
	<i>Himantopus himantopus</i>	Black-winged Stilt	LC	789	2340	909	2063	1849	4777	1878	1750
Rostratulidae	<i>Rostratula benghalensis</i>	Greater Painted-snipe	LC					3			
Scolopacidae	<i>Numenius phaeopus</i>	Whimbrel	LC	11		76	56	17	19	49	57
	<i>Numenius arquata</i>	Eurasian Curlew	NT	3	1	83	392	149	66	308	204
	<i>Limosa lapponica</i>	Bar-tailed Godwit	NT			18	3796	993	253	14	5331
	<i>Limosa limosa</i>	Black-tailed Godwit	NT	1334	634	7031	12649	3031	16375	6446	6868
	<i>Arenaria interpres</i>	Ruddy Turnstone	LC	38	43	94	95	127	227	146	48
	<i>Calidris tenuirostris</i>	Great Knot	EN			65	16	11		16	88
	<i>Calidris canutus</i>	Red Knot	NT			1				9	102
	<i>Calidris pugnax</i>	Ruff	LC	1	10	3	7	14	5	4	3
	<i>Calidris falcinellus</i>	Broad-billed Sandpiper	LC	5		2	146	6	20		7
	<i>Calidris ferruginea</i>	Curlew Sandpiper	NT	584	1840	362358	13298	1546	5428	17926	5808
	<i>Calidris temminckii</i>	Temminck's Stint	LC				3	2		17	4
	<i>Calidris subminuta</i>	Long-toed Stint	LC						2	1	
	<i>Calidris alba</i>	Sanderling	LC		6	125		7	34	315	503
	<i>Calidris minuta</i>	Little Stint	LC	659	474	55605	6492	906	5238	28471	11563
	<i>Gallinago stenura</i>	Pintail Snipe	LC	13	8	17	16	32	22	28	12
	<i>Phalaropus lobatus</i>	Red-necked Phalarope	LC							2	8
	<i>Xenus cinereus</i>	Terek Sandpiper	LC		1	12	6	11	4	331	79
	<i>Actitis hypoleucos</i>	Common Sandpiper	LC	50	82	135	33	74	158	114	31
	<i>Tringa ochropus</i>	Green Sandpiper	LC	1				1		3	2
	<i>Tringa erythropus</i>	Spotted Redshank	LC			1					
	<i>Tringa nebularia</i>	Common Greenshank	LC	51	71	1091	38	46	132	424	62
	<i>Tringa totanus</i>	Common Redshank	LC	314	260	28396	2379	932	4607	3914	3131

The Asian Waterbird Census 2008-2015 - results of coordinated counts in Asia and Australasia

Family	Scientific Name	Common Name	RL	Season							
				2008	2009	2010	2011	2012	2013	2014	2015
	<i>Tringa glareola</i>	Wood Sandpiper	LC	46	92	62	230	91	359	306	435
	<i>Tringa stagnatilis</i>	Marsh Sandpiper	LC	374	1370	29699	3494	1026	1624	2988	3473
	<i>Tringa spp.</i>	Unidentified Tringa Sandpiper	UN								15
Threskiornithidae	<i>Platalea leucorodia</i>	Eurasian Spoonbill	LC	55	125	203	150	154	396	193	694
	<i>Threskiornis melanocephalus</i>	Black-headed Ibis	NT	336	1035	353	959	2462	1017	638	1114
	<i>Plegadis falcinellus</i>	Glossy Ibis	LC						315	101	5
Unknown		Unidentified wader	UN	371	136	600032	3513	3593	3661		23068
Total				20642	36405	1356319	142997	99650	161211	171890	378157

For further information please visit our website or contact our office
<http://www.wetlands.org>

Wetlands International
PO Box 471
6700 AL Wageningen
The Netherlands
Te; +31318660910
Fax: 31318660950

 Wetlands International

 @WetlandsInt

 Wetlands International

